

| SL NO. | Specification            | Rev     | Title                                                                                                                                            | TEC Standard Number        |
|--------|--------------------------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| 1      | <a href="#">22.261</a>   | 16.17.0 | Service requirements for the 5G system                                                                                                           | <a href="#">64984:2024</a> |
| 2      | <a href="#">23.015</a>   | 16.2.0  | Technical realization of Operator Determined Barring (ODB)                                                                                       | <a href="#">64985:2024</a> |
| 3      | <a href="#">28.5</a>     | 16.1.0  | Telecommunication management; Management concept, architecture and requirements for mobile networks that include virtualized network functions   | <a href="#">64986:2024</a> |
| 4      | <a href="#">28.55</a>    | 16.10.0 | Management and orchestration; Performance assurance                                                                                              | <a href="#">64987:2024</a> |
| 5      | <a href="#">28.632</a>   | 16.1.0  | Telecommunication management; Inventory Management (IM) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS) | <a href="#">64988:2024</a> |
| 6      | <a href="#">29.508</a>   | 16.12.0 | 5G System; Session Management Event Exposure Service; Stage 3                                                                                    | <a href="#">64989:2024</a> |
| 7      | <a href="#">29.515</a>   | 16.8.0  | 5G System; Gateway Mobile Location Services; Stage 3                                                                                             | <a href="#">64990:2024</a> |
| 8      | <a href="#">29.531</a>   | 16.9.0  | 5G System; Network Slice Selection Services; Stage 3                                                                                             | <a href="#">64991:2024</a> |
| 9      | <a href="#">23.222</a>   | 16.13.0 | Common API Framework for 3GPP Northbound APIs                                                                                                    | <a href="#">64992:2024</a> |
| 10     | <a href="#">23.434</a>   | 16.9.0  | Service Enabler Architecture Layer for Verticals (SEAL); Functional architecture and information flows                                           | <a href="#">64993:2024</a> |
| 11     | <a href="#">29.274</a>   | 16.13.0 | 3GPP Evolved Packet System (EPS); Evolved General Packet Radio Service (GPRS) Tunnelling Protocol for Control plane (GTPv2-C); Stage 3           | <a href="#">64994:2024</a> |
| 12     | <a href="#">32.254</a>   | 16.7.0  | Telecommunication management; Charging management; Exposure function Northbound Application Program Interfaces (APIs) charging                   | <a href="#">64995:2024</a> |
| 13     | <a href="#">32.421</a>   | 16.4.0  | Telecommunication management; Subscriber and equipment trace; Trace concepts and requirements                                                    | <a href="#">64996:2024</a> |
| 14     | <a href="#">33.127</a>   | 16.12.0 | Lawful Interception (LI) architecture and functions                                                                                              | <a href="#">64997:2024</a> |
| 15     | <a href="#">36.113</a>   | 16.4.0  | Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) and repeater ElectroMagnetic Compatibility (EMC)                          | <a href="#">64998:2024</a> |
| 16     | <a href="#">36.321</a>   | 16.9.0  | Evolved Universal Terrestrial Radio Access (E-UTRA); Medium Access Control (MAC) protocol specification                                          | <a href="#">64999:2024</a> |
| 17     | <a href="#">36.579-7</a> | 16.2.0  | Mission Critical (MC) services over LTE; Part 7: Mission Critical Data (MCData) User Equipment (UE) Protocol conformance specification           | <a href="#">65000:2024</a> |
| 18     | <a href="#">38.202</a>   | 16.4.0  | NR; Services provided by the physical layer                                                                                                      | <a href="#">65001:2024</a> |
| 19     | <a href="#">26.247</a>   | 16.8.1  | Transparent end-to-end Packet-switched Streaming Service (PSS); Progressive Download and Dynamic Adaptive Streaming over HTTP (3GP-DASH)         | <a href="#">65002:2024</a> |
| 20     | <a href="#">26.501</a>   | 16.13.0 | 5G Media Streaming (5GMS); General description and architecture                                                                                  | <a href="#">65003:2024</a> |
| 21     | <a href="#">28.313</a>   | 16.5.0  | Management and orchestration; Self-Organizing Networks (SON) for 5G networks                                                                     | <a href="#">65004:2024</a> |
| 22     | <a href="#">28.552</a>   | 16.17.0 | Management and orchestration; 5G performance measurements                                                                                        | <a href="#">65005:2024</a> |
| 23     | <a href="#">29.519</a>   | 16.13.0 | 5G System; Usage of the Unified Data Repository Service for Policy Data, Application Data and Structured Data for Exposure; Stage 3              | <a href="#">65006:2024</a> |
| 24     | <a href="#">32.156</a>   | 16.9.0  | Telecommunication management; Fixed Mobile Convergence (FMC) model repertoire                                                                    | <a href="#">65007:2024</a> |
| 25     | <a href="#">32.422</a>   | 16.13.0 | Telecommunication management; Subscriber and equipment trace; Trace control and configuration management                                         | <a href="#">65008:2024</a> |

|    |                          |         |                                                                                                                                                                                    |                            |
|----|--------------------------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| 26 | <a href="#">36.104</a>   | 16.15.0 | Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) radio transmission and reception                                                                            | <a href="#">65009:2024</a> |
| 27 | <a href="#">36.213</a>   | 16.10.0 | Evolved Universal Terrestrial Radio Access (E-UTRA); Physical layer procedures                                                                                                     | <a href="#">65010:2024</a> |
| 28 | <a href="#">36.304</a>   | 16.9.0  | Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) procedures in idle mode                                                                                   | <a href="#">65011:2024</a> |
| 29 | <a href="#">36.579-1</a> | 16.3.0  | Mission Critical (MC) services over LTE; Part 1: Common test environment                                                                                                           | <a href="#">65012:2024</a> |
| 30 | <a href="#">36.579-2</a> | 16.3.0  | Mission Critical (MC) services over LTE; Part 2: Mission Critical Push To Talk (MCPTT) User Equipment (UE) Protocol conformance specification                                      | <a href="#">65013:2024</a> |
| 31 | <a href="#">36.579-4</a> | 16.3.0  | Mission Critical (MC) services over LTE; Part 4: Test Applicability and Implementation Conformance Statement (ICS) proforma specification                                          | <a href="#">65014:2024</a> |
| 32 | <a href="#">36.579-6</a> | 16.3.0  | Mission Critical (MC) services over LTE; Part 6: Mission Critical Video (MCVideo) User Equipment (UE) Protocol conformance specification                                           | <a href="#">65015:2024</a> |
| 33 | <a href="#">38.212</a>   | 16.12.0 | NR; Multiplexing and channel coding                                                                                                                                                | <a href="#">65016:2024</a> |
| 34 | <a href="#">38.215</a>   | 16.7.0  | NR; Physical layer measurements                                                                                                                                                    | <a href="#">65017:2024</a> |
| 35 | <a href="#">24.519</a>   | 16.10.0 | 5G System (5GS); Time-Sensitive Networking (TSN) Application Function (AF) to Device-Side TSN Translator (DS-TT) and Network-Side TSN Translator (NW-TT) protocol aspects; Stage 3 | <a href="#">65018:2024</a> |
| 36 | <a href="#">32.291</a>   | 16.16.0 | Telecommunication management; Charging management; 5G system, charging service; Stage 3                                                                                            | <a href="#">65019:2024</a> |
| 37 | <a href="#">32.423</a>   | 16.10.0 | Telecommunication management; Subscriber and equipment trace; Trace data definition and management                                                                                 | <a href="#">65020:2024</a> |
| 38 | <a href="#">33.511</a>   | 16.11.0 | Security Assurance Specification (SCAS) for the next generation Node B (gNodeB) network product class                                                                              | <a href="#">65021:2024</a> |
| 39 | <a href="#">37.113</a>   | 16.5.0  | NR, E-UTRA, UTRA and GSM/EDGE; Multi-Standard Radio (MSR) Base Station (BS) Electromagnetic Compatibility (EMC)                                                                    | <a href="#">65022:2024</a> |
| 40 | <a href="#">37.213</a>   | 16.13.0 | Physical layer procedures for shared spectrum channel access                                                                                                                       | <a href="#">65023:2024</a> |
| 41 | <a href="#">38.175</a>   | 16.7.0  | NR; Integrated Access and Backhaul (IAB) Electromagnetic Compatibility (EMC)                                                                                                       | <a href="#">65024:2024</a> |
| 42 | <a href="#">38.176-2</a> | 16.8.0  | NR; Integrated Access and Backhaul (IAB) conformance testing; Part 2: Radiated conformance testing                                                                                 | <a href="#">65025:2024</a> |
| 43 | <a href="#">38.305</a>   | 16.10.0 | NG Radio Access Network (NG-RAN); Stage 2 functional specification of User Equipment (UE) positioning in NG-RAN                                                                    | <a href="#">65026:2024</a> |
| 44 | <a href="#">23.502</a>   | 16.18.0 | Procedures for the 5G System (5GS)                                                                                                                                                 | <a href="#">65027:2024</a> |
| 45 | <a href="#">28.541</a>   | 16.18.0 | Management and orchestration; 5G Network Resource Model (NRM); Stage 2 and stage 3                                                                                                 | <a href="#">65028:2024</a> |
| 46 | <a href="#">28.554</a>   | 16.15.0 | Management and orchestration; 5G end to end Key Performance Indicators (KPI)                                                                                                       | <a href="#">65029:2024</a> |
| 47 | <a href="#">28.623</a>   | 16.16.0 | Telecommunication management; Generic Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions                                                | <a href="#">65030:2024</a> |
| 48 | <a href="#">29.514</a>   | 16.18.0 | 5G System; Policy Authorization Service; Stage 3                                                                                                                                   | <a href="#">65031:2024</a> |
| 49 | <a href="#">36.141</a>   | 16.18.0 | Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) conformance testing                                                                                         | <a href="#">65032:2024</a> |
| 50 | <a href="#">37.145-1</a> | 16.15.0 | Active Antenna System (AAS) Base Station (BS) conformance testing; Part 1: conducted conformance testing                                                                           | <a href="#">65033:2024</a> |
| 51 | <a href="#">37.145-2</a> | 16.16.0 | Active Antenna System (AAS) Base Station (BS) conformance testing; Part 2: radiated conformance testing                                                                            | <a href="#">65034:2024</a> |
| 52 | <a href="#">38.307</a>   | 16.15.0 | NR; Requirements on User Equipments (UEs) supporting a release-independent frequency band                                                                                          | <a href="#">65035:2024</a> |

|    |                          |         |                                                                                                                                                                                                                                                            |                            |
|----|--------------------------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| 53 | <a href="#">23.501</a>   | 16.19.0 | System architecture for the 5G System (5GS)                                                                                                                                                                                                                | <a href="#">65036:2024</a> |
| 54 | <a href="#">26.512</a>   | 16.12.0 | 5G Media Streaming (5GMS); Protocols                                                                                                                                                                                                                       | <a href="#">65037:2024</a> |
| 55 | <a href="#">28.532</a>   | 16.17.0 | Management and orchestration; Generic management services                                                                                                                                                                                                  | <a href="#">65038:2024</a> |
| 56 | <a href="#">28.622</a>   | 16.18.0 | Telecommunication management; Generic Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)                                                                                                                             | <a href="#">65039:2024</a> |
| 57 | <a href="#">31.121</a>   | 16.14.0 | UICC-terminal interface; Universal Subscriber Identity Module (USIM) application test specification                                                                                                                                                        | <a href="#">65040:2024</a> |
| 58 | <a href="#">31.124</a>   | 16.14.0 | Mobile Equipment (ME) conformance test specification; Universal Subscriber Identity Module Application Toolkit (USAT) conformance test specification                                                                                                       | <a href="#">65041:2024</a> |
| 59 | <a href="#">33.128</a>   | 16.16.0 | Security; Protocol and procedures for Lawful Interception (LI); Stage 3                                                                                                                                                                                    | <a href="#">65042:2024</a> |
| 60 | <a href="#">33.31</a>    | 16.15.0 | Network Domain Security (NDS); Authentication Framework (AF)                                                                                                                                                                                               | <a href="#">65043:2024</a> |
| 61 | <a href="#">34.229-2</a> | 16.9.0  | Internet Protocol (IP) multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) specification | <a href="#">65044:2024</a> |
| 62 | <a href="#">34.229-5</a> | 16.9.0  | Internet Protocol (IP) multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); User Equipment (UE) conformance specification; Part 5: Protocol conformance specification using 5G System (5GS) | <a href="#">65045:2024</a> |
| 63 | <a href="#">36.101</a>   | 16.19.0 | Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) radio transmission and reception                                                                                                                                                  | <a href="#">65046:2024</a> |
| 64 | <a href="#">36.133</a>   | 16.19.0 | Evolved Universal Terrestrial Radio Access (E-UTRA); Requirements for support of radio resource management                                                                                                                                                 | <a href="#">65047:2024</a> |
| 65 | <a href="#">36.331</a>   | 16.14.0 | Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC); Protocol specification                                                                                                                                                  | <a href="#">65048:2024</a> |
| 66 | <a href="#">37.104</a>   | 16.19.0 | NR, E-UTRA, UTRA and GSM/EDGE; Multi-Standard Radio (MSR) Base Station (BS) radio transmission and reception                                                                                                                                               | <a href="#">65049:2024</a> |
| 67 | <a href="#">38.101-4</a> | 16.15.0 | NR; User Equipment (UE) radio transmission and reception; Part 4: Performance requirements                                                                                                                                                                 | <a href="#">65050:2024</a> |
| 68 | <a href="#">38.141-1</a> | 16.18.0 | NR; Base Station (BS) conformance testing Part 1: Conducted conformance testing                                                                                                                                                                            | <a href="#">65051:2024</a> |
| 69 | <a href="#">38.141-2</a> | 16.18.0 | NR; Base Station (BS) conformance testing Part 2: Radiated conformance testing                                                                                                                                                                             | <a href="#">65052:2024</a> |
| 70 | <a href="#">38.214</a>   | 16.15.0 | NR; Physical layer procedures for data                                                                                                                                                                                                                     | <a href="#">65053:2024</a> |
| 71 | <a href="#">38.321</a>   | 16.14.0 | NR; Medium Access Control (MAC) protocol specification                                                                                                                                                                                                     | <a href="#">65054:2024</a> |
| 72 | <a href="#">38.455</a>   | 16.13.0 | NG-RAN; NR Positioning Protocol A (NRPPa)                                                                                                                                                                                                                  | <a href="#">65055:2024</a> |
| 73 | <a href="#">33.501</a>   | 16.17.0 | Security architecture and procedures for 5G System                                                                                                                                                                                                         | <a href="#">65056:2024</a> |
| 74 | <a href="#">37.141</a>   | 16.20.0 | NR, E-UTRA, UTRA and GSM/EDGE; Multi-Standard Radio (MSR) Base Station (BS) conformance testing                                                                                                                                                            | <a href="#">65057:2024</a> |
| 75 | <a href="#">38.101-1</a> | 16.18.0 | NR; User Equipment (UE) radio transmission and reception; Part 1: Range 1 Standalone                                                                                                                                                                       | <a href="#">65058:2024</a> |
| 76 | <a href="#">38.101-2</a> | 16.18.0 | NR; User Equipment (UE) radio transmission and reception; Part 2: Range 2 Standalone                                                                                                                                                                       | <a href="#">65059:2024</a> |
| 77 | <a href="#">38.101-3</a> | 16.18.0 | NR; User Equipment (UE) radio transmission and reception; Part 3: Range 1 and Range 2 Interworking operation with other radios                                                                                                                             | <a href="#">65060:2024</a> |
| 78 | <a href="#">38.104</a>   | 16.18.0 | NR; Base Station (BS) radio transmission and reception                                                                                                                                                                                                     | <a href="#">65061:2024</a> |

|    |                        |         |                                                           |                            |
|----|------------------------|---------|-----------------------------------------------------------|----------------------------|
| 79 | <a href="#">38.133</a> | 16.18.0 | NR; Requirements for support of radio resource management | <a href="#">65062:2024</a> |
| 80 | <a href="#">38.213</a> | 16.16.0 | NR; Physical layer procedures for control                 | <a href="#">65063:2024</a> |
| 81 | <a href="#">38.3</a>   | 16.15.0 | NR; NR and NG-RAN Overall description; Stage-2            | <a href="#">65064:2024</a> |
| 82 | <a href="#">38.306</a> | 16.15.0 | NR; User Equipment (UE) radio access capabilities         | <a href="#">65065:2024</a> |
| 83 | <a href="#">38.331</a> | 16.15.1 | NR; Radio Resource Control (RRC); Protocol specification  | <a href="#">65066:2024</a> |
| 84 | <a href="#">38.423</a> | 16.16.0 | NG-RAN; Xn Application Protocol (XnAP)                    | <a href="#">65067:2024</a> |
| 85 | <a href="#">38.463</a> | 16.16.0 | NG-RAN; E1 Application Protocol (E1AP)                    | <a href="#">65068:2024</a> |
| 86 | <a href="#">38.473</a> | 16.16.0 | NG-RAN; F1 Application Protocol (F1AP)                    | <a href="#">65069:2024</a> |