



GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

CERTIFICATE OF DESIGNATION

M/s AA Electro Magnetic Test Laboratory Private Limited, Gurugram has been assessed and designated as Conformity Assessment Body (CAB) for its facilities at

Plot No. 174, Udyog Vihar, Phase-4, Sector-18, Gurugram-122 016, Haryana

In the field of Testing

Certificate No. TEC/MRA/CAB/IND-D/63-II

Issue Date: 05/04/2022

Valid Until: 04/04/2025

This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.

(To see the scope of designation of this laboratory, you may also visit TEC website www.tec.gov.in)

Signed for and on behalf of TEC

Prasanth Kumar
Deputy Director General (MTCTE)
For Designating Authority
TEC

Certificate No: TEC/MRA/CAB/IND-D/63-II dated 05/04/2022 issued to M/s AA Electro Magnetic Test Laboratory Private Limited Plot No. 174, Udyog Vihar, Phase-4, Sector-18, Gurugram-122 016, Haryana



Validity: - 05/04/2022 to 04/04/2025

Terms & Conditions

This certificate is issued as per the terms and conditions stipulated in the TEC SCHEME FOR DESIGNATING DOMESTIC CONFORMITY ASSESEMENT BODIES AND CERTIFICATION BODIES FOR CONFORMITY ASSESEMENT AND CERTIFICATION OF TELECOMMUNICATION EQUIPMENT ISSUE 2 NO. TEC/DES-01/02.DEC.2017.

Some of the conditions are reiterated as under:

A. Obligations of the Designated CAB.

- 1. It shall ensure that it maintains its accreditation status from any recognised Indian accreditation body like NABL during validity period of certificate.
- 2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)* partner for testing and evaluation.
- 3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry on testing in an unfair or biased manner.
- 4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
- 5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
- 6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and standards.
- 7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
- 8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

*Applicable only if recognized by MRA (Mutual Recognition Agreement) partner.

Skhys

Juni Jung

Page 1 of 2

- 9. It shall notify the DA in writing of occurrence of any of the following incident(s) within 2 weeks of its occurrence
 - a) Cessation of its business of conformity assessment for which it is Designated or accredited
 - b) Changes in its legal, commercial, or Organisational status
 - c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
 - d) Change of premises

B. REFERENCE TO DESIGNATION STATUS

- 1. Designated CABs may advertise their designation status with regard to standards or parts thereof which are included in the scope of designation.
- The advertisement should not imply, or otherwise suggest that DA or MRA Partner
 has endorsed the product or imply that the designated CAB is an agent or representative
 of DA or MRA Partner.
- CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

C. POST-DESIGNATION SURVEILLANCE

As and when required, DA shall conduct surveillance assessments and other non-routine assessments on the Designated CABs to ensure that standards of practices are maintained as well as to investigate complaints made against them.

D. SUSPENSION OR WITHDRAWAL OF DESIGNATION

- 1. DA shall suspend or withdraw the designation of a CAB if
 - a. Its accreditation is withdrawn.
 - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
 - c. It is guilty of any offence involving fraud or dishonesty.
 - d. DA concludes that there is a just cause for withdrawing the designation.
- A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
- DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

E. AMENDMENT TO THE SCHEME

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.

Shrys



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 1 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ___

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
1.	Equipment Operating in 2.4 GHz, 5 GHz	RF Output Power (Conductive only) Clause- 4.3.1.2 & 4.3.2.2, 5.3.2	ETSI EN 300 328 V 2.2.2
	frequency bands	Power Spectral Density (Conductive only) Clause- 4.3.2.3 & 5.3.3	ETSI EN 300 328 V 2.2.2
		Duty Cycle, Tx sequence, Tx-gap Clause- 4.3.1.3,4.3.2.4 & 5.3.2	ETSI EN 300 328 V 2.2.2
		Geo Location Capability Clause- 4.3.1.13, 4.3.2.12	ETSI EN 300 328 V 2.2.2
		Accumulated Transmit Time, Frequency occupation and Hopping sequence Clause- 4.3.1.4 & 5.3.4	ETSI EN 300 328 V 2.2.2
		Hoping Frequency Separation Clause- 4.3.1.5 & 5.3.5	ETSI EN 300 328 V 2.2.2
		Medium Utilization Clause- 4.3.1.6, 4.3.2.5 & 5.3.2	ETSI EN 300 328 V 2.2.2
		Adaptivity Clause- 4.3.1.7 or 4.3.2.6 & 5.3.7	ETSI EN 300 328 V 2.2.2
11		Occupied Channel bandwidth Clause- 4.3.1.8, 4.3.2.7 & 5.3.8	ETSI EN 300 328 V 2.2.2

Director (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 2 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: _

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Equipment Operating in 2.4 GHz, 5 GHz frequency bands	Transmitter Unwanted emissions in OOB Domain Clause- 4.3.1.9, 4.3.2.8 & 5.3.9	ETSI EN 300 328 V 2.2.2
	requercy bands	Transmitter unwanted emissions in the spurious domain Clause- 4.3.1.10, 4.3.2.9 & 5.3.10	ETSI EN 300 328 V 2.2.2
		Receiver Spurious Emission Clause 4.3.1.11, 4.3.2.10 & 5.3.11	ETSI EN 300 328 V 2.2.2
		Receiver Blocking Clause- 4.3.1.12, 4.3.2.11 & 5.3.7	ETSI EN 300 328 V 2.2.2
		Carrier Frequencies Clause- 4.2.1	ETSI EN 301 893 V2.1.1
		Nominal and Occupied Channel Bandwidth Clause- 4.2.2	ETSI EN 301 893 V2.1.1
		RF Output Power, Transmit Power Control (TPC), Power Density Clause- 4.2.3	ETSI EN 301 893 V2.1.1
		Transmitter unwanted Emissions outside the 5 GHz RLAN Bands Clause- 4.2.4.1	ETSI EN 301 893 V2.1.1

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 3 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ___

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Equipment operating in 2.4 GHz, 5 GHz	Transmitter unwanted Emissions within the 5 GHz RLAN Bands Clause- 4.2.4.2	ETSI EN 301 893 V2.1.1
	frequency bands	Receiver Spurious Emission Clause- 4.2.5	ETSI EN 301 893 V2.1.1
		Geo Location Capability Clause- 4.2.10	ETSI EN 301 893 V2.1.1
		Dynamic Frequency Selection (DFS) Clause- 4.2.6.2	ETSI EN 301 893 V2.1.1
		Adaptivity Clause- 4.2.7	ETSI EN 301 893 V2.1.1
		Receiver Blocking Clause- 4.2.8	ETSI EN 301 893 V2.1.1
		Designation of Centre Frequencies and Frequency error Clause- 4.2.1	ETSI EN 302 502 V2.1.1
		Transmitter RF Output Power, EIRP and EIRP Spectral Density Clause- 4.2.2, 5.4.3	ETSI EN 302 502 V2.1.1
Á		Transmitter Unwanted Emission Clause- 4.2.3, 5.4.4	ETSI EN 302 502 V2.1.1

Director (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II Page 4 of 95

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Equipment Operating in 2.4 GHz, 5 GHz	Transmitter Power Control (TPC) Clause- 4.2.4	ETSI EN 302 502 v2.1.1
	frequency bands	Receiver Spurious Emission Clause- 4.2.5, 5.4.5	ETSI EN 302 502 v2.1.1
		Dynamic Frequency Selection (DFS) Clause- 4.2.6, 5.4.6	ETSI EN 302 502 v2.1.1
		Receiver Blocking Clause- 4.2.7, 5.4.7	ETSI EN 302 502 v2.1.1
		Frequency Error Clause- 5.4.2	ETSI EN 302 502 v2.1.1
2.	EMI/EMC testing of Telecom Products	Voltage Dips, short interruption and Voltage variations immunity Test on DC input power port immunity test	IEC 61000-4-29

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II Page 5 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ____

No.	Equipment/Product	Test Parame	ter or Type of Testing	Standard/ Specification
3.	Mobile User Equipment	Parameters Linked with Product Variant	Mobile Device Indian Language Support IS 16333 (Part 3) Inputting of Text Clause 5/5.1 Marking 6/6.1/6.2/6.2.1 Message readability Clause 5/5.2	TEC ER No. TEC47722105
			Mobile Emergency Support - Call on 112DoT 16-04/2015- AS-III/NP/67/120 dt 4.5.16, 3GPP2 C.S0023 for CDMA2000, 3GPP TS 22.101 and TS 24.008for GSM/ UMTS/ LTE.	TEC ER No. TEC47722105

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 6 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: _

Sl. No.	Telecom Equipment/Product	Test Paramet	er or Type of Testing	Standard/ Specification
	Mobile User Equipment	Parameters Linked with Product Variant	Mobile Emergency Support - GPS Location G.S.R. No. 1441 (E)	TEC ER No. TEC47722105
			Mobile Emergency Support - Panic Button G.S.R. No. 436 (E) dated 22-04-2016, 3GPP TS 22.101 for GSM/ UMTS/ LTE, 3GPP2 C.S0023 for CDMA	TEC ER No. TEC47722105
		Interface: GSM/GPRS / EDGE	Transmitter Maximum Output Power for GSM 3GPP TS 51 010-1 Clause- 13.3 or EN 301 511 (GSM) Clause- 4.2.5	TEC ER No. TEC47722105

Director (CA'), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 7 of 95

Validity: 05/04/2022 to 04/04/2025

Telecom

No. | Equipment/Product

Last Amended on: ___

Standard/ Specification

Mobile User Equipment	Interface: GSM/GPRS / EDGE	Transmitter Output Power for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.2 or EN 301 511 (GSM) Clause- 4.2.10	TEC ER No. TEC47722105
		Output RF Spectrum for GSM 3GPP TS 51 010-1 Clause- 13.4 or EN 301 511 (GSM) Clause- 4.2.6	TEC ER No. TEC47722105
		Output RF Spectrum for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.3 or EN 301 511 (GSM) Clause- 4.2.11	TEC ER No. TEC47722105



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 8 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ____

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification	
	Mobile User Equipment	Interface: GSM/GPRS / EDGE	Spurious Emissions - MS allocated a channel 3GPP TS 51 010-1 Clause- 12.1.1 or EN 301 511 (GSM) Clause- 4.2.12	TEC ER No. TEC47722105	
			Spurious Emissions - MS in idle mode 3GPP TS 51 010-1 Clause- 12.1.2 or EN 301 511 (GSM) Clause- 4.2.13	TEC ER No. TEC47722105	
			Frequency Error and Phase Error for GSM 3GPP TS 51 010-1 Clause- 13.1 or EN 301 511 (GSM) Clause- 4.2.1	TEC ER No. TEC47722105	

Director (CA), TEC

AĎ (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 9 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ___

Sl. No.	Telecom Equipment/Product	Test Parame	ter or Type of Testing	Standard/ Specification	
	Mobile User Equipment	Interface: GSM/GPRS / EDGE	Frequency Error and Phase Error for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.1 or EN 301 511(GSM) Clause- 4.2.4	TEC ER No. TEC47722105	
			Reference Sensitivity Level (Speech Channels) 3GPP TS 51 010-1 Clause- 14.2.1 or EN 301 511 (GSM) Clause- 4.2.42	TEC ER No. TEC47722105	
			Adjacent Channel Rejection (Speech channels) 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 (GSM) Clause- 4.2.38	TEC ER No. TEC47722105	

AD (CA), TEC *The validity of Certificate is up to 04/04/2025 or the continued validity of NABL Accreditation,



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 10 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ____

Sl. No.	Telecom Equipment/Product	Test Parame	ter or Type of Testing	Standard/ Specification
	Mobile User Equipment	Interface: GSM/GPRS / EDGE	Receiver Blocking 3GPP TS 51 010-1 Clause- 14.7.1 or EN 301 511 (GSM) Clause- 4.2.20	TEC ER No. TEC47722105
		Interface : WCDMA or HSPA	Transmitter Maximum Output Power 3GPP TS 34.121-1 Clause- 5.2 OR EN 301 908-2 (UMTS)Clause- 4.2.2.1	TEC ER No. TEC47722105
			Spectrum Emissions Mask 3GPP TS 34.121-1 Clause- 5.9 OR EN 301 908-2 (UMTS)Clause- 4.2.3.1	TEC ER No. TEC47722105
			Transmitter Spurious Emissions 3GPP TS 34.121-1 Clause- 5.11 OR EN 301 908-2 (UMTS) Clause- 4.2.4.1	TEC ER No. TEC47722105



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Telecom

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 11 of 95

Test Parameter or Type of Testing Standard/Specification

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ____

No.	Equipment/Product		104)	
	Mobile User Equipment	Interface : WCDMA or HSPA	Receiver Spurious Emission 3GPP TS 34.121-1 Clause- 6.8 OR EN 301 908-2 (UMTS) Clause- 4.2.10	TEC ER No. TEC47722105
			Transmitter Minimum Output Power 3GPP TS 34.121-1 Clause- 5.4.3 OR EN 301 908-2 (UMTS) Clause- 4.2.5.1	TEC ER No. TEC47722105
			Receiver Reference Sensitivity level 3GPP TS 34.121-1 Clause- 6.2 OR EN 301 908-2 (UMTS) Clause- 4.2.13	TEC ER No. TEC47722105

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Telecom

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 12 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ____

Standard/ Specification

TU	Mobile User	Interface :	Receiver Adjacent	TEC ER No.
	Equipment	WCDMA or HSPA	Channel Selectivity(ACS) 3GPP TS 34.121-1 Clause- 6.4 OR EN 301 908-2 (UMTS) Clause- 4.2.6	TEC47722105
			Receiver In-band blocking 3GPP TS 34.121- 1Clause- 6.5.2.1 OR EN 301 908-2 (UMTS) Clause- 4.2.7	TEC ER No. TEC47722105
		Interface: LTE or LTE-A	Maximum Output Power 3GPP TS 36.521-1 Clause- 6.2.2 OR EN 301 908-13 (LTE) Clause- 4.2.2.1	TEC ER No. TEC47722105

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 13 of 95

Validity: 05/04/2022 to 04/04/2025

Telecom

Last Amended on: ____

Standard/ Specification

No.	Equipment/Product			
	Mobile User Equipment	Interface: LTE or LTE-A	Spectrum Emissions Mask 3GPP TS 36.521- 1Clause 6.6.2.1 OR EN 301 908-13 (LTE) Clause- 4.2.3.1	TEC ER No. TEC47722105
			Spurious Emissions 3GPP TS 36.521-1 Clauses- 6.6.3.1,6.6.3.2, 6.6.3.3 OR EN 301 908-13 (LTE) Clause- 4.2.4.1	TEC ER No. TEC47722105
			Receiver Spurious Emission 3GPP TS 36.521-1 Clause- 7.9 OR EN 301 908-13 (LTE) Clause- 4.2.10.1	TEC ER No. TEC47722105

Test Parameter or Type of Testing

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 14 of 95

Test Parameter or Type of Testing Standard/ Specification

Validity: 05/04/2022 to 04/04/2025

Sl. Telecom

Last Amended on: ___

No.	Equipment/Product				
	Mobile User Equipment	Interface: LTE or LTE-A	Receiver Reference Sensitivity level 3GPP TS 36.521-1	TEC ER No. TEC47722105	
			Clause- 7.3 OR EN 301 908-13 (LTE) Clause- 4.2.12		
			Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 36.521-1 Clause- 7.5 OR EN 301 908-13 (LTE) Clause- 4.2.6.1	TEC ER No. TEC47722105	
			Receiver In-band blocking 3GPP TS 36.521-1 Clause-7.6.1 OR EN 301 908-13 (LTE) Clause- 4.2.7.1	TEC ER No. TEC47722105	

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II Page 15 of 95

SI.	Telecom	Test Parameter or Type of Testing	Standard/ Specification
No.	Equipment/Product		

Mobile User Equipment	Interface: Wi-Fi	RF Output Power(EIRP) ETSI EN 300 328 V 2.2.2 (EIRP for Wi- Fi Interface) Clause No.4.3.1.2 & 4.3.2.2,5.3.2	TEC ER No. TEC47722105
		Power Spectral Density (Conductive only) ETSI EN 300 328 V 2.2.2 Clause 4.3.2 & 5.3.3	TEC ER No. TEC47722105
		Duty Cycle, Tx sequence, Tx-gap ETSI EN 300 328 V 2.2.2 Clause 4.3.1.3, 4.3.2.4 & 5.3.2	TEC ER No. TEC47722105

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II Page 16 of 95

SI	Telecom	Test Parameter or Type of Testing	Standard/Specification
No.	Equipment/Product		

Mobile User Equipment	Interface: Wi-Fi	Geo Location Capability ETSI EN 300 328 V 2.2.2 Clause 4.3.1.13, 4.3.2.12	TEC ER No. TEC47722105
		Accumulated Transmit Time, Frequency occupation and Hopping sequence ETSI EN 300 328 V 2.2.2 Clause 4.3.1.4 & 5.3.4	TEC ER No. TEC47722105
		Hoping Frequency Separation ETSI EN 300 328 V 2.2.2 Clause 4.3.1.5 & 5.3.5	TEC ER No. TEC47722105

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 17 of 95

Validity: 05/04/2022 to 04/04/2025

Telecom

Last Amended on: _

Standard/Specification

No.	Equipment/Product			
	Mobile User Equipment	Interface: Wi-Fi	Medium Utilization ETSI EN 300 328 V 2.2.2 Clause 4.3.1.6, 4.3.2.5 & 5.3.2	TEC ER No. TEC47722105
			Adaptivity ETSI EN 300 328 V 2.2.2 Clause 4.3.1.7 or 4.3.2.6 & 5.3.7	TEC ER No. TEC47722105
		Occupied Channel bandwidth ETSI EN 300 328 V 2.2.2 Clause 4.3.1.8, 4.3.2.7 & 5.3.8	TEC ER No. TEC47722105	

Test Parameter or Type of Testing

Director (CA

*The validity of Certificate is up to 04/04/2025 or the continued validity of NABL Accreditation, whichever is earlier.

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 18 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ___

Sl. No.	Telecom Test Parameter or Type of Testing Equipment/Product		eter or Type of Testing	Standard/ Specification
362	Mobile User Equipment	Interface: Wi-Fi	Transmitter Unwanted emissions in OOB Domain ETSI EN 300 328 V 2.2.2 Clause 4.3.1.9, 4.3.2.8 & 5.3.9	TEC ER No. TEC47722105
			Transmitter unwanted emissions in the Spurious domain ETSI EN 300 328 V 2.2.2 Clause 4.3.1.10, 4.3.2.9 & 5.3.10	TEC ER No. TEC47722105
			Receiver Spurious Emission ETSI EN 300 328 V 2.2.2 Clause 4.3.1.11, 4.3.2.10 & 5.3.11	TEC ER No. TEC47722105

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Sl. Telecom

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 19 of 95

Test Parameter or Type of Testing Standard/ Specification

Validity: 05/04/2022 to 04/04/2025

Last Amended on: _

No.	Equipment/Product		-Vr	
	Mobile User Equipment	Interface: Wi-Fi	Receiver Blocking ETSI EN 300 328 V 2.2.2 Clause 4.3.1.12, 4.3.2.11 & 5.3.7	TEC ER No. TEC47722105
			Carrier Frequencies ETSI EN 301 893 V 2.1.1 Clause 4.2.1	TEC ER No. TEC47722105
			Nominal and Occupied Channel Bandwidth ETSI EN 301 893 V 2.1.1 Clause 4.2.2	TEC ER No. TEC47722105
			RF Output Power, Transmit Power Control (TPC), Power Density ETSI EN 301 893 V 2.1.1 Clause 4.2.3	TEC ER No. TEC47722105

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Telecom

No. Equipment/Product

SI.

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 20 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ____

Standard/Specification

Mobile User	Interface:	Transmitter Unwanted	TEC ER No.
Equipment	Wi-Fi	Emissions outside the 5 GHz RLAN bands ETSI EN 301 893 V 2.1.1 Clause 4.2.4.1	TEC47722105
			, i
		Transmitter Unwanted	TEC ER No.
		Emissions within the 5 GHz RLAN bands ETSI EN 301 893 V 2.1.1 Clause 4.2.4.2	TEC47722105
	- V 12 July 15	Receiver Spurious	TEC ER No.
		Emission ETSI EN 301 893 V 2.1.1 Clause 4.2.5	TEC47722105

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 21 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	Mobile User Equipment	Interface: Wi-Fi	Geo Location Capability ETSI EN 301 893 V 2.1.1 Clause 4.2.10	TEC ER No. TEC47722105
			Dynamic Frequency Selection (DFS) ETSI EN 301 893 V 2.1.1 Clause 4.2.6.2	TEC ER No. TEC47722105
			Adaptivity . ETSI EN 301 893 V 2.1.1 Clause 4.2.7	TEC ER No. TEC47722105
			Receiver Blocking ETSI EN 301 893 V 2.1.1 Clause 4.2.8	TEC ER No. TEC47722105

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 22 of 95

Validity: 05/04/2022 to 04/04/2025

Telecom

Last Amended on: ___

Standard/Specification

No.	Equipment/Product			
4.	Smart Watch	Interface: GSM/GPRS / EDGE	Transmitter Maximum Output Power for GSM 3GPP TS 51 010-1 Clause- 13.3 or EN 301 511 (GSM) Clause- 4.2.5	TEC ER No. TEC 28982106
			Transmitter Output Power for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.2 or EN 301 511 (GSM) Clause- 4.2.10	TEC ER No. TEC 28982106
			Output RF Spectrum for GSM 3GPP TS 51 010-1 Clause- 13.4 or EN 301 511 (GSM) Clause- 4.2.6	TEC ER No. TEC 28982106

Test Parameter or Type of Testing

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 23 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification	
	Smart Watch	Interface: GSM/GPRS / EDGE	Output RF Spectrum for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.3 or EN 301 511 (GSM) Clause- 4.2.11	TEC ER No. TEC 28982106	
			Spurious Emissions - MS allocated a channel 3GPP TS 51 010-1 Clause- 12.1.1 or EN 301 511 (GSM) Clause- 4.2.12	TEC ER No. TEC 28982106	
			Spurious Emissions - MS in idle mode 3GPP TS 51 010-1 Clause- 12.1.2 or EN 301 511 (GSM) Clause- 4.2.13	TEC ER No. TEC 28982106	

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 24 of 95

Validity: 05/04/2022 to 04/04/2025

Sl. Telecom

Last Amended on: ___

Standard/ Specification

No.	Equipment/Product			
	Smart Watch	Interface: GSM/GPRS / EDGE	Frequency Error and Phase Error for GSM 3GPP TS 51 010-1 Clause- 13.1 or EN 301 511 (GSM) Clause- 4.2.1	TEC ER No. TEC 28982106
			Frequency Error and Phase Error for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.1 or EN 301 511(GSM) Clause- 4.2.4	TEC ER No. TEC 28982106
			Reference Sensitivity Level (Speech Channels) 3GPP TS 51 010-1 Clause- 14.2.1 or EN 301 511 (GSM) Clause- 4.2.42	TEC ER No. TEC 28982106

Test Parameter or Type of Testing

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Telecom

SI.

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 25 of 95

Validity: 05/04/2022 to 04/04/2025

Equipment/Product

Last Amended on:

Standard/Specification

Smart Watch	Interface:	Adjacent Channel	TEC ER No.
	GSM/GPRS / EDGE	Rejection (Speech channels) 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 (GSM) Clause- 4.2.38	TEC 28982106
		Receiver Blocking 3GPP TS 51 010-1 Clause- 14.7.1 or EN 301 511 (GSM) Clause- 4.2.20	TEC ER No. TEC 28982106
	Interface : WCDMA or HSPA	Transmitter Maximum Output Power 3GPP TS 34.121-1 Clause- 5.2 OR EN 301 908-2 (UMTS) Clause- 4.2.2.1	TEC ER No. TEC 28982106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 26 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ___

Sl. No.	Telecom Equipment/Product	Test Parame	eter or Type of Testing	Standard/ Specification
	Smart Watch	Interface : WCDMA or HSPA	Spectrum Emissions Mask 3GPP TS 34.121-1 Clause- 5.9 OR EN 301 908-2 (UMTS) Clause- 4.2.3.1	TEC ER No. TEC 28982106
			Transmitter Spurious Emissions 3GPP TS 34.121-1 Clause- 5.11 OR EN 301 908-2 (UMTS) Clause- 4.2.4.1	TEC ER No. TEC 28982106
			Receiver Spurious Emission 3GPP TS 34.121-1 Clause- 6.8 OR EN 301 908-2 (UMTS) Clause- 4.2.10	TEC ER No. TEC 28982106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Sl. Telecom

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 27 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on:

Standard/ Specification

I G	T 4 . C	Titte- Minimum	TEC ED No
Smart Watch	Interface: WCDMA or HSPA	Transmitter Minimum Output Power 3GPP TS 34.121-1 Clause- 5.4.3 OR EN 301 908-2 (UMTS) Clause- 4.2.5.1	TEC ER No. TEC 28982106
		Receiver Reference Sensitivity level 3GPP TS 34.121-1 Clause- 6.2 OR EN 301 908-2 (UMTS) Clause- 4.2.13	TEC ER No. TEC 28982106
		Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 34.121-1 Clause- 6.4 OR EN 301 908-2 (UMTS) Clause- 4.2.6	TEC ER No. TEC 28982106



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II Page 28 of 95

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	Smart Watch	Interface : WCDMA or HSPA	Receiver In-band blocking 3GPP TS 34.121- 1Clause- 6.5.2.1 OR EN 301 908-2 (UMTS) Clause- 4.2.7	TEC ER No. TEC 28982106
		Interface: LTE or LTE-A	Maximum Output Power 3GPP TS 36.521-1 Clause- 6.2.2 OR EN 301 908-13 (LTE) Clause- 4.2.2.1	TEC ER No. TEC 28982106
			Spectrum Emissions Mask 3GPP TS 36.521- 1Clause 6.6.2.1 OR EN 301 908-13 (LTE) Clause- 4.2.3.1	TEC ER No. TEC 28982106

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Telecom

·Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 29 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on:

Standard/ Specification

Smart Watch	Interface: LTE or LTE-A	Spurious Emissions 3GPP TS 36.521-1 Clauses- 6.6.3.1,6.6.3.2, 6.6.3.3 OR EN 301 908-13 (LTE) Clause- 4.2.4.1	TEC ER No. TEC 28982106
		Receiver Spurious Emission 3GPP TS 36.521-1 Clause- 7.9 OR EN 301 908-13 (LTE) Clause- 4.2.10.1	TEC ER No. TEC 28982106
		Receiver Reference Sensitivity level 3GPP TS 36.521-1 Clause- 7.3 OR EN 301 908-13 (LTE) Clause- 4.2.12	TEC ER No. TEC 28982106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 30 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ___

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	Smart Watch	Interface: LTE or LTE-A	Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 36.521-1 Clause- 7.5 OR EN 301 908-13 (LTE) Clause- 4.2.6.1	TEC ER No. TEC 28982106
			Receiver In-band blocking 3GPP TS 36.521-1 Clause-7.6.1 OR EN 301 908-13 (LTE) Clause- 4.2.7.1	TEC ER No. TEC 28982106
		Interface: BLE	Frequency of Operation for BLE-Interface WPC GSR 45(E), ETSI EN 300 328 V2.2.2 (2019-07)	TEC ER No. TEC 28982106
			ETSI EN 300 328	

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 31 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ___

SI. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	Smart Watch	Interface: BLE	Maximum Transmit Power for BLE Interface ETSI EN 300 328 V2.2.2 (2019-07) Clause 5.4.2.2	TEC ER No. TEC 28982106
			EIRP for BLE Interface ETSI EN 300 328 V2.2.2 (2019-07) Clause 5.4.2.2	TEC ER No. TEC 28982106
			Power Spectral Density ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.2.3 & 5.4.3	TEC ER No. TEC 28982106
			Duty cycle, Tx- Sequence, Tx-gap ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.4, 4.3.2.4 & 5.4.2	TEC ER No. TEC 28982106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Sl Telecom

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 32 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ___

Standard/Specification

No.	Equipment/Product	rest rarame	eter or Type of Testing	Standard/ Specification	
	Smart Watch	Interface: BLE	Accumulated Transmit time, Frequency Occupation & Hopping Sequence ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.4 & 5.4.4	TEC ER No. TEC 28982106	
			Hopping Frequency Separation ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.6 or 4.3.2.5 & 5.4.5	TEC ER No. TEC 28982106	
			Medium Utilization (MU) factor ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.6, 4.3.2.5 & 5.4.2	TEC ER No. TEC 28982106	



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 33 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification	
	Smart Watch	Interface: BLE	Adaptivity ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.7 or 4.3.2.6 & 5.4.6	TEC ER No. TEC 28982106	
			Occupied Channel Bandwidth ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.8 or 4.3.2.7 & 5.4.7	TEC ER No. TEC 28982106	
			Transmitter Unwanted Emission in the OOB domain ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.9 or 4.3.2.8 & 5.4.8	TEC ER No. TEC 28982106	

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 34 of 95

Validity: 05/04/2022 to 04/04/2025

Telecom

Last Amended on: ____

Standard/Specification

Equipment/Product	Land No. 12		
Daniel C 11 discar	Interface: BLE	Transmitter Unwanted Emissions in the Spurious domain ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.10 or 4.3.2.9 & 5.4.9	TEC ER No. TEC 28982106
		Receiver Spurious Emissions ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.11 or 4.3.2.10 & 5.4.10	TEC ER No. TEC 28982106
		Receiver Blocking ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.12 or 4.3.2.11 & 5.4.11.2	TEC ER No. TEC 28982106
		Smart Watch Interface:	Smart Watch Interface: BLE Transmitter Unwanted Emissions in the Spurious domain ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.10 or 4.3.2.9 & 5.4.9



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 35 of 95

Test Parameter or Type of Testing Standard/ Specification

Validity: 05/04/2022 to 04/04/2025

Sl. Telecom

Last Amended on: ___

No.	Equipment/Product				
	Smart Watch	Interface: BLE	Geo-location Capability ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.13, 4:3.2.12(Only for equipment with Geo-location Capability)	TEC ER No. TEC 28982106	
		Interface: NFC	Frequency of Operation for NFC Interface ETSI EN 300 330 V2.1.1 (2017-02) Clause 6.2.2	TEC ER No. TEC 28982106	
			Permitted Range of Operating Frequencies ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.1	TEC ER No. TEC 28982106	

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 36 of 95

Validity: 05/04/2022 to 04/04/2025

Sl. Telecom

Last Amended on: ___

Standard/Specification

No.	Equipment/Product		5000	1
	Smart Watch	Interface: NFC	Modulation Bandwidth ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.3	TEC ER No. TEC 28982106
			Transmitter H-Field Requirements ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.4	TEC ER No. TEC 28982106
			Transmitter RF Carrier Current ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.5	TEC ER No. TEC 28982106
			Transmitter Radiated E- Field ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.6	TEC ER No. TEC 28982106

Test Parameter or Type of Testing

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 37 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: __

Sl. No.	Telecom Equipment/Product	Test Parame	eter or Type of Testing	Standard/ Specification
		Interface: NFC	Transmitter Conducted Spurious Emissions ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.7	TEC ER No. TEC 28982106
			Transmitter Radiated Spurious domain Emission Limits ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.8	TEC ER No. TEC 28982106
			Transmitter Radiated Spurious domain Emission Limits>30MHz ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.9	TEC ER No. TEC 28982106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 38 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ___

Sl. No.	Telecom Equipment/Product	Test Param	eter or Type of Testing	Standard/ Specification
	Smart Watch	Interface: NFC	Transmitter Frequency Stability ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.4	TEC ER No. TEC 28982106 TEC ER No. TEC 28982106
			Receiver Spurious Emissions ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.4.2	
			Adjacent Channel Selectivity ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.4.3	TEC ER No. TEC 28982106
			Receiver Blocking or desensitization ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.4.4	TEC ER No. TEC 28982106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Sl. Telecom

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 39 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ____

Standard/ Specification

No.	Equipment/Product	1. Su H . H . T		
	Smart Watch	Interface: RFID	Frequency of Operation for RFID Int. ETSI EN 300 330 V2.1.1 (2017-02) Clause 6.2.2	TEC ER No. TEC 28982106
			Permitted Range of Operating Frequencies ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.1	TEC ER No. TEC 28982106
			Modulation Bandwidth ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.3	TEC ER No. TEC 28982106
			Transmitter H-Field Requirements ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.4	TEC ER No. TEC 28982106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 40 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ____

Sl. No.	Telecom Equipment/Product	Test Param	Standard/ Specification	
	Smart Watch	Interface: RFID	Transmitter RF Carrier Current ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.5	TEC ER No. TEC 28982106
			Transmitter Radiated E- field ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.6	TEC ER No. TEC 28982106
			Transmitter Conducted Spurious Emissions ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.7	TEC ER No. TEC 28982106
			Transmitter Radiated Spurious domain Emission Limits ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.8	TEC ER No. TEC 28982106



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 41 of 95

Validity: 05/04/2022 to 04/04/2025

Telecom

Last Amended on: ___

Standard/ Specification

No.	Equipment/Product			TOTAL A SE
	Smart Watch	Interface: RFID	Transmitter Radiated Spurious domain Emission Limits > 30 MHz ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.9	TEC ER No. TEC 28982106
			Transmitter Frequency Stability ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.10	TEC ER No. TEC 28982106
		Receiver Spurious Emissions ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.4.2	TEC ER No. TEC 28982106	

Test Parameter or Type of Testing

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II Page 42 of 95

Sl. No.	Total and the first section of the		eter or Type of Testing	Standard/ Specification
	Smart Watch	Interface: RFID	Adjacent Channel Selectivity ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.4.3	TEC ER No. TEC 28982106
			Receiver Blocking or desensitization ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.4.4	TEC ER No. TEC 28982106
			Unwanted Emissions in the Spurious domain ETSI EN 300 220-1 V 3.1.1 Clause 5.9.3	TEC ER No. TEC 28982106
			TX Maximum e.r.p Spectral density ETSI EN 300 220-1 V 3.1.1 Clause 5.3.2	TEC ER No. TEC 28982106

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Harvana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 43 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	Smart Watch	Interface: RFID	TX Duty Cycle ETSI EN 300 220-1 V 3.1.1 Clause 5.5.2	TEC ER No. TEC 28982106
			Occupied Bandwidth ETSI EN 300 220-1 V 3.1.1 Clause 5.6.3	TEC ER No. TEC 28982106
			TX Out of Band Emissions ETSI EN 300 220-1 V 3.1.1 Clause 5.8.3	TEC ER No. TEC 28982106
			Transient Power ETSI EN 300 220-1 V 3.1.1 Clause 5.10.3	TEC ER No. TEC 28982106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 44 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ____

Sl. No.	Telecom Equipment/Product	Test Parame	eter or Type of Testing	Standard/ Specification
	Smart Watch	Interface: RFID	Adjacent Channel Power ETSI EN 300 220-1 V 3.1.1 Clause 5.11.3	TEC ER No. TEC 28982106
			TX behaviour under low Voltage Conditions ETSI EN 300 220-1 V 3.1.1 Clause 5.12.3	TEC ER No. TEC 28982106
			Adaptive Power Control ETSI EN 300 220-1 V 3.1.1 Clause 5.13.3	TEC ER No. TEC 28982106
			RX Sensitivity ETSI EN 300 220-1 V 3.1.1 Clause 5.14.3	TEC ER No. TEC 28982106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Telecom

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 45 of 95

Test Parameter or Type of Testing | Standard/ Specification

Validity: 05/04/2022 to 04/04/2025

Last Amended on:

No.	Equipment/Product	L		
	Smart Watch	Interface: RFID	Polite Spectrum access ETSI EN 300 220-1 V 3.1.1 Clause 5.21.3.2	TEC ER No. TEC 28982106
			Blocking ETSI EN 300 220-1 V 3.1.1 Clause 5.18.6	TEC ER No. TEC 28982106
		Interface: Wi-Fi	RF Output Power (EIRP) ETSI EN 300 328 V 2.2.2 (EIRP for Wi- Fi Interface) Clause No. 4.3.1.2 &	TEC ER No. TEC 28982106
			4.3.2.2, 5.3.2	
			Power Spectral Density (Conductive only) ETSI EN 300 328	TEC ER No. TEC 28982106
			V 2.2.2 Clause 4.3.2 & 5.3.3	

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 46 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	Smart Watch	Interface: Wi-Fi	Duty Cycle, Tx sequence, Tx-gap ETSI EN 300 328 V 2.2.2 Clause 4.3.1.3, 4.3.2.4 & 5.3.2	TEC ER No. TEC 28982106
			Geo Location Capability ETSI EN 300 328 V 2.2.2 Clause 4.3.1.13, 4.3.2.12	TEC ER No. TEC 28982106
			Accumulated Transmit Time, Frequency Occupation and Hopping Sequence ETSI EN 300 328 V 2.2.2 Clause 4.3.1.4 & 5.3.4	TEC ER No. TEC 28982106



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Telecom

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 47 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ___

Standard/ Specification

No.	Equipment/Product			
	Smart Watch	Interface: Wi-Fi	Hoping Frequency Separation ETSI EN 300 328 V 2.2.2 Clause 4.3.1.5 & 5.3.5	TEC ER No. TEC 28982106
			Medium Utilization ETSI EN 300 328 V 2.2.2 Clause 4.3.1.6, 4.3.2.5 & 5.3.2	TEC ER No. TEC 28982106
			Adaptivity ETSI EN 300 328 V 2.2.2 Clause 4.3.1.7 or 4.3.2.6 & 5.3.7	TEC ER No. TEC 28982106
			Occupied Channel Bandwidth ETSI EN 300 328 V 2.2.2 Clause 4.3.1.8, 4.3.2.7 & 5.3.8	TEC ER No. TEC 28982106



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Sl. Telecom

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 48 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: __

Standard/ Specification

No.	Equipment/Product	1500		
	Smart Watch	Interface: Wi-Fi	Transmitter Unwanted emissions in OOB Domain ETSI EN 300 328 V 2.2.2 Clause 4.3.1.9, 4.3.2.8 & 5.3.9	TEC ER No. TEC 28982106
			Transmitter Unwanted Emissions in the Spurious domain ETSI EN 300 328 V 2.2.2 Clause 4.3.1.10, 4.3.2.9 & 5.3.10	TEC ER No. TEC 28982106
			Receiver Spurious Emission ETSI EN 300 328 V 2.2.2 Clause 4.3.1.11, 4.3.2.10 & 5.3.11	TEC ER No. TEC 28982106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Sl. Telecom

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 49 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: __

Standard/Specification

No.	Equipment/Product			
	Smart Watch	Interface: Wi-Fi	Receiver Blocking ETSI EN 300 328 V 2.2.2 Clause 4.3.1.12, 4.3.2.11 & 5.3.7	TEC ER No. TEC 28982106
			Carrier Frequencies ETSI EN 301 893 V 2.1.1 Clause 4.2.1	TEC ER No. TEC 28982106
			Nominal and Occupied Channel Bandwidth ETSI EN 301 893 V 2.1.1 Clause 4.2.2	TEC ER No. TEC 28982106
			RF Output Power, Transmit Power Control (TPC), Power Density ETSI EN 301 893	TEC ER No. TEC 28982106
			V 2.1.1 Clause 4.2.3	

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 50 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ___

Sl. No.	Telecom Equipment/Product	Test Parame	eter or Type of Testing	Standard/ Specification
	Smart Watch	Interface: Wi-Fi	Transmitter Unwanted Emissions Outside the 5 GHz RLAN bands ETSI EN 301 893 V 2.1.1 Clause 4.2.4.1	TEC ER No. TEC 28982106
			Transmitter Unwanted Emissions within the 5 GHz RLAN bands ETSI EN 301 893 V 2.1.1 Clause 4.2.4.2	TEC ER No. TEC 28982106
			Receiver Spurious Emission ETSI EN 301 893 V 2.1.1 Clause 4.2.5	TEC ER No. TEC 28982106
			Geo Location Capability ETSI EN 301 893 V 2.1.1 Clause 4.2.10	TEC ER No. TEC 28982106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II Page 51 of 95

Sl. No.	Telecom Test Parameter or Ty Equipment/Product		eter or Type of Testing	Standard/ Specification
	Smart Watch	Interface: Wi-Fi	Dynamic Frequency Selection (DFS) ETSI EN 301 893 V 2.1.1 Clause 4.2.6.2	TEC ER No. TEC 28982106
			Adaptivity ETSI EN 301 893 V 2.1.1 Clause 4.2.7	TEC ER No. TEC 28982106
			Receiver Blocking ETSI EN 301 893 V 2.1.1 Clause 4.2.8	TEC ER No. TEC 28982106
			Designation of Centre Frequencies and Frequency Error ETSI 302 502 V 2.1.1 Clause 4.2.1	TEC ER No. TEC 28982106

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II Page 52 of 95

Sl.	Telecom	Test Parameter or Type of Testing	Standard/ Specification
No.	Equipment/Product		

Smart	Watch	Interface: Wi-Fi	Transmitter RF Output Power,EIRP and EIRP Spectral Density ETSI 302 502 V 2.1.1 Clause 4.2	TEC ER No. TEC 28982106
			Transmitter Unwanted Emission ETSI 302 502 V 2.1.1 Clause 4.3, 5.4.4	TEC ER No. TEC 28982106
			Transmitter Power Control ETSI 302 502 V 2.1.1 Clause 4.4	TEC ER No. TEC 28982106
			Transmitter Power Control(TPC) ETSI 302 502 V 2.1.1 Clause 4.2.4	TEC ER No. TEC 28982106
			Receiver Spurious Emissions ETSI 302 502 V 2.1.1 Clause 4.5	TEC ER No. TEC 28982106

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 53 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	Smart Watch	Interface: Wi-Fi	Dynamic Frequency Selection (DFS) ETSI 302 502 V 2.1.1 Clause 4.6, 4.2.6, 5.4.6	TEC ER No. TEC 28982106
			Frequency Error ETSI 302 502 v 2.1.1 Clause 5.4.2	TEC ER No. TEC 28982106
			Receiver Blocking ETSI 302 502 v 2.1.1 Clause 4.2.7, 5.4.7	TEC ER No. TEC 28982106
		1	Receiver Spurious Emission ETSI 302 502 v 2.1.1 Clause 4.2.5, 5.4.5	TEC ER No. TEC 28982106
			Transmitter RF Output Power, EIRP and EIRP Spectral Density ETSI 302 502 v 2.1.1 Clause 4.2.2, 5.4.3	TEC ER No. TEC 28982106



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 54 of 95

Validity: 05/04/2022 to 04/04/2025

Telecom

Last Amended on: ___

Standard/Specification

No.	Equipment/Product			
5	IoT Gateway	Interface: GSM/GPRS / EDGE	Transmitter Maximum Output Power for GSM 3GPP TS 51 010-1 Clause- 13.3 or EN 301 511 (GSM) Clause- 4.2.5	TEC ER No. TEC 24492106
			Transmitter Output Power for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.2 or EN 301 511 (GSM) Clause- 4.2.10	TEC ER No. TEC 24492106
			Output RF Spectrum for GSM 3GPP TS 51 010-1 Clause- 13.4 or EN 301 511 (GSM) Clause- 4.2.6	TEC ER No. TEC 24492106
			to the same of the	

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 55 of 95

Validity: 05/04/2022 to 04/04/2025

Sl. Telecom

Last Amended on: ____

Standard/ Specification

No.	Equipment/Product			
	IoT Gateway	Interface: GSM/GPRS / EDGE	Output RF Spectrum for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.3 or EN 301 511 (GSM) Clause- 4.2.11	TEC ER No. TEC 24492106
			Spurious Emissions - MS allocated a channel 3GPP TS 51 010-1 Clause- 12.1.1 or EN 301 511 (GSM) Clause- 4.2.12	TEC ER No. TEC 24492106
			Spurious Emissions - MS in idle mode 3GPP TS 51 010-1 Clause- 12.1.2 or EN 301 511 (GSM) Clause- 4.2.13	TEC ER No. TEC 24492106

Test Parameter or Type of Testing

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Telecom

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 56 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on:

Standard/Specification

No.	Equipment/Product			
	IoT Gateway	Interface: GSM/GPRS / EDGE	Frequency Error and Phase Error for GSM 3GPP TS 51 010-1 Clause- 13.1 or EN 301 511 (GSM) Clause- 4.2.1	TEC ER No. TEC 24492106
			Frequency Error and Phase Error for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.1 or EN 301.511(GSM) Clause- 4.2.4	TEC ER No. TEC 24492106
			Reference Sensitivity Level (Speech Channels) 3GPP TS 51 010-1 Clause- 14.2.1 or EN 301 511 (GSM) Clause- 4.2.42	TEC ER No. TEC 24492106



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Toot Donomoton on Toma of Tasting

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

SI Telecom

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 57 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ___

No.	Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	IoT Gateway	Interface: GSM/GPRS / EDGE	Adjacent channel rejection (Speech channels) 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 (GSM) Clause- 4.2.38	TEC ER No. TEC 24492106
			Receiver Blocking 3GPP TS 51 010-1 Clause- 14.7.1 or EN 301 511 (GSM) Clause- 4.2.20	TEC ER No. TEC 24492106
		Interface : WCDMA or HSPA	Transmitter Maximum Output Power 3GPP TS 34.121-1 Clause- 5.2 OR EN 301 908-2 (UMTS) Clause- 4.2.2.1	TEC ER No. TEC 24492106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 58 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ___

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	IoT Gateway	Interface : WCDMA or HSPA	Spectrum Emissions Mask 3GPP TS 34.121-1 Clause- 5.9 OR EN 301 908-2 (UMTS) Clause- 4.2.3.1	TEC ER No. TEC 24492106
			Transmitter Spurious Emissions 3GPP TS 34.121-1 Clause- 5.11 OR EN 301 908-2 (UMTS) Clause- 4.2.4.1	TEC ER No. TEC 24492106
			Receiver Spurious Emission 3GPP TS 34.121-1 Clause- 6.8 OR EN 301 908-2 (UMTS) Clause- 4.2.10	TEC ER No. TEC 24492106

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Telecom

SI.

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 59 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: _

Standard/Specification

IoT Gateway	Interface : WCDMA or HSPA	Transmitter Minimum Output Power 3GPP TS 34.121-1 Clause- 5.4.3 OR EN 301 908-2 (UMTS) Clause- 4.2.5.1	TEC ER No. TEC 24492106
		Receiver Reference Sensitivity level 3GPP TS 34.121-1 Clause- 6.2 OR EN 301 908-2 (UMTS) Clause- 4.2.13	TEC ER No. TEC 24492106
		Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 34.121-1 Clause- 6.4 OR EN 301 908-2 (UMTS) Clause- 4.2.6	TEC ER No. TEC 24492106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Sl. Telecom

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 60 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: __

Standard/ Specification

No.	Equipment/Product				
	IoT Gateway	Interface : WCDMA or HSPA	Receiver In-band blocking 3GPP TS 34.121- 1Clause- 6.5.2.1 OR EN 301 908-2 (UMTS) Clause- 4.2.7	TEC ER No. TEC 24492106	
		Interface: LTE or LTE-A	Maximum Output Power 3GPP TS 36.521-1 Clause- 6.2.2 OR EN 301 908-13 (LTE) Clause- 4.2.2.1	TEC ER No. TEC 24492106	
			Spectrum Emissions Mask 3GPP TS 36.521- 1Clause 6.6.2.1 OR EN 301 908-13 (LTE) Clause- 4.2.3.1	TEC ER No. TEC 24492106	

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 61 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ____

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	IoT Gateway	Interface: LTE or LTE-A	Spurious Emissions 3GPP TS 36.521-1 Clause- 6.6.3.1,6.6.3.2, 6.6.3.3 OR EN 301 908-13 (LTE) Clause- 4.2.4.1	TEC ER No. TEC 24492106
			Receiver Spurious Emission 3GPP TS 36.521-1 Clause- 7.9 OR EN 301 908-13 (LTE) Clause- 4.2.10.1	TEC ER No. TEC 24492106
			Receiver Reference Sensitivity level 3GPP TS 36.521-1 Clause- 7.3 OR EN 301 908-13 (LTE) Clause- 4.2.12	TEC ER No. TEC 24492106

*The validity of Certificate is up to 04/04/2025 or the continued validity of NABL Accreditation,

whichever is earlier.



Standard/Enscification

Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II Page 62 of 95

SI. No.	Telecom Equipment/Product	Test Parame	eter or Type of Testing	Standard/ Specification
	IoT Gateway	Interface: LTE or LTE-A	Receiver Adjacent Channel Selectivity (ACS) 3GPP TS 36.521-1 Clause- 7.5 OR EN 301 908-13 (LTE) Clause- 4.2.6.1	TEC ER No. TEC 24492106
			Receiver In-band blocking 3GPP TS 36.521-1 Clause-7.6.1 OR EN 301 908-13 (LTE) Clause- 4.2.7.1	TEC ER No. TEC 24492106
		Interface: BLE	Frequency of Operation for BLE Interface WPC GSR 45(E), ETSI EN 300 328 V2.2.2 (2019-07)	TEC ER No. TEC 24492106

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II Page 63 of 95

Sl.	Telecom	Test Parameter or Type of Testing	Standard/ Specification
No.	Equipment/Product		

5 11	IoT Gateway	Interface: BLE	Maximum Transmit Power for BLE Interface ETSI EN 300 328 V2.2.2 (2019-07) Clause 5.4.2.2	TEC ER No. TEC 24492106
			EIRP for BLE Interface ETSI EN 300 328 V2.2.2 (2019-07) Clause 5.4.2.2	TEC ER No. TEC 24492106
			Power Spectral Density ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.2.3 & 5.4.3	TEC ER No. TEC 24492106
			Duty cycle, Tx- Sequence, Tx-gap ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.4, 4.3.2.4 & 5.4.2	TEC ER No. TEC 24492106

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II Page 64 of 95

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	IoT Gateway	Interface: BLE	Accumulated Transmit time, Frequency Occupation & Hopping Sequence ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.4 & 5.4.4	TEC ER No. TEC 24492106
			Hopping Frequency Separation ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.6 or 4.3.2.5 & 5.4.5	TEC ER No. TEC 24492106
			Medium Utilization (MU) factor ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.6, 4.3.2.5 & 5.4.2	TEC ER No. TEC 24492106

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 65 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ____

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
1	IoT Gateway	Interface: BLE	Adaptivity ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.7 or 4.3.2.6 & 5.4.6	TEC ER No. TEC 24492106
	A PAIL TO		Occupied Channel Bandwidth ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.8 or 4.3.2.7 & 5.4.7	TEC ER No. TEC 24492106
			Transmitter unwanted emission in the OOB domain ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.9 or 4.3.2.8 & 5.4.8	TEC ER No. TEC 24492106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Telecom

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 66 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ____

Standard/Specification

IoT Gateway	Interface: BLE	Transmitter unwanted emissions in the spurious domain ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.10 or 4.3.2.9 & 5.4.9	TEC ER No. TEC 24492106
		Receiver Spurious emissions ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.11 or 4.3.2.10 & 5.4.10	TEC ER No. TEC 24492106
		Receiver Blocking ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.12 or 4.3.2.11 & 5.4.11.2	TEC ER No. TEC 24492106

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 67 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	IoT Gateway	Interface: BLE	Geo-location capability ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.13, 4.3.2.12 (Only for equipment with geo-location capability)	TEC ER No. TEC 24492106
		Interface: NFC	Frequency of Operation for NFC Interface ETSI EN 300 330 V2.1.1 (2017-02) Clause 6.2.2	TEC ER No. TEC 24492106
			Permitted range of operating frequencies ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.1	TEC ER No. TEC 24492106
			Modulation bandwidth ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.3	TEC ER No. TEC 24492106



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 68 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ___

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	IoT Gateway	Interface: NFC	Transmitter H-field requirements ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.4	TEC ER No. TEC 24492106
			Transmitter RF carrier current ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.5	TEC ER No. TEC 24492106
			Transmitter radiated E-field ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.6	TEC ER No. TEC 24492106
			Transmitter conducted spurious emissions ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.7	TEC ER No. TEC 24492106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 69 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: _

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	IoT Gateway	Interface: NFC	Transmitter radiated spurious domain emission limits ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.8	TEC ER No. TEC 24492106
			Transmitter radiated spurious domain emission limits >30MHz ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.9	TEC ER No. TEC 24492106
			Transmitter Frequency Stability ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.3.4	TEC ER No. TEC 24492106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 70 of 95

Test Parameter or Type of Testing | Standard/ Specification

Validity: 05/04/2022 to 04/04/2025

Telecom

Last Amended on: ____

Gateway	Interface: NFC	Receiver Spurious Emissions ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.4.2	TEC ER No. TEC 24492106
		25 114 11	
	20 AND 1	Adjacent Channel Selectivity ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.4.3	TEC ER No. TEC 24492106
		Receiver blocking or desensitization ETSI EN 300 330 V2.1.1 (2017-02) Clause 4.4.4	TEC ER No. TEC 24492106
			desensitization ETSI EN 300 330 V2.1.1 (2017-02)



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II Page 71 of 95

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	IoT Gateway	Interface: Wi-Fi	RF Output Power (EIRP) ETSI EN 300 328 V 2.2.2 (EIRP for Wi- Fi Interface) Clause 4.3.1.2 & 4.3.2.2, 5.3.2	TEC ER No. TEC 24492106
			Power Spectral Density (Conductive only) ETSI EN 300 328 V 2.2.2 Clause 4.3.2 & 5.3.3	TEC ER No. TEC 24492106
			Duty Cycle, Tx sequence, Tx-gap ETSI EN 300 328 V 2.2.2 Clause 4.3.1.3,4.3.2.4 & 5.3.2	TEC ER No. TEC 24492106

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 72 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	IoT Gateway	Interface: Wi-Fi	Geo Location Capability ETSI EN 300 328 V 2.2.2 Clause 4.3.1.13,4.3.2.12	TEC ER No. TEC 24492106
			Accumulated Transmit Time, Frequency Occupation and Hopping sequence ETSI EN 300 328 V 2.2.2 Clause 4.3.1.4&5.3.4	TEC ER No. TEC 24492106
		To all and	Hoping Frequency Separation ETSI EN 300 328 V 2.2.2 Clause 4.3.1.5 & 5.3.5	TEC ER No. TEC 24492106



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Validity: 05/04/2022 to 04/04/2025

Page 73 of 95

Last Amended on: ___

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification	
	IoT Gateway	Interface: Wi-Fi	Medium Utilization ETSI EN 300 328 V 2.2.2 Clause 4.3.1.6, 4.3.2.5 & 5.3.2	TEC ER No. TEC 24492106	
			Adaptivity ETSI EN 300 328 V 2.2.2 Clause 4.3.1.7 or 4.3.2.6 & 5.3.7	TEC ER No. TEC 24492106	
			Occupied Channel bandwidth ETSI EN 300 328 V 2.2.2 Clause 4.3.1.8,4.3.2.7 & 5.3.8	TEC ER No. TEC 24492106	



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 74 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: __

Sl. No.	Telecom Equipment/Product	Test Parame	eter or Type of Testing	Standard/ Specification	
	IoT Gateway	Interface: Wi-Fi	Transmitter Unwanted emissions in OOB Domain ETSI EN 300 328 V 2.2.2 Clause 4.3.1.9,4.3.2.8 & 5.3.9	TEC ER No. TEC 24492106	
			Transmitter unwanted emissions in the spurious domain ETSI EN 300 328 V 2.2.2 Clause 4.3.1.10,4.3.2.9 & 5.3.10	TEC ER No. TEC 24492106	
			Receiver Spurious Emission ETSI EN 300 328 V 2.2.2 Clause 4.3.1.11,4.3.2.10 & 5.3.11	TEC ER No. TEC 24492106	

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Sl. Telecom

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 75 of 95

Test Parameter or Type of Testing | Standard/ Specification

Validity: 05/04/2022 to 04/04/2025

Last Amended on: _

No.	Equipment/Product			
	IoT Gateway	Interface: Wi-Fi	Receiver Blocking ETSI EN 300 328 V2.2.2 Clause 4.3.1.12,4.3.2.11 & 5.3.7	TEC ER No. TEC 24492106
			Carrier Frequencies ETSI EN 301 893 V 2.1.1 Clause 4.2.1 Nominal and Occupied Channel Bandwidth	TEC ER No. TEC 24492106 TEC ER No. TEC 24492106
			ETSI EN 301 893 V 2.1.1 Clause 4.2.2 RF output power,	TEC ER No.
			Transmit Power Control (TPC), Power Density ETSI EN 301 893 V 2.1.1 Clause 4.2.3	TEC 24492106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Telecom

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 76 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on:

Standard/ Specification

No.	Equipment/Product			
	IoT Gateway	Interface: Wi-Fi	Transmitter unwanted emissions outside the 5 GHz RLAN bands ETSI EN 301 893 V 2.1.1 Clause 4.2.4.1	TEC ER No. TEC 24492106
			Transmitter unwanted emissions within the 5 GHz RLAN bands ETSI EN 301 893 V 2.1.1 Clause 4.2.4.2	TEC ER No. TEC 24492106
			Receiver Spurious Emission ETSI EN 301 893 V 2.1.1 Clause 4.2.5	TEC ER No. TEC 24492106
			Geo Location Capability ETSI EN 301 893 v 2.1.1 Clause 4.2.10	TEC ER No. TEC 24492106

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Telecom

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 77 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ___

Standard/ Specification

No.	Equipment/Product		2440	
	IoT Gateway	Interface: Wi-Fi	Dynamic Frequency Selection(DFS) ETSI EN 301 893 V 2.1.1 Clause 4.2.6.2	TEC ER No. TEC 24492106
			Adaptivity ETSI EN 301 893 V 2.1.1 Clause 4.2.7	TEC ER No. TEC 24492106
			Receiver Blocking ETSI EN 301 893 V 2.1.1 Clause 4.2.8	TEC ER No. TEC 24492106
			Designation of Centre Frequencies and Frequency error ETSI 302 502 V 2.1.1 Clause 4.2.1	TEC ER No. TEC 24492106
			Transmitter RF output Power ,EIRP and EIRP Spectral Density ETSI 302 502 V 2.1.1 Clause 4.2	TEC ER No. TEC 24492106



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 78 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ____

Sl. No.	Telecom Equipment/Product	Test Parame	eter or Type of Testing	Standard/ Specification	
	IoT Gateway	Interface: Wi-Fi	Transmitter unwanted emission ETSI 302 502 V 2.1.1 Clause 4.3, 5.4.4	TEC ER No. TEC 24492106	
			Transmitter Power Control ETSI 302 502 V 2.1.1 Clause 4.4	TEC ER No. TEC 24492106	
		1	Transmitter Power Control(TPC) ETSI 302 502 V 2.1.1 Clause 4.2.4	TEC ER No. TEC 24492106	
		4 gr 1.1	Receiver Spurious Emissions ETSI 302 502 V 2.1.1 Clause 4.5	TEC ER No. TEC 24492106	
			Dynamic Frequency Selection (DFS) ETSI 302 502 V 2.1.1 Clause 4.6, 4.2.6, 5.4.6	TEC ER No. TEC 24492106	



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 79 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on:

SI. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification	
	IoT Gateway	Interface: Wi-Fi	Frequency Error ETSI 302 502 V 2.1.1 Clause 5.4.2	TEC ER No. TEC 24492106	
			Receiver Blocking ETSI 302 502 V 2.1.1 Clause 4.2.7, 5.4.7	TEC ER No. TEC 24492106	
			Receiver Spurious Emission ETSI 302 502 V 2.1.1 Clause 4.2.5, 5.4.5	TEC ER No. TEC 24492106	
			Transmitter RF Output Power, EIRP and EIRP Spectral Density ETSI 302 502 V 2.1.1 Clause 4.2.2, 5.4.3	TEC ER No. TEC 24492106	
		Interface: Zig Bee	Frequency of Operation for Zig Bee Interface WPC GSR 45(E), ETSI EN 300 328 V2.2.2 (2019-07)	TEC ER No. TEC 24492106	



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II Page 80 of 95

000000000000000000000000000000000000000	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification

IoT Gateway	Interface: Zig Bee	Maximum Transmit Power for Zig Bee Interface ETSI EN 300 328 V2.2.2 (2019-07) Clause 5.4.2.2	TEC ER No. TEC 24492106
		EIRP for Zig Bee Interface ETSI EN 300 328 V2.2.2 (2019-07) Clause 5.4.2.2	TEC ER No. TEC 24492106
		Power Spectral Density ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.2.3 & 5.4.3	TEC ER No. TEC 24492106
		Duty cycle, Tx- Sequence, Tx-gap ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.4, 4.3.2.4 & 5.4.2	TEC ER No. TEC 24492106

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Telecom

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 81 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: __

Standard/ Specification

IoT Gateway	Interface:	Accumulated Transmit	TEC ER No.
	Zig Bee	time, Frequency Occupation & Hopping Sequence ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.4 & 5.4.4	TEC 24492106
9.2			Assault and the second
		Hopping Frequency Separation ETSI EN 300 328 V2.2.2 (2019-07)	TEC ER No. TEC 24492106
100 T F 1	F2 - 1,	Clause 4.3.1.6 or 4.3.2.5 & 5.4.5	
		Medium Utilization (MU) factor	TEC ER No. TEC 24492106
		ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.6, 4.3.2.5 & 5.4.2	

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 82 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: _

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	IoT Gateway	Interface: Zig Bee	Adaptivity ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.7 or 4.3.2.6 & 5.4.6	TEC ER No. TEC 24492106
			Occupied Channel Bandwidth ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.8 or 4.3.2.7 & 5.4.7	TEC ER No. TEC 24492106
			Transmitter unwanted emission in the OOB domain ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.9 or 4.3.2.8 & 5.4.8	TEC ER No. TEC 24492106

Director (CA), TEC



Standard/Specification

Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II Page 83 of 95

No.	Equipment/Product	Test Param	eter or Type of Testing	Standard/ Specification	
	IoT Gateway	Interface: Zig Bee	Transmitter unwanted emissions in the spurious domain ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.10 or 4.3.2.9 & 5.4.9	TEC ER No. TEC 24492106	
			Receiver Spurious Emissions ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.11 or 4.3.2.10 & 5.4.10	TEC ER No. TEC 24492106	
			Receiver Blocking ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.12 or 4.3.2.11 & 5.4.11.2	TEC ER No. TEC 24492106	
		Carl Car			

Director (CA), TEC

Tolocom

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Sl. Telecom

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Test Parameter or Type of Testing

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 84 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ___

Standard/Specification

No.	Equipment/Product	Test rarameter of Type of Testing		Standard Specification	
	IoT Gateway	Interface: Zig Bee	Geo-location capability ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.13, 4.3.2.12(Only for equipment with geo- location capability)	TEC ER No. TEC 24492106	
		Interface: 6 LoWPAN	Frequency of Operation for 6 LoWPAN Interface WPC GSR 45(E), ETSI EN 300 328 V2.2.2 (2019-07)	TEC ER No. TEC 24492106	
			Maximum Transmit Power for 6 LoWPAN Interface ETSI EN 300 328 V2.2.2 (2019-07) Clause 5.4.2.2	TEC ER No. TEC 24492106	

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II Page 85 of 95

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	IoT Gateway	Interface:	EIRP for 6 LoWPAN	TEC ER No.

IoT Gateway	Interface:	EIRP for 6 LoWPAN	TEC ER No.
	6 LoWPAN	Interface ETSI EN 300 328 V2.2.2 (2019-07) Clause 5.4.2.2	TEC 24492106
		Power Spectral Density ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.2.3 & 5.4.3	TEC ER No. TEC 24492106
		Duty cycle, Tx- Sequence, Tx-gap ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.4, 4.3.2.4 & 5.4.2	TEC ER No. TEC 24492106
		Accumulated Transmit time, Frequency Occupation & Hopping Sequence ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.4 & 5.4.4	TEC ER No. TEC 24492106

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II Page 86 of 95

Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification

0	IoT Gateway	Interface: 6 LoWPAN	Hopping Frequency Separation ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.6 or 4.3.2.5 & 5.4.5	TEC ER No. TEC 24492106
			Medium Utilization (MU) factor ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.6, 4.3.2.5 & 5.4.2	TEC ER No. TEC 24492106
			Adaptivity ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.7 or 4.3.2.6 & 5.4.6	TEC ER No. TEC 24492106
			Occupied Channel Bandwidth ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.8 or 4.3.2.7 & 5.4.7	TEC ER No. TEC 24492106

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 87 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ___

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	IoT Gateway	Interface: 6 LoWPAN	Transmitter unwanted emission in the OOB domain ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.9 or 4.3.2.8 & 5.4.8	TEC ER No. TEC 24492106
			Transmitter unwanted emissions in the spurious domain ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.10 or 4.3.2.9 & 5.4.9	TEC ER No. TEC 24492106
			Receiver Spurious Emissions ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.11 or 4.3.2.10 & 5.4.10	TEC ER No. TEC 24492106



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 88 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ____

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	IoT Gateway	Interface: 6 LoWPAN	Receiver Blocking ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.12 or 4.3.2.11 & 5.4.11.2	TEC ER No. TEC 24492106
			Geo-location capability ETSI EN 300 328 V2.2.2 (2019-07) Clause 4.3.1.13, 4.3.2.12 (Only for equipment with geo-location capability	TEC ER No. TEC 24492106
	93	Interface: LPWAN- LoRa	Frequency of Operation for LoRa Interface WPC GSR 564(E), ETSI EN 300 220-1 V 3.1.1	TEC ER No. TEC 24492106
			Maximum Transmit Power for LoRa Interface ETSI EN 300 220-1 V 3.1.1 Clause 5.2.2	TEC ER No. TEC 24492106



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Sl. Telecom

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 89 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ____

No.	Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	IoT Gateway	Interface: LPWAN- LoRa	EIRP for LoRa Interface ETSI EN 300 220-1 V 3.1.1 Clause 5.2.2	TEC ER No. TEC 24492106
			Unwanted emissions in the Spurious domain ETSI EN 300 220-1 V 3.1.1 Clause 5.9.3	TEC ER No. TEC 24492106
			TX Maximum e.r.p Spectral density ETSI EN 300 220-1 V 3.1.1 Clause 5.3.2	TEC ER No. TEC 24492106
			TX Duty Cycle ETSI EN 300 220-1 V 3.1.1 Clause 5.5,2	TEC ER No. TEC 24492106

Director (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 90 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
	IoT Gateway	Interface: LPWAN- LoRa	Occupied bandwidth ETSI EN 300 220-1 V 3.1.1 Clause 5.6.3	TEC ER No. TEC 24492106
			TX out of Band Emissions ETSI EN 300 220-1 V 3.1.1 Clause 5.8.3	TEC ER No. TEC 24492106
			Transient power ETSI EN 300 220-1 V 3.1.1 Clause 5.10.3	TEC ER No. TEC 24492106
			Adjacent Channel Power ETSI EN 300 220-1 V 3.1.1 Clause 5.11.3	TEC ER No. TEC 24492106

Director (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 91 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on:

SI. No.	IoT Gateway Interface: TX behave low volta LoRa ETSI EN V 3.1.1	Test Parameter or Type of Testing		Standard/ Specification TEC ER No. TEC 24492106
		TX behaviour under low voltage conditions ETSI EN 300 220-1 V 3.1.1 Clause 5.12.3		
			Adaptive Power Control ETSI EN 300 220-1 V 3.1.1 Clause 5.13.3	TEC ER No. TEC 24492106
			RX Sensitivity ETSI EN 300 220-1 V 3.1.1 Clause 5.14.3	TEC ER No. TEC 24492106
			Polite Spectrum access ETSI EN 300 220-1 V 3.1.1 Clause 5.21.3.2	TEC ER No. TEC 24492106
			Blocking ETSI EN 300 220-1 V 3.1.1 Clause 5.18.6	TEC ER No. TEC 24492106



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Sl. Telecom

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 92 of 95

Test Parameter or Type of Testing Standard/ Specification

Validity: 05/04/2022 to 04/04/2025

Last Amended on: _

No.	Equipment/Product			
	IoT Gateway	Interface: LPWAN- SigFox	Frequency of Operation for SigFox Interface WPC GSR 564(E), ETSI EN 300 220-1 V 3.1.1	TEC ER No. TEC 24492106
			Maximum Transmit Power for SigFox Interface ETSI EN 300 220-1 V 3.1.1 Clause 5.2.2	TEC ER No. TEC 24492106
			EIRP for SigFox Interface ETSI EN 300 220-1 V 3.1.1 Clause 5.2.2	TEC ER No. TEC 24492106
			Unwanted Emissions in the Spurious domain ETSI EN 300 220-1 V 3.1.1 Clause 5.9.3	TEC ER No. TEC 24492106

AD (CA), TEC



Page 93 of 95

Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Sl. Telecom Test Parameter or Type of Testing Standard/ Specification
No. Equipment/Product

IoT Gat	eway Interface: LPWAN- SigFox	TX Maximum e.r.p Spectral density ETSI EN 300 220-1 V 3.1.1 Clause 5.3.2	TEC ER No. TEC 24492106
		TX Duty cycle ETSI EN 300 220-1 V 3.1.1 Clause 5.5.2	TEC ER No. TEC 24492106
		Occupied bandwidth ETSI EN 300 220-1 V 3.1.1 Clause 5.6.3	TEC ER No. TEC 24492106
		TX out of band Emissions ETSI EN 300 220-1 V 3.1.1 Clause 5.8.3	TEC ER No. TEC 24492106
		Transient Power ETSI EN 300 220-1 V 3.1.1 Clause 5.10.3	TEC ER No. TEC 24492106

Director (CA), TEC

AD (CA), TEC



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 94 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: ____

No. Equ	Telecom Equipment/Product	Test Param	eter or Type of Testing	Standard/ Specification
	IoT Gateway	Interface: LPWAN- SigFox	Adjacent channel Power ETSI EN 300 220-1 V 3.1.1 Clause 5.11.3	TEC ER No. TEC 24492106
			TX behaviour under low voltage conditions ETSI EN 300 220-1 V 3.1.1 Clause 5.12.3	TEC ER No. TEC 24492106
			Adaptive Power Control ETSI EN 300 220-1 V 3.1.1 Clause 5.13.3	TEC ER No. TEC 24492106
			RX Sensitivity ETSI EN 300 220-1 V 3.1.1 Clause 5.14.3	TEC ER No. TEC 24492106



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63-II

Page 95 of 95

Validity: 05/04/2022 to 04/04/2025

Last Amended on: _

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/ Specification
**	IoT Gateway	Interface: LPWAN- SigFox	Polite Spectrum access ETSI EN 300 220-1 V 3.1.1 Clause 5.21.3.2	TEC ER No. TEC 24492106
			Blocking ETSI EN 300 220-1 V 3.1.1 Clause 5.18.6	TEC ER No. TEC 24492106





GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE

Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001

CERTIFICATE OF DESIGNATION

M/s AA Electro Magnetic Test Laboratory Private Limited, Gurugram

has been assessed and designated as Conformity Assessment Body (CAB) for its facilities at

Plot No. 174, Udyog Vihar, Phase-4, Sector-18, Gurugram-122016, Haryana

In the field of Testing

Certificate No. TEC/MRA/CAB/IND-D/63

Issue Date: 09/08/2023 Validity: 10/08/2023 to 09/08/2026

This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.

(To see the scope of designation of this laboratory, you may also visit TEC website www.tec.gov.in)

Signed for and on behalf of TEC

Signed by Vijay Dixit
Date: 09-08-2023 16:44:48
Reason: Approved
Vijay Dixit
Director (CA)
For Designating Authority
TEC

Certificate No: TEC/MRA/CAB/IND-D/63 dated 09/08/2023 issued to
M/s AA Electro Magnetic Test Laboratory Private Limited,
Plot No. 174, Udyog Vihar, Phase-4, Sector-18, Gurugram-122016



Validity: - 10/08/2023 to 09/08/2026

Terms & Conditions

This certificate is issued as per the terms and conditions stipulated in the TEC SCHEME FOR DESIGNATING DOMESTIC CONFORMITY ASSESEMENT BODIES AND CERTIFICATION BODIES FOR CONFORMITY ASSESEMENT AND CERTIFICATION OF TELECOMMUNICATION EQUIPMENT ISSUE 3 NO. TEC 04019:2023.

Some of the conditions are reiterated as under:

A. Obligations of the Designated CAB.

- 1. It shall ensure that it maintains its accreditation status from any recognised Indian accreditation body like NABL during validity period of certificate.
- 2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)* partner for testing and evaluation.
- 3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry on testing in an unfair or biased manner.
- 4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
- 5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
- 6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and standards.
- 7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
- 8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

^{*}Applicable only if recognized by MRA (Mutual Recognition Agreement) partner.

- 9. It shall notify the DA in writing of occurrence of any of the following incident(s) within 2 weeks of its occurrence
 - a) Cessation of its business of conformity assessment for which it is Designated or accredited
 - b) Changes in its legal, commercial, or Organisational status
 - c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
 - d) Change of premises

B. REFERENCE TO DESIGNATION STATUS

- 1. Designated CABs may advertise their designation status with regard to standards or parts thereof which are included in the scope of designation.
- 2. The advertisement should not imply, or otherwise suggest that DA or MRA Partner has endorsed the product or imply that the designated CAB is an agent or representative of DA or MRA Partner.
- 3. CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

C. POST-DESIGNATION SURVEILLANCE

As and when required, DA shall conduct surveillance assessments and other non-routine assessments on the Designated CABs to ensure that standards of practices are maintained as well as to investigate complaints made against them.

D. SUSPENSION OR WITHDRAWAL OF DESIGNATION

- 1. DA shall suspend or withdraw the designation of a CAB if
 - a. Its accreditation is withdrawn.
 - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
 - c. It is guilty of any offence involving fraud or dishonesty.
 - d. DA concludes that there is a just cause for withdrawing the designation.
- 2. A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
- 3. DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

E. AMENDMENT TO THE SCHEME

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited, Plot No. 174, Udyog Vihar, Phase-4, Sector-18, Gurugram-122016

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 1 of 12

Sl. No.	Telecom Equipment/ Product	Test Parameter or Type of Testing	Standard/ Specification
1.	Information Technology Equipment- Safety Requirement	Power Interface (Clause 1.6) Verification of Markings and instructions (Clause 1.7) Protection from hazards (Clause 2.1) SELV Circuits (Clause 2.2) TNV Circuit (Clause 2.3) Limited current circuit (Clause 2.4) Limited Power sources (Clause 2.5) Provisions for Earthing and bonding (Clause 2.6) Over current and earth fault protection in primary circuits (Clause 2.7) Safety Interlocks (Clause 2.8.1, 2.8.4, 2.8.6, 2.8.8) Electrical Insulation (Clause 2.9) Clearances and Creepage distances and distance through insulation (Clause 2.10)	IEC:60950-1: 2005+ A1:2009+A2:2013 IEC:60950-1: 2005+ A1:2009+A2:2013

^{*}The validity of Certificate is up to 09/08/2026 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited, Plot No. 174, Udyog Vihar, Phase-4, Sector-18, Gurugram-122016

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 2 of 12

Sl. No.	Telecom Equipment/ Product	Test Parameter or Type of Testing	Standard/ Specification
	Information Technology Equipment- Safety Requirement	Wiring, connections and supply (Clause 3.0, 3.1, 3.2, 3.3, 3.4, 3.5) Stability (Clause 4.1) Mechanical strength (impact, Drop, Stress relief) & Design and construction (Clause 4.2, 4.3)	IEC:60950-1: 2005+ A1:2009+A2:2013 IEC:60950-1: 2005+ A1:2009+A2:2013 IEC:60950-1: 2005+ A1:2009+A2:2013
		Protection against hazardous moving parts (Clause 4.4) Thermal Requirements (Clause 4.5)	IEC:60950-1: 2005+ A1:2009+A2:2013 IEC:60950-1: 2005+ A1:2009+A2:2013
		Opening in enclosure (Clause 4.6)	IEC:60950-1: 2005+ A1:2009+A2:2013
		Resistance to fire (Clause 4.7)	IEC:60950-1: 2005+ A1:2009+A2:2013
		Touch current and protective conductor current (Clause 5.1)	IEC:60950-1: 2005+ A1:2009+A2:2013
		Electric strength (Clause 5.2)	IEC:60950-1: 2005+ A1:2009+A2:2013
		Abnormal operating and fault conditions (Clause 5.3)	IEC:60950-1: 2005+ A1:2009+A2:2013
		Connection to telecommunication network (Clause 6.0)	IEC:60950-1: 2005+ A1:2009+A2:2013

^{*}The validity of Certificate is up to 09/08/2026 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited, Plot No. 174, Udyog Vihar, Phase-4, Sector-18, Gurugram-122016

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 3 of 12

Sl. No.	Telecom Equipment/ Product	Test Parameter or Type of Testing	Standard/ Specification
	Information Technology Equipment- Safety Requirement	Connection to cable distribution networks (Clause 7.0)	IEC:60950-1: 2005+ A1:2009+A2:2013
2.	Audio/video, information and communication technology Equipment-Safety Requirements	Electric Strength (Clause 5.4.9) Equipment for direct insertion into mains socket-outlets (Clause 4.7) Equipment having an Electromechanical device for destruction of media (Clause 8.5.4.2) Equipment mounted to a wall or ceiling (Clause 8.7 to 8.12) Glass slide test (Clause 8.6.4) Handle strength method (Clause 8.8) Horizontal force test (Clause 8.6.5) Humidity Treatment (Clause 5.4.8)	IEC-62368-1: 2018 (Ed.2.0) IEC-62368-1: 2018 (Ed.2.0)
		Max operating temperatures for materials, component and systems (Clause 5.4.1.4, 9.2.5)	IEC-62368-1: 2018 (Ed.2.0)

^{*}The validity of Certificate is up to 09/08/2026 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited, Plot No. 174, Udyog Vihar, Phase-4, Sector-18, Gurugram-122016

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 4 of 12

Sl. No.	Telecom Equipment/ Product	Test Parameter or Type of Testing	Standard/ Specification
	Audio/video, information and communication technology Equipment-Safety	Mechanical energy source classification (Clause 8.2) Power source circuit classification (Clause 6.2.2)	IEC-62368-1: 2018 (Ed.2.0) IEC-62368-1: 2018 (Ed.2.0)
	Requirements	Preventive touch voltage, touch current & protective conductor current (Clause 5.7)	IEC-62368-1: 2018 (Ed.2.0)
		Protection against energy sources (Clause 4.3)	IEC-62368-1: 2018 (Ed.2.0)
		Resistance of protective conductors and their terminations (Clause 5.6.4.1)	IEC-62368-1: 2018 (Ed.2.0)
		Safeguards against transient voltages from external circuits (Clause 5.4.10)	IEC-62368-1: 2018 (Ed.2.0)
		Separation between external circuit and earth (Clause 5.4.11)	IEC-62368-1: 2018 (Ed.2.0)
		Static stability for floor standing equipment (Clause 8.6.2)	IEC-62368-1: 2018 (Ed.2.0)
		Steady state voltage and current limits (Clause 5.2.2.2)	IEC-62368-1: 2018 (Ed.2.0)
		Top opening and top openings properties (Clause 6.4.8.3.3)	IEC-62368-1: 2018 (Ed.2.0)

^{*}The validity of Certificate is up to 09/08/2026 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited, Plot No. 174, Udyog Vihar, Phase-4, Sector-18, Gurugram-122016

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 5 of 12

Sl. No.	Telecom Equipment/ Product	Test Parameter or Type of Testing	Standard/ Specification
3.	EMI/EMC Testing for Telecom	Electrostatic discharge immunity test (IEC 61000-4-2:2008)	TEC/SD/DD/ EMC- 221/05/OCT-16
	Equipment	Radiated, radio-frequency electromagnetic field immunity test (IEC 61000-4-3:2010)	TEC/SD/DD/ EMC- 221/05/OCT-16
		Electrical fast transient/burst immunity test (IEC 61000-4-4: 2012)	TEC/SD/DD/ EMC- 221/05/OCT-16
		Surge immunity test (IEC 61000-4-5: 2017)	TEC/SD/DD/ EMC- 221/05/OCT-16
		Immunity to conducted disturbances, induced by radio-frequency fields (IEC 61000-4-6:2013)	TEC/SD/DD/ EMC- 221/05/OCT-16
		Voltage dips, short interruption and voltage variations immunity tests (IEC 61000-4-11:2017)	TEC/SD/DD/ EMC- 221/05/OCT-16
		Conducted Emission CISPR 22	TEC/SD/DD/ EMC- 221/05/OCT-16
		Radiated Emission CISPR 22	TEC/SD/DD/ EMC- 221/05/OCT-16
		Conducted Emission CISPR 11	TEC/SD/DD/ EMC- 221/05/OCT-16
		Radiated Emission CISPR 11	TEC/SD/DD/ EMC- 221/05/OCT-16
		Conducted Emission CISPR 32	TEC/SD/DD/ EMC- 221/05/OCT-16

^{*}The validity of Certificate is up to 09/08/2026 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited, Plot No. 174, Udyog Vihar, Phase-4, Sector-18, Gurugram-122016

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 6 of 12

Sl. No.	Telecom Equipment/ Product	Test Parameter or Type of Testing	Standard/ Specification
	EMI/EMC	Radiated Emission	TEC/SD/DD/ EMC-
	Testing for	CISPR 32	221/05/OCT-16
	Telecom	Conducted Emission	TEC/SD/DD/ EMC-
	Equipment	CISPR 14-1	221/05/OCT-16
		Radiated Emission	TEC/SD/DD/ EMC-
		CISPR 14-1	221/05/OCT-16
		Conducted Emission	TEC/SD/DD/ EMC-
		CISPR 25	221/05/OCT-16
		Electrostatic Discharge Immunity test	TEC/SD/DD/ EMC-
		ITU-T K.21	221/05/OCT-16
		High Energy/Telecom Surge immunity	TEC/SD/DD/ EMC-
		test	221/05/OCT-16
		ITU-T K. 21	TEC/CD/DD/EMC
		High Energy/ Telecom Surge immunity	TEC/SD/DD/ EMC-
		test ITU-T K. 44	221/05/OCT-16
4.	Equipment	RF Power output, Transmit Power	ETSI EN 301 893 V2.1.1
	operating in 2.4	control (TPC), Power Density	(2017-05)
	GHz, 5Ghz, 5.8	(Clause 4.2.3:2017)	
	GHz frequency	Adpativity	ETSI EN 301 893 V2.1.1
	bands	(Clause 4.2.7:2017)	(2017-05)
		Carrier frequencies	ETSI EN 301 893 V2.1.1
		(Clause 4.2.1:2017)	(2017-05)
		Dynamic Frequency Selection(DFS) (Clause 4.2.6.2:2017)	ETSI EN 301 893 V2.1.1 (2017-05)

^{*}The validity of Certificate is up to 09/08/2026 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited, Plot No. 174, Udyog Vihar, Phase-4, Sector-18, Gurugram-122016

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 7 of 12

Sl. No.	Telecom Equipment/ Product	Test Parameter or Type of Testing	Standard/ Specification
	Equipment operating in 2.4 GHz, 5Ghz, 5.8 GHz frequency bands	Geo-location capability (Clause 4.2.10:2017) Nominal and occupied channel bandwidth (Clause 4.2.2:2017) Receiver Blocking (Clause 4.2.8:2017)	ETSI EN 301 893 V2.1.1 (2017-05) ETSI EN 301 893 V2.1.1 (2017-05) ETSI EN 301 893 V2.1.1 (2017-05)
		Receiver spurious emission (Clause 4.2.5:2017) Transmitter unwanted emissions outside the 5GHz RLAN bands (Clause 4.2.4.1:2017) Transmitter unwanted emissions within the 5GHz RLAN bands (Clause 4.2.4.2:2017)	ETSI EN 301 893 V2.1.1 (2017-05) ETSI EN 301 893 V2.1.1 (2017-05) ETSI EN 301 893 V2.1.1 (2017-05)
5.	Uninterruptible Power Systems (UPS) part 1 General and safety requirements for UPS	Component (Clause 4.5) Power Interface (Clause 4.6) Marking & Instructions (Clause 4.7) Protection Against Electric Shock and Hazards (Clause 5.1) Requirements for Auxiliary Circuits (Clause 5.2)	IEC 62040-1: 2008 IEC 62040-1: 2008 IEC 62040-1: 2008 IEC 62040-1: 2008

^{*}The validity of Certificate is up to 09/08/2026 or the continued validity of NABL Accreditation, whichever is earlier.

1/3119658/2023

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited, Plot No. 174, Udyog Vihar, Phase-4, Sector-18, Gurugram-122016

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 8 of 12

Sl. No.	Telecom Equipment/ Product	Test Parameter or Type of Testing	Standard/ Specification
	Uninterruptible Power Systems (UPS) part 1	Protective Earthing and Bonding (Clause 5.3)	IEC 62040-1: 2008
	General and safety requirements for	AC and DC Power isolation (Clause 5.4)	IEC 62040-1: 2008
	UPS	Over Current and Earth Fault Protection (Clause 5.5)	IEC 62040-1: 2008
		Protection of Personnel-Safety Interlocks (Clause 5.6)	IEC 62040-1: 2008
		Clearance, Creepage Distance and Distance Through Insulation (Clause 5.7)	IEC 62040-1: 2008
		Wiring connections and supply (Clause 6)	IEC 62040-1: 2008
		Connection to Power (Clause 6.2)	IEC 62040-1: 2008
		Wiring terminal for external power conductor (Clause 6.3)	IEC 62040-1: 2008
		Enclosure (Clause 7.1)	IEC 62040-1: 2008
		Stability (Clause 7.2)	IEC 62040-1: 2008
		Mechanical Strength (Clause 7.3)	IEC 62040-1: 2008

^{*}The validity of Certificate is up to 09/08/2026 or the continued validity of NABL Accreditation, whichever is earlier.

1/3119658/2023

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited, Plot No. 174, Udyog Vihar, Phase-4, Sector-18, Gurugram-122016

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 9 of 12

Sl. No.	Telecom Equipment/ Product	Test Parameter or Type of Testing	Standard/ Specification
	Uninterruptible Power Systems (UPS) part 1	Construction Details (Clause 7.4)	IEC 62040-1: 2008
	General and safety	Resistance to Fire (Clause 7.5)	IEC 62040-1: 2008
	requirements for UPS	Battery Location (Clause 7.6)	IEC 62040-1: 2008
		Temperature Rise (Clause 7.7)	IEC 62040-1: 2008
		Electrical requirement and Simulated abnormal conditions (Clause 8)	IEC 62040-1: 2008
		Electric Strength (Clause 8.2)	IEC 62040-1: 2008
		Abnormal Operating and Fault Conditions (Clause 8.3)	IEC 62040-1: 2008
		Connection to Telecommunication Networks (Clause 9)	IEC 62040-1: 2008

Signed by Sanjay Bhardwaj Date: 09-08-2023 16:56:24

Reason: Approved AD (CA), TEC

Government of India Department of Telecommunications Telecommunication Engineering Centre Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001

No. 1-72/2024-CA/TEC

To,

M/s AA Electro Magnetic Test Laboratory Private Limited,

Plot No. 174, Udyog Vihar, Phase-4,

Sector-18, Gurugram-122 016, Haryana.

Ph.: +91 8929173840,

E-Mail Id: info@aaemtlabs.com, dr.lenin@aaemtlabs.com

[Kind attention to Ms. Aishwarya Sharma, Quality Manager)]

Subject: Enhancement of Scope of CAB Designation of M/s AA Electro Magnetic Test Laboratory Private Limited, Gurugram.

Ref: 1. TEC CAB Designation Certificate no. TEC/MRA/CAB/IND-D/63 dated 09.08.2023

2. Your application for enhancement of Scope of CAB Designation vide Application no. SW5227011533 dated 26.12.2023 submitted on NSWS CAB Designation Portal.

This is in reference to your application for enhancement of Scope of CAB Designation of Certificate No. TEC/MRA/CAB/IND-D/63 dated 09.08.2023, valid upto 09.08.2026, submitted vide Application no. SW5227011533 dated 26.12.2023 in online mode on NSWS CAB Designation Portal.

- 2. In reference to the recommendations of Site visit assessment team, the scope of designation of CAB Certificate no. referred above is hereby enhanced in respect of test parameters of "Base Station for Cellular Network for 5G" and "Router (For 5G NR FR1 Interface)" as per detail mentioned in Annexure attached.
- 3. All other details, terms and conditions and validity of CAB Designation Certificate no. TEC/MRA/CAB/IND-D/63 dated 09.08.2023 shall remain unchanged.
- 4. This is issued with the approval of Competent Authority.

Signed by Sanjeev Kumar Arya Date: Sanjaov 2624142:35/42 Director (CA), TEC

Dated: 10.10.2024

Encl: as above

Copy to:

- 1. DDG (TC), TEC, New Delhi for kind information and necessary action please.
- 2. DDG (NR)/DDG(ER)/DDG (WR)/DDG (SR) TEC for kind information please.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Standard/

Gate No. 5, KhurshidLalBhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 1 of 10

Test Parameter or Type of Testing

Sl. Telecom

No.	Equipment/ Product			Specification
1.	Base Station for Cellular	Base Station 5G- NR	Adjacent Channel Leakage Power Ratio-5GNR 1C	TEC ER No. TEC42732304
	Network for 5G	Type 1C	3GPP TS 38.141-1 Clause- 6.6.3.5.3	TEC42/32304
			Adjacent Channel Selectivity- 5GNR 1C	TEC ER No. TEC42732304
			3GPP TS 38.141-1 Clause- 7.4.1	
			Base Station Output Power- 5G NR1C 3GPP TS 38.141-1 Clause- 6.2	TEC ER No. TEC42732304
			In-band Blocking- 5G NR 1C 3GPPTS 38.141-1	TEC ER No. TEC42732304
			Clause- 7.4.2 Operating Band Unwanted Emission- 5G NR 1C 3GPP TS 38.141-1	TEC ER No. TEC42732304
			Clause-6.6.4.5.7	TEC ED M
			Out-of -Band Blocking-5G NR 1-C 3GPP TS 38.141-1 Clause- 7.5	TEC ER No. TEC42732304
			Receiver Intermodulation-5G NR 1C 3GPP TS 38.141-1 Clause- 7.7	TEC ER No. TEC42732304
			Receiver Spurious Emissions-5G NR1C 3GPP TS 38.141-1 Clause-7.6.5.2	TEC ER No. TEC42732304

^{*}The validity of Certificate is up to 09/08/2026 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Standard/

Gate No. 5, KhurshidLalBhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 2 of 10

Test Parameter or Type of Testing

Sl.

Telecom

No.	Equipment/			Specification
	Product			
	1=	I =	1	T ~
	Base Station	Base Station	Reference Sensitivity Level-5G NR1C	TEC ER No.
	for Cellular	5G- NR	3GPP TS 38.141-1	TEC42732304
	Network for	Type 1C	Clause- 7.2	
	5G		Transmitter Intermodulation-5G NR1C	TEC ER No.
			3GPP TS 38.141-1	TEC42732304
			Clause- 6.7.5.1	
			Transmitter Spurious Emissions-	TEC ER No.
			5GNR 1-C	TEC42732304
			3GPP TS 38.141-1	
			Clause- 6.6.5.5.3	
		Base Station	Adjacent Channel Leakage Power	TEC ER No.
		5G-NR	Ratio-5GNR 1H	TEC42732304
		Type 1H	3GPP TS 38.141-1	
			Clause- 6.6.3.5.4	
			Adjacent Channel Selectivity-5GNR1H	TEC ER No.
			3GPP TS 38.141-1	TEC42732304
			Clause- 7.4.1	
			Base Station Output Power-5G NR 1H	TEC ER No.
			3GPP TS 38.141-1	TEC42732304
			Clause- 6.2	
			In-Band Blocking- 5G NR 1H	TEC ER No.
			3GPPTS 38.141-1	TEC42732304
			Clause- 7.4.2	
			Operating Band Unwanted Emissions-	TEC ER No.
			5G NR 1H	TEC42732304
			3GPP TS 38.141-1	
			Clause- 6.6.4.5.8	
			Clause- 6.6.4.5.8	

^{*}The validity of Certificate is up to 09/08/2026 or the continued validity of NABL Accreditation, whichever is earlier.

1-72/2024-सी.ए./टी.ई.सी.(Part-1) 1/3217570/2024

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, KhurshidLalBhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Harvana

Certificate Number: TEC/MRA/CAB/IND-D/63 **Page 3 of 10**

Validity: 10/10/2024 to 09/08/2026 Last Amended on: ----

Sl. No.	Telecom Equipment/ Product	Test Parameter	r or Type of Testing	Standard/ Specification
	Base Station for Cellular Network for 5G	Base Station 5G-NR Type 1H	Out-of-Band Blocking-5G NR 1H 3GPP TS 38.141-1 Clause- 7.5 Receiver Intermodulation-5G NR 1H 3GPP TS 38.141-1 Clause- 7.7 Receiver Spurious Emissions-5G NR1H 3GPP TS 38.141-1 Clause- 7.6.5.3 Reference Sensitivity Level-5G NR1H 3GPP TS 38.141-1 Clause- 7.2 Transmitter Intermodulation-5G NR1H 3GPP TS 38.141-1 Clause6.7.5.2 Transmitter Spurious Emissions- 5GNR 1H	TEC ER No. TEC42732304 TEC ER No. TEC42732304
		BTS with Multi Standard Radio Transmitter Parameters	3GPP TS 38.141-1 Clause- 6.6.5.5.4 Base Station Output Power 3GPP TS 37.141 Clause- 6.2, Annex-F4 Transmitter Spurious Emissions 3GPP TS37.141 Clause-6.6.1, Annex-F4	TEC ER No. TEC42732304 TEC ER No. TEC42732304

^{*}The validity of Certificate is up to 09/08/2026 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, KhurshidLalBhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 4 of 10

Sl. No.	Telecom Equipment/ Product	VI 8		Standard/ Specification
	Base Station for Cellular Network for 5G	BTS with Multi Standard Radio Transmitter Parameters	Operating Band Unwanted Emissions 3GPP TS37.141 Clause-6.6.2, Annex-F4 Adjacent Channel Leakage Power Ratio (ACLR) 3GPP TS37.141 Clause-6.6.4, Annex-F4 Transmitter Intermodulation 3GPP TS37.141	TEC ER No. TEC42732304 TEC ER No. TEC42732304 TEC ER No. TEC42732304
		BTS with Multi Standard Radio	Clause-6.7, Annex-F4 Receiver Spurious Emissions 3GPP TS37.141 Clause-7.6, Annex-F4 In-Band Selectivity and Blocking or In	TEC ER No. TEC42732304 TEC ER No.
		Receiver Parameters	Band Blocking and Narrow Band Blocking 3GPP TS37.141 Clause-7.4, Annex-F4	TEC42732304
			Out-of-Band Blocking 3GPP TS37.141 Clause-7.5, Annex-F4	TEC ER No. TEC42732304
			Receiver Intermodulation 3GPP TS37.141 Clause-7.7, Annex-F4	TEC ER No. TEC42732304

^{*}The validity of Certificate is up to 09/08/2026 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Standard/

Gate No. 5, KhurshidLalBhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 5 of 10

Test Parameter or Type of Testing

Sl. Telecom

No.	Equipment/ Product	Test I di dinettei	or Type of Testing	Specification
	Base Station for Cellular Network for 5G	BTS with Multi Standard Radio Receiver	Reference Sensitivity Level 3GPP TS37.141 Clause-7.2, Annex-F4	TEC ER No. TEC42732304
2.	Router	Parameters Interface: - 5G NR (FR 1)	Additional Spectrum Emission Mask for UL MIMO 3GPP TS 38.521-1	TEC ER No. TEC37682308
			Clause- 6.5D.2.3 Additional Spectrum Emission Mask Transmitter 3GPP TS 38.521-1	TEC ER No. TEC37682308
			Clause- 6.5.2.3 Additional Spurious Emissions 3GPP TS 38.521-1 Clause- 6.5.3.3	TEC ER No. TEC37682308
			Additional Spurious Emissions for UL MIMO 3GPP TS 38.521-1 Clause- 6.5D.3.3	TEC ER No. TEC37682308
			Adjacent Channel Selectivity 3GPP TS 38.521-1 Clause- 7.5	TEC ER No. TEC37682308
			Adjacent Channel Selectivity for 2DL CA 3GPP TS 38.521-1 Clause- 7.5A.1	TEC ER No. TEC37682308

^{*}The validity of Certificate is up to 09/08/2026 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, KhurshidLalBhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 6 of 10

Sl. No.	Telecom Equipment/ Product	Test Parameter	or Type of Testing	Standard/ Specification
	Router	Interface: -	Adjacent Channel Selectivity for UL-	TEC ER No.
		5G NR (FR 1)	MIMO	TEC37682308
			2000 00 00 001 1 01 5 00	

Router	Interface: -	Adjacent Channel Selectivity for UL-	TEC ER No.
	5G NR (FR 1)	MIMO	TEC37682308
		3GPP TS 38.521-1 Clause- 7.5D	
		General Spurious Emissions for UL	TEC ER No.
		MIMO	TEC37682308
		3GPP TS 38.521-1	
		Clause- 6.5D.3.1	
		General Spurious Emissions Transmitter	TEC ER No.
		3GPP TS 38.521-1	TEC37682308
		Clause- 6.5.3.1	
		Inband Blocking	TEC ER No.
		3GPP TS 38.521-1	TEC37682308
		Clause- 7.6.2	
		In-Band Blocking for CA-2DL CA	TEC ER No.
		3GPP TS 38.521-1	TEC37682308
		Clause- 7.6A.2.1	
		Inband Blocking for UL-MIMO	TEC ER No.
		3GPP TS 38.521-1	TEC37682308
		Clause- 7.6D.2	
		Minimum Output Power	TEC ER No.
		3GPP TS 38.521-2	TEC37682308
		Clause- 6.3.1	
		Narrow Band Blocking	TEC ER No.
		3GPP TS 38.521-1	TEC37682308
		Clause- 7.6.4	

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Standard/

Gate No. 5, KhurshidLalBhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 7 of 10

Test Parameter or Type of Testing

Sl.

Telecom

No.	Equipment/ Product			Specification
	Router	Interface: - 5G NR (FR 1)	Narrow Band Blocking for CA-2DL CA 3GPP TS 38.521-1	TEC ER No. TEC37682308
			Clause- 7.6A.4.1	
			Narrow Band Blocking for UL-MIMO 3GPP TS 38.521-1	TEC ER No. TEC37682308
			Clause- 7.6D.4	THE CHEEN AND AND AND AND AND AND AND AND AND AN
			NR ACLR 3GPP TS 38.521-1 Clause- 6.5.2.4.1	TEC ER No. TEC37682308
			NR ACLR for UL MIMO 3GPP TS 38.521-1	TEC ER No. TEC37682308
			Clause- 6.5D.2.4.1	
			Out-of-Band Blocking 3GPP TS 38.521-1 Clause- 7.6.3	TEC ER No. TEC37682308
			Out-of-Band Blocking for UL-MIMO 3GPP TS 38.521-1 Clause- 7.6D.3	TEC ER No. TEC37682308
			Reference Sensitivity Power Level 3GPP TS 38.521-1 Clause- 7.3.2	TEC ER No. TEC37682308
			Reference Sensitivity Power Level for 2DL CA without Exception 3GPP TS 38.521-1	TEC ER No. TEC37682308
			Clause- 7.3A.1	

^{*}The validity of Certificate is up to 09/08/2026 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, KhurshidLalBhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 8 of 10

Sl. No.	Telecom Equipment/ Product	Test Parameter or Type of Testing		Standard/ Specification
	Router	Interface: -	Reference Sensitivity Power Level for	TEC ER No.

Router	Interface: -	Reference Sensitivity Power Level for	TEC ER No.
	5G NR (FR 1)	ULMIMO	TEC37682308
		3GPP TS 38.521-1	
		Clause- 7.3D.2	
		Spectrum Emission Mask-5G NR FR1	TEC ER No.
		3GPP TS 38.521-1	TEC37682308
		Clause- 6.5.2.2	
		Spectrum Emission Mask for UL	TEC ER No.
		MIMO	TEC37682308
		3GPP TS 38.521-1	
		Clause- 6.5D.2.2	
		Spurious Emission for 2DL CA	TEC ER No.
		3GPP TS 38.521-1	TEC37682308
		Clause- 7.9A.1	
		Spurious Emission for UE Co-Existence	TEC ER No.
		3GPP TS 38.521-1	TEC37682308
		Clause- 6.5.3.2	
		Spurious Emission for UE Co-Existence	
		for UL MIMO	TEC37682308
		3GPP TS 38.521-1	
		Clause- 6.5D.3.2	
		Spurious Emissions-5G NR FR1	TEC ER No.
		3GPP TS 38.521-1	TEC37682308
		Clause- 7.9	
		Spurious Response	TEC ER No.
		3GPP TS 38.521-1	TEC37682308
		Clause- 7.7	

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Standard/

Gate No. 5, KhurshidLalBhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 9 of 10

Test Parameter or Type of Testing

Sl.

Telecom

No.	Equipment/ Product			Specification
	Router	Interface: - 5G NR (FR 1)	Spurious Response for 2DL CA 3GPP TS 38.521-1	TEC ER No. TEC37682308
			Clause- 7.7A.1 Spurious Response for UL-MIMO 3GPP TS 38.521-1 Clause- 7.7D	TEC ER No. TEC37682308
			UE Maximum Output Power 3GPP TS 38.521-1 Clause- 6.2.1	TEC ER No. TEC37682308
			UE Maximum Output Power for UL-MIMO 3GPP TS 38.521-1	TEC ER No. TEC37682308
			Clause- 6.2D.1 UE Maximum Output Power Reduction for UL MIMO 3GPP TS 38.521-1	TEC ER No. TEC37682308
			Clause- 6.2D.2 UTRA ACLR 3GPP TS 38.521-1	TEC ER No. TEC37682308
			Clause- 6.5.2.4.2 UTRA ACLR for UL MIMO 3GPP TS 38.521-1 Clause- 6.5D.2.4.2	TEC ER No. TEC37682308
			Wide Band Intermodulation 3GPP TS 38.521-1 Clause- 7.8.2	TEC ER No. TEC37682308

^{*}The validity of Certificate is up to 09/08/2026 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, KhurshidLalBhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s AA Electro Magnetic Test Laboratory Private Limited

Plot No. 174, Udyog Vihar, Phase-4, Sector-18,

Gurugram-122 016, Haryana

Certificate Number: TEC/MRA/CAB/IND-D/63 Page 10 of 10

Sl. No.	Telecom Equipment/ Product	Test Parameter	Standard/ Specification	
	Router	Interface: -	Wide Band Intermodulation for CA-	TEC ER No.
		5G NR (FR 1)	2DL CA	TEC37682308
			3GPP TS 38.521-1	
			Clause- 7.8A.2.1	
			Wide Band Intermodulation for UL-	TEC ER No.
			MIMO	TEC37682308
			3GPP TS 38.521-1	
			Clause- 7 8D 2	

Signed by Sanjay Bhardwaj Pate: 40-10-2024-12:45:23