



GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001

CERTIFICATE OF DESIGNATION

M/s Aforeserve Labs Private Limited, Noida

has been assessed and designated as Conformity Assessment Body (CAB) for its facilities at

D-45 Sector-11, Noida, Uttar Pradesh, Gautam Budh Nagar- 201302 In the field of Testing

Certificate No. TEC/MRA/CAB/IND-D/49-I

Issue Date: 29/05/2023

Validity: 29/05/2023 to 28/05/2026

This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.

(To see the scope of designation of this laboratory, you may also visit TEC website www.tec.gov.in)

Signed for and on behalf of TEC

Sanjeev Kumar Arya Director (CA) For Designating Authority TEC

Certificate No: TEC/MRA/CAB/IND-D/49-I dated 29/05/2023 issued to M/s Aforeserve Labs Private Limited, Noida D-45 Sector-11, Noida, Uttar Pradesh Gautam Budh Nagar- 201302



Validity: - 29/05/2023 to 28/05/2026

Terms & Conditions

This certificate is issued as per the terms and conditions stipulated in the TEC SCHEME FOR DESIGNATING DOMESTIC CONFORMITY ASSESEMENT BODIES AND CERTIFICATION BODIES FOR CONFORMITY ASSESEMENT AND CERTIFICATION OF TELECOMMUNICATION EQUIPMENT ISSUE 2 NO. TEC/DES-01/02.DEC.2017.

Some of the conditions are reiterated as under:

A. Obligations of the Designated CAB.

- 1. It shall ensure that it maintains its accreditation status from any recognised Indian accreditation body like NABL during validity period of certificate.
- 2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)* partner for testing and evaluation.
- 3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry on testing in an unfair or biased manner.
- 4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
- 5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
- 6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and standards.
- 7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
- 8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

*Applicable only if recognized by MRA (Mutual Recognition Agreement) partner.

- 9. It shall notify the DA in writing of occurrence of any of the following incident(s) within 2 weeks of its occurrence
 - a) Cessation of its business of conformity assessment for which it is Designated or accredited
 - b) Changes in its legal, commercial, or Organisational status
 - c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
 - d) Change of premises

B. REFERENCE TO DESIGNATION STATUS

- 1. Designated CABs may advertise their designation status with regard to standards or parts thereof which are included in the scope of designation.
- 2. The advertisement should not imply, or otherwise suggest that DA or MRA Partner has endorsed the product or imply that the designated CAB is an agent or representative of DA or MRA Partner.
- 3. CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

C. POST-DESIGNATION SURVEILLANCE

As and when required, DA shall conduct surveillance assessments and other nonroutine assessments on the Designated CABs to ensure that standards of practices are maintained as well as to investigate complaints made against them.

D. SUSPENSION OR WITHDRAWAL OF DESIGNATION

- 1. DA shall suspend or withdraw the designation of a CAB if
 - a. Its accreditation is withdrawn.
 - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
 - c. It is guilty of any offence involving fraud or dishonesty.
 - d. DA concludes that there is a just cause for withdrawing the designation.
- 2. A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
- 3. DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

E. AMENDMENT TO THE SCHEME

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.

1-65/2023-CA/TEC

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s Aforeserve Labs Private Limited, Noida. D-45 Sector-11, Noida, Uttar Pradesh Gautam Budh Nagar- 201302.

Certificate Number: TEC/MRA/CAB/IND-D/49-I

Validity: 29/05/2023 to 28/05/2026

Page 1 of 7

Last Amended on: ----

Sl.	Telecom	Test Parameter or Type of Testing	Standard/	Specification
No.	Equipment/			
	Product			

I.Autory rudeo, Information and Communication Technology Equipment: Safety RequirementsStress Kener Clause- Annex T.8IEC 62368-1:2018Equipment: Safety RequirementsSteady Force Test 10 N Clause- Annex T.3IEC 62368-1:2018Steady Force Test 100 N Clause- Annex T.3IEC 62368-1:2018Steady Force Test 200 N Clause- Annex T.4IEC 62368-1:2018Steady Force Test 250 N Clause-Annex T.5IEC 62368-1:2018Static Stability Clause-8.6.2IEC 62368-1:2018Simulated Abnormal Operating Conditions Clause-8.2.5IEC 62368-1:2018RMS Working Voltage Clause-5.4.1.8.2IEC 62368-1:2018Determination of Working Voltage Clause-5.4.1.8IEC 62368-1:2018Resistance of the Protective Bonding System (Earth bond) Clause- 5.6.6IEC 62368-1:2018Prospective Touch Voltage, Touch Current Clause- 5.7IEC 62368-1:2018	1	A J* - /X7* J	Stress Relief	IEC (22(8, 1,2018
Communication Technology Equipment: Safety RequirementsSteady Force Test 10 N Clause- Annex T.2IEC 62368-1:2018Steady Force Test 30 N Clause- Annex T.3IEC 62368-1:2018Steady Force Test 100 N Clause- Annex T.4IEC 62368-1:2018Steady Force Test 250 N Clause- Annex T.5IEC 62368-1:2018Static Stability Clause-8.6.2IEC 62368-1:2018Simulated Abnormal Operating Conditions Clause-5.4.1.8.2IEC 62368-1:2018RMS Working Voltage Clause-5.4.1.8IEC 62368-1:2018Resistance of the Protective Bonding System (Earth bond) Clause- 5.6.6IEC 62368-1:2018Prospective Touch Voltage, Touch CurrentIEC 62368-1:2018	1.	Audio/Video,		IEC 62368-1:2018
Technology Equipment: Safety RequirementsClause- Annex T.2IEC 62368-1:2018Steady Force Test 30 N Clause- Annex T.3IEC 62368-1:2018Steady Force Test 100 N Clause- Annex T.4IEC 62368-1:2018Steady Force Test 250 N Clause-Annex T.5IEC 62368-1:2018Static Stability Clause-8.6.2IEC 62368-1:2018Simulated Abnormal Operating Conditions Clause-5.4.1.8IEC 62368-1:2018RMS Working Voltage Clause-5.4.1.8IEC 62368-1:2018Determination of Working Voltage Clause-5.4.1.8IEC 62368-1:2018Determination of Working Voltage Clause-5.4.1.8IEC 62368-1:2018Prospective Touch Voltage, Touch Current and Protective Conductor CurrentIEC 62368-1:2018				
Equipment: Safety RequirementsSteady Force Test 30 N Clause- Annex T.3IEC 62368-1:2018Steady Force Test 100 N Clause-Annex T.4IEC 62368-1:2018Steady Force Test 250 N Clause-Annex T.5IEC 62368-1:2018Static Stability Clause-8.6.2IEC 62368-1:2018Simulated Abnormal Operating Conditions Clause-B.2.5IEC 62368-1:2018RMS Working Voltage Clause-5.4.1.8.2IEC 62368-1:2018Determination of Working Voltage Clause-5.4.1.8IEC 62368-1:2018Resistance of the Protective Bonding System (Earth bond) Clause- 5.6.6IEC 62368-1:2018Prospective Touch Voltage, Touch CurrentIEC 62368-1:2018			-	IEC 62368-1:2018
RequirementsClause- Annex T.3Steady Force Test 100 N Clause-Annex T.4IEC 62368-1:2018 Clause-Annex T.5Steady Force Test 250 N Clause-Annex T.5IEC 62368-1:2018 Clause-Annex T.5Static Stability Clause-8.6.2IEC 62368-1:2018 Clause-8.6.2Simulated Abnormal Operating Conditions Clause-B.2.5IEC 62368-1:2018 Clause-5.4.1.8.2RMS Working Voltage Clause-5.4.1.8IEC 62368-1:2018 Clause-5.4.1.8Determination of Working Voltage Clause-5.4.1.8IEC 62368-1:2018 Clause-5.4.1.8Resistance of the Protective Bonding System (Earth bond) Clause- 5.6.6IEC 62368-1:2018 Clause-5.4.1:2018Prospective Touch Voltage, Touch Current and Protective Conductor CurrentIEC 62368-1:2018			Clause- Annex T.2	
Steady Force Test 100 N Clause-Annex T.4IEC 62368-1:2018Steady Force Test 250 N Clause-Annex T.5IEC 62368-1:2018Static Stability Clause-8.6.2IEC 62368-1:2018Simulated Abnormal Operating Conditions Clause-B.2.5IEC 62368-1:2018RMS Working Voltage Clause-5.4.1.8.2IEC 62368-1:2018Determination of Working Voltage Clause-5.4.1.8IEC 62368-1:2018Resistance of the Protective Bonding System (Earth bond) Clause- 5.6.6IEC 62368-1:2018Prospective Touch Voltage, Touch Current and Protective Conductor CurrentIEC 62368-1:2018		Equipment: Safety	Steady Force Test 30 N	IEC 62368-1:2018
Clause-Annex T.4IEC 62368-1:2018Steady Force Test 250 N Clause-Annex T.5IEC 62368-1:2018Static Stability Clause-8.6.2IEC 62368-1:2018Simulated Abnormal Operating Conditions Clause-B.2.5IEC 62368-1:2018RMS Working Voltage Clause-5.4.1.8.2IEC 62368-1:2018Determination of Working Voltage Clause-5.4.1.8IEC 62368-1:2018Resistance of the Protective Bonding System (Earth bond) Clause- 5.6.6IEC 62368-1:2018Prospective Touch Voltage, Touch Current and Protective Conductor CurrentIEC 62368-1:2018		Requirements	Clause- Annex T.3	
Steady Force Test 250 NIEC 62368-1:2018Clause-Annex T.5IEC 62368-1:2018Static StabilityIEC 62368-1:2018Clause-8.6.2IEC 62368-1:2018Simulated AbnormalIEC 62368-1:2018Operating ConditionsClause-B.2.5RMS Working VoltageIEC 62368-1:2018Clause-5.4.1.8.2IEC 62368-1:2018Determination of Working VoltageIEC 62368-1:2018Clause-5.4.1.8IEC 62368-1:2018Clause-5.4.1.8IEC 62368-1:2018Clause-5.6.6IEC 62368-1:2018Prospective Touch Voltage, TouchIEC 62368-1:2018Current and Protective ConductorIEC 62368-1:2018				IEC 62368-1:2018
Clause-Annex T.5Static StabilityIEC 62368-1:2018Clause-8.6.2IEC 62368-1:2018Operating Conditions Clause-B.2.5IEC 62368-1:2018RMS Working Voltage Clause-5.4.1.8.2IEC 62368-1:2018Determination of Working Voltage Clause-5.4.1.8IEC 62368-1:2018Resistance of the Protective Bonding System (Earth bond) Clause- 5.6.6IEC 62368-1:2018Prospective Touch Voltage, Touch Current and Protective Conductor CurrentIEC 62368-1:2018				
Static StabilityIEC 62368-1:2018Clause-8.6.2Simulated AbnormalIEC 62368-1:2018Operating Conditions Clause-B.2.5IEC 62368-1:2018RMS Working Voltage Clause-5.4.1.8.2IEC 62368-1:2018Determination of Working Voltage Clause-5.4.1.8IEC 62368-1:2018Resistance of the Protective Bonding System (Earth bond) Clause- 5.6.6IEC 62368-1:2018Prospective Touch Voltage, Touch Current and Protective Conductor CurrentIEC 62368-1:2018			•	IEC 62368-1:2018
Clause-8.6.2IEC 62368-1:2018Simulated Abnormal Operating Conditions Clause-B.2.5IEC 62368-1:2018RMS Working Voltage Clause-5.4.1.8.2IEC 62368-1:2018Determination of Working Voltage Clause-5.4.1.8IEC 62368-1:2018Resistance of the Protective Bonding System (Earth bond) Clause- 5.6.6IEC 62368-1:2018Prospective Touch Voltage, Touch Current and Protective Conductor CurrentIEC 62368-1:2018			Clause-Annex T.5	
Simulated Abnormal Operating Conditions Clause-B.2.5IEC 62368-1:2018RMS Working Voltage Clause-5.4.1.8.2IEC 62368-1:2018Determination of Working Voltage Clause-5.4.1.8IEC 62368-1:2018Resistance of the Protective Bonding System (Earth bond) Clause- 5.6.6IEC 62368-1:2018Prospective Touch Voltage, Touch Current and Protective Conductor CurrentIEC 62368-1:2018			Static Stability	IEC 62368-1:2018
Operating Conditions Clause-B.2.5IEC 62368-1:2018RMS Working Voltage Clause-5.4.1.8.2IEC 62368-1:2018Determination of Working Voltage Clause-5.4.1.8IEC 62368-1:2018Resistance of the Protective Bonding System (Earth bond) Clause- 5.6.6IEC 62368-1:2018Prospective Touch Voltage, Touch Current and Protective Conductor CurrentIEC 62368-1:2018			Clause-8.6.2	
Clause-B.2.5IEC 62368-1:2018RMS Working Voltage Clause-5.4.1.8.2IEC 62368-1:2018Determination of Working Voltage Clause-5.4.1.8IEC 62368-1:2018Resistance of the Protective Bonding System (Earth bond) Clause- 5.6.6IEC 62368-1:2018Prospective Touch Voltage, Touch Current and Protective Conductor CurrentIEC 62368-1:2018			Simulated Abnormal	IEC 62368-1:2018
RMS Working Voltage Clause-5.4.1.8.2IEC 62368-1:2018Determination of Working Voltage Clause-5.4.1.8IEC 62368-1:2018Resistance of the Protective Bonding System (Earth bond) Clause- 5.6.6IEC 62368-1:2018Prospective Touch Voltage, Touch Current and Protective Conductor CurrentIEC 62368-1:2018			Operating Conditions	
Clause-5.4.1.8.2Determination of Working Voltage Clause-5.4.1.8IEC 62368-1:2018Resistance of the Protective Bonding System (Earth bond) Clause- 5.6.6IEC 62368-1:2018Prospective Touch Voltage, Touch Current and Protective Conductor CurrentIEC 62368-1:2018			Clause-B.2.5	
Determination of Working Voltage Clause-5.4.1.8IEC 62368-1:2018Resistance of the Protective Bonding System (Earth bond) Clause- 5.6.6IEC 62368-1:2018Prospective Touch Voltage, Touch Current and Protective Conductor CurrentIEC 62368-1:2018				IEC 62368-1:2018
Clause-5.4.1.8Resistance of the Protective Bonding System (Earth bond) Clause- 5.6.6IEC 62368-1:2018Prospective Touch Voltage, Touch Current and Protective Conductor CurrentIEC 62368-1:2018				
Resistance of the Protective Bonding System (Earth bond) Clause- 5.6.6IEC 62368-1:2018Prospective Touch Voltage, Touch Current and Protective Conductor CurrentIEC 62368-1:2018			000	IEC 62368-1:2018
Bonding System (Earth bond) Clause- 5.6.6Earth bond) IEC 62368-1:2018Prospective Touch Voltage, Touch Current and Protective Conductor CurrentIEC 62368-1:2018				
Clause- 5.6.6IEC 62368-1:2018Prospective Touch Voltage, Touch Current and Protective Conductor CurrentIEC 62368-1:2018			Resistance of the Protective	IEC 62368-1:2018
Prospective Touch Voltage, Touch Current and Protective Conductor Current			Bonding System (Earth bond)	
Current and Protective Conductor Current			Clause- 5.6.6	
Current and Protective Conductor Current			Prospective Touch Voltage, Touch	IEC 62368-1:2018
Clause- 5.7			Current	
			Clause- 5.7	

1-65/2023-CA/TEC

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s Aforeserve Labs Private Limited, Noida. D-45 Sector-11, Noida, Uttar Pradesh Gautam Budh Nagar- 201302.

Certificate Number: TEC/MRA/CAB/IND-D/49-I

Validity: 29/05/2023 to 28/05/2026

Page 2 of 7

Last Amended on: ----

Sl.	Telecom	Test Parameter or Type of Testing	Standard/	Specification
No.	Equipment/			
	Product			

Audio/Video,	Maximum Operating Temperature	IEC 62368-1:2018
Information and	(Temperature	
Communication	Measurement)	
Technology	Clause- 6.2.2	
Equipment: Safety	Mains Supply Connection (Cord	IEC 62368-1:2018
Requirements	Anchorage)	
	Clause- Annex G.7	
	Input Test	IEC 62368-1:2018
	Clause- Annex B.2.5	
	Impulse Test	IEC 62368-1:2018
	Clause- 5.4.10.2.2	
	Humidity Conditioning	IEC 62368-1:2018
	Clause- 5.4.8	
	Horizontal Force	IEC 62368-1:2018
	Clause- 8.6.5	
	Handle Strength	IEC 62368-1:2018
	Clause- 8.8	
	Fixing Conductor	IEC 62368-1:2018
	Clause- 4.6	
	Equipment for Direct Insertion into	IEC 62368-1:2018
	Mains Socket-Outlets	
	Clause- 4.7	
	Enclosure Impact Test	IEC 62368-1:2018
	Clause-Annex T.6	
	Glass Impact Test	IEC 62368-1:2018
	Clause-Annex T.9	
	Electric Strength	IEC 62368-1:2018
	Clause 5.4.9	

1-65/2023-CA/TEC

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s Aforeserve Labs Private Limited, Noida. D-45 Sector-11, Noida, Uttar Pradesh Gautam Budh Nagar- 201302.

Certificate Number: TEC/MRA/CAB/IND-D/49-I

Validity: 29/05/2023 to 28/05/2026

Page 3 of 7

Last Amended on: ----

Sl.	Telecom	Test Parameter or Type of Testing	Standard/	Specification
No.	Equipment/			
	Product			

Audio/Video,	Drop Test	IEC 62368-1:2018
Information and	Clause Annex T.7	
Communication	Criteria for Telephone Ringing	IEC 62368-1:2018
Technology	Signals (TNV Circuit Test)	
Equipment: Safety	Clause- Annex H	
Requirements	Creepage Distances	IEC 62368-1:2018
	Clause- 5.4.3	
	Clearance	IEC 62368-1:2018
	Clause 5.4.2	
	Cart Stand for Carrier Loading	IEC 62368-1:2018
	Clause- 8.10.3	
	Ball Pressure Test	IEC 62368-1:2018
	Clause-5.4.1.10.3	
	Antenna Terminal Insulation	IEC 62368-1:2018
	Clause 5.4.5	
	Accessibility to Electrical Energy	IEC 62368-1:2018
	Sources and Safeguards	
	Clause 5.3.2	
	Limited Power Source	IEC 62368-1:2018
	Clause- Annex Q.1	
	Durability, Legibility and Permanence	IEC 62368-1:2018
	of Markings	
	Clause- Annex F.3.9	
	Equipment Mounted to a Wall or	IEC 62368-1:2018
	Ceiling	
	Clause- 8.7	
	Power Source Circuit Classification	IEC 62368-1:2018
	Clause- 6.2.2	

1-65/2023-CA/TEC

I/3104411/2023

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s Aforeserve Labs Private Limited, Noida. D-45 Sector-11, Noida, Uttar Pradesh Gautam Budh Nagar- 201302.

Certificate Number: TEC/MRA/CAB/IND-D/49-I

Page 4 of 7

Validity: 29/05/2023 to 28/05/2026

Last Amended on: ----

Sl.	Telecom	Test Parameter or Type of Testing	Standard/	Specification
No.	Equipment/			
	Product			

Audio/Video,	Capacitor Discharge Test	IEC 62368-1:2018
Information and	Clause- 5.5.2.2	
Communication		
Technology		
Equipment: Safety		
Requirements		

AD (CA), TEC