



**GOVERNMENT OF INDIA  
MINISTRY OF COMMUNICATIONS  
DEPARTMENT OF TELECOMMUNICATIONS  
TELECOMMUNICATION ENGINEERING CENTRE**  
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001

## **CERTIFICATE OF DESIGNATION**

**M/s EMC Testing and Compliance LLP, Gurugram**  
has been assessed and designated as Conformity Assessment Body (CAB)

for its facilities at

**Plot No. 115, Pace City 1, Sector-37, Gurugram, Haryana-122 001**

**In the field of Testing**

**Certificate No. TEC/MRA/CAB/IND-D/29**

**Issue Date: 07/05/2021**

**Valid Until: 20/08/2021**

**This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/Specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.**

**(To see the scope of designation of this laboratory, you may also visit TEC website [www.tec.gov.in](http://www.tec.gov.in))**

**Signed for and on behalf of TEC**

**Prasanth Kumar  
Deputy Director General (MRA)  
For Designating Authority  
TEC**

**Certificate No: TEC/MRA/CAB/IND-D/29 dated 07/05/2021, issued to  
M/s EMC Testing and Compliance LLP, Gurugram  
Plot No. 115, Pace City 1, Sector-37, Gurugram, Haryana-122 001**

**Terms & Conditions**



This certificate is issued as per the terms and conditions stipulated in the TEC Scheme for Designating Domestic Conformity Assessment Bodies and Certification Bodies for Conformity Assessment and Certification of Telecommunication Equipment Issue 2 No. TEC/DES-01/02.DEC.2017.

Some of the conditions are reiterated as under:

**A. Obligations of the Designated CAB.**

1. It shall ensure that it maintains its accreditation status from any recognised Indian accreditation body like NABL during validity period of certificate.
2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)\* partner for testing and evaluation.
3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry out testing in an unfair or biased manner.
4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and Standards..
7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

\*Applicable only if recognized by MRA (Mutual Recognition Agreement) partner

  
Page 1 of 2



9. It shall notify the DA in writing of occurrence of any of the following incident(s) within two weeks of its occurrence.
- a) Cessation of its business of conformity assessment for which it is designated or accredited
  - b) Changes in its legal, commercial, or Organisational status
  - c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
  - d) Change of premises

#### **B. REFERENCE TO DESIGNATION STATUS**

1. Designated CABs may advertise their designation status with regard to Standards or parts thereof which are included in the scope of designation.
2. The advertisement should not imply, or otherwise suggest that DA or MRA Partner has endorsed the product or imply that the designated CAB is an agent or representative of DA or MRA Partner.
3. CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

#### **C. POST-DESIGNATION SURVEILLANCE**


As and when required, DA shall conduct surveillance assessments and other non-routine assessments of the Designated CABs to ensure that Standards of practices are maintained as well as to investigate complaints made against them.

#### **D. SUSPENSION OR WITHDRAWAL OF DESIGNATION**

1. DA shall suspend or withdraw the designation of a CAB if
  - a. Its accreditation is withdrawn.
  - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
  - c. It is guilty of any offence involving fraud or dishonesty.
  - d. DA concludes that there is a just cause for withdrawing the designation.
2. A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
3. DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

#### **E. AMENDMENT TO THE SCHEME**

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.





## SCOPE OF DESIGNATION (Annexure)

**Laboratory Name:** M/s EMC Testing and Compliance LLP, Gurugram  
Plot No. 115, Pace City 1, Sector-37, Gurugram,  
Haryana- 122 001

**Certificate Number:** TEC/MRA/CAB/IND-D/29

Page 1 of 5

**Validity:** 07/05/2021 to 20/08/2021\*

**Last Amended on:** \_\_\_\_

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
1.	<b>Information Technology Equipment- Safety Requirement</b>	Verification of marking and instructions (Clause 1.7)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Durability (Clause 1.7.11)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Access to energized parts (Clause 2.1.1.1)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Access to SELV wiring (Clause 2.1.1.3)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Energy Hazards (Clause 2.1.1.5)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Discharge of capacitors in equipment (Clause 2.1.1.7)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		SELV Circuit (Clause 2.2)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Limited current circuits limit values limited power sources (Clause 2.4.2)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Size of protective earthing & bonding conductor (Clause 2.6.3.2/ 2.6.3.3)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Resistance of earthing conductors and their terminations (Clause 2.6.3.4)	IEC 60950-1: 2005 + A1:2009 + A2:2013

*Ahalekh*  
Director (MRA), TEC

*Ami Singh*  
AD (MRA), TEC

\*The validity of Certificate is upto 20/08/2021 or the continued validity of NABL Accreditation, whichever is earlier.



## **SCOPE OF DESIGNATION**

### **(Annexure)**

**Laboratory Name: M/s EMC Testing and Compliance LLP, Gurugram**  
**Plot No. 115, Pace City 1, Sector-37, Gurugram,**  
**Haryana- 122 001**


**Certificate Number: TEC/MRA/CAB/IND-D/29**

**Page 2 of 5**

**Validity: 07/05/2021 to 20/08/2021\***

**Last Amended on: \_\_\_\_**

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	<b>Information Technology Equipment- Safety Requirement</b>	Protection requirement for Safety interlocks (Clause 2.8.2)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Humidity (Clause 2.9.2)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Determination of working voltage (Clause 2.10.2)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Clearances (Clause 2.10.3)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Creepage distance (Clause 2.10.4)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Thermal conditioning (Clause 2.10.8.2)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Thermal Cycling (Clause 2.9)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Wiring connections & supply (Clause 3.0)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Stability (Clause 4.1)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Mechanical Strength (Clause 4.2)	IEC 60950-1: 2005 + A1:2009 + A2:2013

  
Director (MRA), TEC

  
AD (MRA), TEC

\*The validity of Certificate is upto 20/08/2021 or the continued validity of NABL Accreditation, whichever is earlier.

**SCOPE OF DESIGNATION**  
**(Annexure)**

**Laboratory Name: M/s EMC Testing and Compliance LLP, Gurugram**  
**Plot No. 115, Pace City 1, Sector-37, Gurugram,**  
**Haryana- 122 001**


**Certificate Number: TEC/MRA/CAB/IND-D/29**


**Page 3 of 5**

**Validity: 07/05/2021 to 20/08/2021\***

**Last Amended on: \_\_\_\_**

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	<b>Information Technology Equipment- Safety Requirement</b>	Steady force test (Clause 4.2.2, 4.2.3, 4.2.4)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Impact Test (Clause 4.2.5)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Drop test (Clause 4.2.6)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Stress relief test (Clause 4.2.7)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Mechanical strength for Wall or ceiling mounted equipment (Clause 4.2.10)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Verification of design and construction for Handles and manual control (Clause 4.3.2)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Direct plug-in equipment (Clause 4.3.6)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Protection against hazardous moving parts (Clause 4.4)	IEC 60950-1: 2005 + A1:2009 + A2:2013
		Thermal requirement Resistance to abnormal heat (Clause 4.5)	IEC 60950-1: 2005 + A1:2009 + A2:2013

  
**Director (MRA), TEC**

  
**AD (MRA), TEC**

**\*The validity of Certificate is upto 20/08/2021 or the continued validity of NABL Accreditation, whichever is earlier.**



**SCOPE OF DESIGNATION**  
**(Annexure)**

**Laboratory Name: M/s EMC Testing and Compliance LLP, Gurugram**  
**Plot No. 115, Pace City 1, Sector-37, Gurugram,**  
**Haryana- 122 001**


**Certificate Number: TEC/MRA/CAB/IND-D/29**


**Page 4 of 5**

**Validity: 07/05/2021 to 20/08/2021\***

**Last Amended on: \_\_\_\_**

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	<b>Information Technology Equipment- Safety Requirement</b>	Openings in enclosures (Clause 4.6.1, 4.6.3, 4.6.4, 4.6.5)	IEC 60950-1:2005 + A1:2009 + A2:2013
		Touch Current & Protective Conductor Current (Clause 5.1)	IEC 60950-1:2005 + A1:2009 + A2:2013
		Resistance to fire (Clause 4.7)	IEC 60950-1:2005 + A1:2009 + A2:2013
		Electric Strength (Clause 5.2)	IEC 60950-1:2005 + A1:2009 + A2:2013
		Protection from hazardous voltages (Clause 6.1.1)	IEC 60950-1:2005 + A1:2009 + A2:2013
		Separation of the telecommunication network from earth (Clause 6.1.2)	IEC 60950-1:2005 + A1:2009 + A2:2013
		Impulse test (Clause 6.2.2.1)	IEC 60950-1:2005 + A1:2009 + A2:2013
		Impulse test (Clause 6.2.2.1)	IEC 60950-1:2005 + A1:2009 + A2:2013
		Steady state test (Clause 6.2.2.2)	IEC 60950-1:2005 + A1:2009 + A2:2013

  
Director (MRA), TEC

  
AD (MRA), TEC

\*The validity of Certificate is upto 20/08/2021 or the continued validity of NABL Accreditation, whichever is earlier.

**SCOPE OF DESIGNATION**  
**(Annexure)**

**Laboratory Name: M/s EMC Testing and Compliance LLP, Gurugram**  
**Plot No. 115, Pace City 1, Sector-37, Gurugram,**  
**Haryana- 122 001**

**Certificate Number: TEC/MRA/CAB/IND-D/29**

**Page 5 of 5**

**Validity: 07/05/2021 to 20/08/2021\***

**Last Amended on: \_\_\_\_**

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	<b>Information Technology Equipment-Requirement</b> <b>Safety</b>	Compliance criteria (Clause 6.2.2.3)	IEC 60950-1:2005 + A1:2009 + A2:2013
		Voltage surge test (Clause 7.4.2)	IEC 60950-1:2005 + A1:2009 + A2:2013
		Impulse test (Clause 7.4.3)	IEC 60950-1:2005 + A1:2009 + A2:2013



**Director (MRA), TEC**



**AD (MRA), TEC**

**\*The validity of Certificate is upto 20/08/2021 or the continued validity of NABL Accreditation, whichever is earlier.**