



### GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001

# **CERTIFICATE OF DESIGNATION**

### M/S SGS INDIA PRIVATE LIMITED, BENGALURU

has been assessed and designated as Conformity Assessment Body (CAB) for its facilities at

No. 38/1 and 38/2, New BBMP, No. 88/45/45, Beretena Agrahara Begur Hobli, Hosur Main road, Bengaluru-560 100

# In the field of Testing

Certificate No. TEC/MRA/CAB/IND-D/31-II

Issue Date: 02/04/2025

Validity: 06/04/2025 to 05/04/2028

This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.

(To see the scope of designation of this laboratory, you may also visit TEC website www.tec.gov.in)

Signed for and on behalf of TEC

Sanjeev Kumar Arya Director (CA) For Designating Authority TEC

### Certificate No: TEC/MRA/CAB/IND-D/31-II dated 02/04/2025 issued to M/s SGS India Private Limited, Bengaluru No. 38/1 and 38/2, New BBMP, No. 88/45/45, Beretena Agrahara Begur Hobli, Hosur Main road, Bengaluru-560 100



#### Validity: - 06/04/2025 to 05/04/2028

### **Terms & Conditions**

This certificate is issued as per the terms and conditions stipulated in the TEC SCHEME FOR DESIGNATING DOMESTIC CONFORMITY ASSESEMENT BODIES AND CERTIFICATION BODIES FOR CONFORMITY ASSESEMENT AND CERTIFICATION OF TELECOMMUNICATION EQUIPMENT ISSUE 3 NO. TEC 04019:2023.

Some of the conditions are reiterated as under:

### A. Obligations of the Designated CAB.

- 1. It shall ensure that it maintains its accreditation status from any recognised Indian accreditation body like NABL during validity period of certificate.
- 2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)\* partner for testing and evaluation.
- 3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry on testing in an unfair or biased manner.
- 4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
- 5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
- 6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and standards.
- 7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
- 8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

\*Applicable only if recognized by MRA (Mutual Recognition Agreement) partner.

- 9. It shall notify the DA in writing of occurrence of any of the following incident(s) within 2 weeks of its occurrence
  - a) Cessation of its business of conformity assessment for which it is Designated or accredited
  - b) Changes in its legal, commercial, or Organisational status
  - c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
  - d) Change of premises

### **B. REFERENCE TO DESIGNATION STATUS**

- 1. Designated CABs may advertise their designation status with regard to standards or parts thereof which are included in the scope of designation.
- 2. The advertisement should not imply, or otherwise suggest that DA or MRA Partner has endorsed the product or imply that the designated CAB is an agent or representative of DA or MRA Partner.
- 3. CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

### C. POST-DESIGNATION SURVEILLANCE

As and when required, DA shall conduct surveillance assessments and other nonroutine assessments on the Designated CABs to ensure that standards of practices are maintained as well as to investigate complaints made against them.

### D. SUSPENSION OR WITHDRAWAL OF DESIGNATION

- 1. DA shall suspend or withdraw the designation of a CAB if
  - a. Its accreditation is withdrawn.
  - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
  - c. It is guilty of any offence involving fraud or dishonesty.
  - d. DA concludes that there is a just cause for withdrawing the designation.
- 2. A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
- 3. DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

### E. AMENDMENT TO THE SCHEME

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

# SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s SGS India Private Limited, Bengaluru No. 38/1 and 38/2, New BBMP, No. 88/45/45, Beretena Agrahara Begur Hobli, Hosur Main road, Bengaluru-560 100

### Certificate Number: TEC/MRA/CAB/IND-D/31-II

#### Validity: 06/04/2025 to 05/04/2028

Last Amended on: ----

Page 1 of 9

Sl.	Telecom	Test Parameter or Type of Testing	Standard/
No.	<b>Equipment/ Product</b>		Specification
		~	

1.	<b>EMI/EMC</b> Testing	Conducted Emissions Test	TEC/SD/DD/EMC-
	for Telecom	CISPR 32 (Edition 2.0)	221/05/OCT-16
	Equipment	Electrostatic Discharge (ESD) Test	TEC/SD/DD/EMC-
		IEC 61000-4-2:2008	221/05/OCT-16
		Electrical Fast Transient (EFT) / Burst	TEC/SD/DD/EMC-
		Immunity Test (Power Line & Signal	221/05/OCT-16
		Line)	
		IEC 61000-4-4 (Edition 3.0)	
		Surge Test	TEC/SD/DD/EMC-
		IEC 61000-4-5:2014: 1 (Edition3.1)	221/05/OCT-16
		Conducted Disturbances, Induced By	TEC/SD/DD/EMC-
		Radio-Frequency Fields Immunity Test	221/05/OCT-16
		IEC 61000-4-6 (Edition 5.0)	
		Voltage Dips, Short Interruptions And	TEC/SD/DD/EMC-
		Voltage Variations On A.C Input Power Port Immunity Test	221/05/OCT-16
		IEC 61000-4-11: 2004+A1 (Edition 3.0)	
		Voltage Dips, Short Interruptions And	TEC/SD/DD/EMC-
		Voltage Variations On D.C. Input Power	221/05/OCT-16 and
		Port Immunity Test	ER Parameters
		IEC 61000-4-29	LIX I didileters
2.	Audio/Video,	Fixing Conductor	IEC 62368-1:2018
	Information and	Clause-4.6	
	Communication	Equipment for direct insertion in to mains	IEC 62368-1:2018
	Technology	socket-outlets (Socket -outlet test)	
	Equipment-Safety	Clause-4.7	
	Requirements	Stress Relief Test for equipment	IEC 62368-1:2018
		containing coin / button cell batteries	
		Clause- 4.8.4.2	
L	1		1]



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

# SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s SGS India Private Limited, Bengaluru No. 38/1 and 38/2, New BBMP, No. 88/45/45, Beretena Agrahara Begur Hobli, Hosur Main road, Bengaluru-560 100

### Certificate Number: TEC/MRA/CAB/IND-D/31-II

#### Validity: 06/04/2025 to 05/04/2028

Last Amended on: ----

Page 2 of 9

Sl.	Telecom	Test Parameter or Type of Testing	Standard/
No.	<b>Equipment/ Product</b>		Specification
			· •

Audio/Video,	Battery Replacement Test for equipment	IEC 62368-1:2018
Information and	containing coin / button cell batteries	
Communication	Clause- 4.8.4.3	
Technology	Drop Test for equipment containing coin /	IEC 62368-1:2018
<b>Equipment-Safety</b>	button cell batteries	
Requirements	Clause- 4.8.4.4	
	Impact Test for equipment containing	IEC 62368-1:2018
	coin / button cell batteries	
	Clause- 4.8.4.5	
	Crush test for Equipment Containing coin	IEC 62368-1:2018
	/ button cell batteries	
	Clause- 4.8.4.6	
	Compliance Criteria (Force Test)	IEC 62368-1:2018
	Clause- 4.8.5	
	Classification and limits of electrical	IEC 62368-1:2018
	energy sources (Measurement of Steady	
	state voltage and current limits,	
	Capacitance limits)	
	Clause- 5.2	
	Accessibility to Electrical Energy Sources	IEC 62368-1:2018
	and Safeguards	
	Clause- 5.3.2	
	Terminals for Connecting Stripped wires	IEC 62368-1:2018
	Clause- 5.3.2.4	
	Maximum operating Temperature.	IEC 62368-1:2018
	(Temperature Measurement Test)	
	Clause- 5.4.1.4	
		1



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

# SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s SGS India Private Limited, Bengaluru No. 38/1 and 38/2, New BBMP, No. 88/45/45, Beretena Agrahara Begur Hobli, Hosur Main road, Bengaluru-560 100

### Certificate Number: TEC/MRA/CAB/IND-D/31-II

#### Validity: 06/04/2025 to 05/04/2028

Last Amended on: ----

Page 3 of 9

Sl.	Telecom	Test Parameter or Type of Testing	Standard/
No.	<b>Equipment/ Product</b>		Specification

Audio/Video,	Test for pollution degree 1 environment	IEC 62368-1:2018
Information and	and for insulating compound (Thermal	
Communication	Cycling Test, Electric strength test)	
Technology	Clause- 5.4.1.5.2	
<b>Equipment-Safety</b>	Measurement of working voltage	IEC 62368-1:2018
Requirements	Clause- 5.4.1.8	
	Vicat Test	IEC 62368-1:2018
	Clause- 5.4.1.10.2	
	Ball Pressure Test	IEC 62368-1:2018
	Clause- 5.4.1.10.3	
	Measurement of Clearance & Creepage	IEC 62368-1:2018
	distances	
	Clause- 5.4.2 & 5.4.3	
	Solid insulation (Measurement of distance	IEC 62368-1:2018
	through insulation, electric strength test)	
	Clause- 5.4.4	
	Standard test procedure for non-separable	IEC 62368-1:2018
	thin sheet material (Electric strength test)	
	Clause- 5.4.4.6.4	
	Mandrel Test	IEC 62368-1:2018
	Clause- 5.4.4.6.5	
	Antenna terminal insulation	IEC 62368-1:2018
	(Surge, Insulation resistance test)	
	Clause- 5.4.5	
	Humidity conditioning	IEC 62368-1:2018
	Clause- 5.4.8	



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

# SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s SGS India Private Limited, Bengaluru No. 38/1 and 38/2, New BBMP, No. 88/45/45, Beretena Agrahara Begur Hobli, Hosur Main road, Bengaluru-560 100

### Certificate Number: TEC/MRA/CAB/IND-D/31-II

#### Validity: 06/04/2025 to 05/04/2028

SI.

No.

TelecomTest Parameter or Type of TestingStandard/Equipment/ ProductSpecification

Audio/Video,	Test for Separation between external	IEC 62368-1:2018
Information and	circuits and earth	
Communication	Clause- 5.4.11	
Technology	Capacitor discharge after disconnection of	IEC 62368-1:2018
Equipment-Safety	connector (Capacitor discharge test)	
Requirements	Clause- 5.5.2.2	
	Insulation between the mains and an	IEC 62368-1:2018
	external circuit consisting of a coaxial	
	cable. (Voltage surge, Impulse, IR test)	
	Clause- 5.5.8	
	Resistance of the Protective Bonding	IEC 62368-1:2018
	System (Earth bond test)	
	Clause- 5.6.6	
	Prospective touch voltage, touch current	IEC 62368-1:2018
	and protective conductor current	
	(Measurement of touch current and	
	protective conductor current)	
	Clause- 5.7	
	Classification of power sources(PS) and	IEC 62368-1:2018
	potential ignition sources (PIS)	
	(Measurement of power in output	
	circuits)	
	Clause-6.2	
	Safeguard against fire under normal	IEC 62368-1:2018
	operating conditions and abnormal	
	conditions (Glow wire test)	
	conditions (Grow whe test)	

\*The validity of Certificate is up to 05/04/2028 or the continued validity of NABL Accreditation, whichever is earlier.

Page 4 of 9

Last Amended on: ----



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

# SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s SGS India Private Limited, Bengaluru No. 38/1 and 38/2, New BBMP, No. 88/45/45, Beretena Agrahara Begur Hobli, Hosur Main road, Bengaluru-560 100

#### Certificate Number: TEC/MRA/CAB/IND-D/31-II

### Validity: 06/04/2025 to 05/04/2028

Last Amended on: ----

Page 5 of 9

	rd/
No. Equipment/ Product Specific	cation

Audio/Video,	Measurement of Bottom openings	IEC 62368-1:2018
Information and	(Needle flame test)	
Communication	Clause-6.4.8.3.4	
Technology	Separation of a PIS from a fire enclosure	IEC 62368-1:2018
<b>Equipment-Safety</b>	and a fire barrier (Needle flame test)	
Requirements	Clause-6.4.8.4	
	Requirements for interconnection to building wiring (Limited power source	IEC 62368-1:2018
	test)	
	Clause-6.5.2	
	Equipment having an electromechanical	IEC 62368-1:2018
	device for destruction of media (Force	
	test)	
	Clause-8.5.4.3	
	Static Stability Test	IEC 62368-1:2018
	Clause-8.6.2.2	
	Downward Force Test	IEC 62368-1:2018
	Clause-8.6.2.3	
	Relocation Stability	IEC 62368-1:2018
	Clause-8.6.3	
	Glass slide test	IEC 62368-1:2018
	Clause-8.6.4	
	Horizontal force test and compliance	IEC 62368-1:2018
	criteria (Stability and Force test)	
	Clause-8.6.5	



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

# SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s SGS India Private Limited, Bengaluru No. 38/1 and 38/2, New BBMP, No. 88/45/45, Beretena Agrahara Begur Hobli, Hosur Main road, Bengaluru-560 100

### Certificate Number: TEC/MRA/CAB/IND-D/31-II

#### Validity: 06/04/2025 to 05/04/2028

Last Amended on: ----

Page 6 of 9

SI.	Telecom	Test Parameter or Type of Testing	Standard/
No.	<b>Equipment/ Product</b>		Specification

Audio/Video,	Equipment mounted to wall, ceiling or	IEC 62368-1:2018
Information and	other Structure (Wall or ceiling mount	
Communication	test)	
Technology	Clause-8.7	
<b>Equipment-Safety</b>	Handle Strength test	IEC 62368-1:2018
Requirements	Clause-8.8	
	Wheels or casters attachment requirement	IEC 62368-1:2018
	(Pull force test)	
	Clause-8.9	
	Cart, Stand or carrier loading test and	IEC 62368-1:2018
	compliance criteria (Force Test) test)	
	Clause-8.10.3	
	Cart, stand and carrier impact test (Impact	IEC 62368-1:2018
	test)	
	Clause-8.10.4	
	Mechanical Stability (Stability and force	IEC 62368-1:2018
	test)	
	Clause-8.10.5	
	Mounting means for slide-rail mounted	IEC 62368-1:2018
	equipment (SREM) (Downward force,	
	lateral push force, integrity of slid rail end	
	stop, force test)	
	Clause-8.11	
	Telescoping or rod antennas (Torque test)	IEC 62368-1:2018
	Clause-8.12	
	Input test	IEC 62368-1:2018
	Annex B.2.5	1



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

# SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s SGS India Private Limited, Bengaluru No. 38/1 and 38/2, New BBMP, No. 88/45/45, Beretena Agrahara Begur Hobli, Hosur Main road, Bengaluru-560 100

### Certificate Number: TEC/MRA/CAB/IND-D/31-II

Validity: 06/04/2025 to 05/04/2028

Page 7 of 9

Last Amended on: ----

Sl.	Telecom	Test Parameter or Type of Testing	Standard/
No.	<b>Equipment/ Product</b>		Specification

Audio/Video,	Simulated abnormal operating conditions	IEC 62368-1:2018
Information and	(Abnormal Operation test)	
Communication	Annex B.3	
Technology	Simulated single fault conditions test	IEC 62368-1:2018
Equipment-Safety	Annex B.4	
Requirements	Durability, legibility and performance of	IEC 62368-1:2018
	marking (Marking durability test)	
	Annex F.3.9	
	Motors (Motor overload, running	IEC 62368-1:2018
	overload, locked-rotor overload test,	
	electric strength test)	
	Annex G.5.4	
	Cord Strain Relief Test	IEC 62368-1:2018
	Annex- G.7.3.2	
	Non-detachable cord bend protection	IEC 62368-1:2018
	(Cord guard)	
	Annex G.7.5	
	Stranded wire (Visual inspection)	IEC 62368-1:2018
	Annex G.7.6.2	
	Criteria for telephone ringing signals	IEC 62368-1:2018
	(TNV circuit test)	
	Annex- H	
	Limited Power Source test	IEC 62368-1:2018
	Annex- Q.1	



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

# SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s SGS India Private Limited, Bengaluru No. 38/1 and 38/2, New BBMP, No. 88/45/45, Beretena Agrahara Begur Hobli, Hosur Main road, Bengaluru-560 100

### Certificate Number: TEC/MRA/CAB/IND-D/31-II

#### Validity: 06/04/2025 to 05/04/2028

Last Amended on: ----

Page 8 of 9

Sl.	Telecom	Test Parameter or Type of Testing	Standard/
No.	<b>Equipment/ Product</b>		Specification

Audio/Video,	Tests for Resistance to heat and fire	IEC 62368-1:2018
Information and	(Horizontal Vertical Flame test, Needle	
Communication	flame test)	
Technology	Annex- S	
<b>Equipment-Safety</b>	Steady Force Test 10N	IEC 62368-1:2018
Requirements	Annex- T.2	
	Steady Force Test 30N	IEC 62368-1:2018
	Annex- T.3	
	Steady Force Test 100N	IEC 62368-1:2018
	Annex- T.4	
	Steady Force Test 250N	IEC 62368-1:2018
	Annex- T.5	
	Enclosure impact test	IEC 62368-1:2018
	Annex- T.6	
	Drop Test	IEC 62368-1:2018
	Annex- T.7	
	Glass Impact test	IEC 62368-1:2018
	Annex- T.9	
	Glass Fragmentation test	IEC 62368-1:2018
	Annex- T.10	
	Telescoping or rod antennas (Torque test)	IEC 62368-1:2018
	Annex- T.11	
	Accessible part of equipment.	IEC 62368-1:2018
	Test Method 1-Surface and openings	
	tested with jointed test probes	
	Annex- V.1.2	



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

# SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s SGS India Private Limited, Bengaluru No. 38/1 and 38/2, New BBMP, No. 88/45/45, Beretena Agrahara Begur Hobli, Hosur Main road, Bengaluru-560 100

#### Certificate Number: TEC/MRA/CAB/IND-D/31-II

Page 9 of 9

### Validity: 06/04/2025 to 05/04/2028

Last Amended on: ----

Sl.	Telecom	Test Parameter or Type of Testing	Standard/
No.	<b>Equipment/ Product</b>		Specification

Audio/Video,	Test Method 2-Openings tested with	IEC 62368-1:2018
<b>Information and</b>	straight unjointed test probes	
Communication	Annex- V.1.3	
Technology	Test Method 3- Plugs, Jacks, Connectors	IEC 62368-1:2018
<b>Equipment-Safety</b>	Annex- V.1.4	
Requirements	Test Method 4- Slot Openings	IEC 62368-1:2018
	Annex- V.1.5	
	Test Method 5- Terminal intended to be	IEC 62368-1:2018
	used by an ordinary person	
	Annex- V.1.6	

AD (CA), TEC