



**GOVERNMENT OF INDIA  
MINISTRY OF COMMUNICATIONS  
DEPARTMENT OF TELECOMMUNICATIONS  
TELECOMMUNICATION ENGINEERING CENTRE**  
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001

## **CERTIFICATE OF DESIGNATION**

**M/s Nemko India (Test Lab) Private Limited, Faridabad**  
has been assessed and designated as Conformity Assessment Body (CAB)  
for its facilities at

**Plot No. 2, Second Floor, DLF Industrial Estate-1, Faridabad, Haryana-121 003**

**In the field of Testing**

**Certificate No. TEC/MRA/CAB/IND-D/19**

**Issue Date: 08/06/2021**

**Validity: 08/06/2021 to 07/06/2024**

**This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.**

**(To see the scope of designation of this laboratory, you may also visit TEC website [www.tec.gov.in](http://www.tec.gov.in))**

**Signed for and on behalf of TEC**

**Prasanth Kumar  
Deputy Director General (MRA)  
For Designating Authority  
TEC**

**Certificate No: TEC/MRA/CAB/IND-D/19 dated 08/06/2021 issued to**  
**M/s Nemko India (Test Lab) Private Limited, Faridabad**  
**Plot No. 2, Second Floor, DLF Industrial Estate-1, Faridabad, Haryana-121 003**  
**Validity: - 08/06/2021 to 07/06/2024**

### **Terms & Conditions**

This certificate is issued as per the terms and conditions stipulated in the TEC Scheme for Designating Domestic Conformity Assessment Bodies and Certification Bodies for Conformity Assessment and Certification of Telecommunication Equipment Issue 2 No. TEC/DES-01/02.DEC.2017.

Some of the conditions are reiterated as under:

#### **A. Obligations of the Designated CAB.**

1. It shall ensure that it maintains its accreditation status from any recognised Indian accreditation body like NABL during validity period of certificate.
2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)\* partner for testing and evaluation.
3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry out testing in an unfair or biased manner.
4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and Standards.
7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

\*Applicable only if recognized by MRA (Mutual Recognition Agreement) partner

 Page 1 of 2



9. It shall notify the DA in writing of occurrence of any of the following incident(s) within two weeks of its occurrence.
- a) Cessation of its business of conformity assessment for which it is designated or accredited
  - b) Changes in its legal, commercial, or Organisational status
  - c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
  - d) Change of premises

**B. REFERENCE TO DESIGNATION STATUS**

1. Designated CABs may advertise their designation status with regard to Standards or parts thereof which are included in the scope of designation.
2. The advertisement should not imply, or otherwise suggest that DA or MRA Partner has endorsed the product or imply that the designated CAB is an agent or representative of DA or MRA Partner.
3. CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

**C. POST-DESIGNATION SURVEILLANCE**

As and when required, DA shall conduct surveillance assessments and other non-routine assessments of the Designated CABs to ensure that Standards of practices are maintained as well as to investigate complaints made against them.


**D. SUSPENSION OR WITHDRAWAL OF DESIGNATION**

1. DA shall suspend or withdraw the designation of a CAB if
  - a. Its accreditation is withdrawn.
  - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
  - c. It is guilty of any offence involving fraud or dishonesty.
  - d. DA concludes that there is a just cause for withdrawing the designation.
2. A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
3. DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

**E. AMENDMENT TO THE SCHEME**

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.







**SCOPE OF DESIGNATION**  
**(ANNEXURE)**

**Laboratory Name:** M/s Nemko India (Test Lab) Private Limited, Faridabad  
Plot No. 2, Second Floor, DLF Industrial Estate-1, Faridabad,  
Haryana-121 003


**Certificate Number:** TEC/MRA/CAB/IND-D/19


**Page 1 of 4**

**Validity:** 08/06/2021 to 07/06/2024

**Last Amended on:** ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
1.	<b>Information Technology Equipment –Safety Requirement</b>	Power Interface Clause. 1.6.2	IEC 60950-1:2005 + A1:2009 + A2:2013
		Durability Clause-1.7.11	IEC 60950-1:2005 + A1:2009 + A2:2013
		Access to Energized Parts Clause-2.1.1.1	IEC 60950-1:2005 + A1:2009 + A2:2013
		Energy hazards Clause-2.1.1.5	IEC 60950-1:2005 + A1:2009 + A2:2013
		Discharge of Capacitors in Equipment Clause- 2.1.1.7	IEC 60950-1:2005 + A1:2009 + A2:2013
		SELV Circuits Clause-2.2	IEC 60950-1:2005 + A1:2009 + A2:2013
		TNV Circuits Clause-2.3	IEC 60950-1:2005 + A1:2009 + A2:2013
		Limited Current Circuits Clause-2.4	IEC 60950-1:2005 + A1:2009 + A2:2013
		Limited power sources Clause-2.5	IEC 60950-1:2005 + A1:2009 + A2:2013
		Resistance of Earthing Conductors and their Terminations Clause-2.6.3.4	IEC 60950-1:2005 + A1:2009 + A2:2013
		Humidity Conditioning Clause-2.9.2	IEC 60950-1:2005 + A1:2009 + A2:2013

  
Director (MRA), TEC

  
AD (MRA), TEC

**\*The validity of Certificate is up to 07/06/2024 or the continued validity of NABL Accreditation, whichever is earlier.**



**SCOPE OF DESIGNATION**  
**(ANNEXURE)**

**Laboratory Name:** M/s Nemko India (Test Lab) Private Limited, Faridabad  
Plot No. 2, Second Floor, DLF Industrial Estate-1, Faridabad,  
Haryana-121 003


**Certificate Number:** TEC/MRA/CAB/IND-D/19


**Page 2 of 4**

**Validity:** 08/06/2021 to 07/06/2024

**Last Amended on:** ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	<b>Information Technology Equipment –Safety Requirement</b>	Working Voltage Clause-2.10.2	IEC 60950-1:2005 + A1:2009 + A2:2013
		Clearance & Creepage Distances Clause- (2.10.3, 2.10.3.6, 2.10.3.7, 2.10.3.8, 2.10.3.9, 2.10.4, 2.10.4.2)	IEC 60950-1:2005 + A1:2009 + A2:2013
		Distances through insulation Clause-2.10.5.2	IEC 60950-1:2005 + A1:2009 + A2:2013
		Component External Terminations Clause-2.10.7	IEC 60950-1:2005 + A1:2009 + A2:2013
		Thermal Cycling Clause-2.10.9	IEC 60950-1:2005 + A1:2009 + A2:2013
		Wiring, connections and supply Clause- 3.0	IEC 60950-1:2005 + A1:2009 + A2:2013
		Stability Test Clause-4.1	IEC 60950-1:2005 + A1:2009 + A2:2013
		Mechanical Strength Test Clause-(4.2.2, 4.2.3, 4.2.4)	IEC 60950-1:2005 + A1:2009 + A2:2013
		Impact Test Clause-4.2.5	IEC 60950-1:2005 + A1:2009 + A2:2013
		Drop Test Clause-4.2.6	IEC 60950-1:2005 + A1:2009 + A2:2013

  
Director (MRA), TEC

  
AD (MRA), TEC

\*The validity of Certificate is up to 07/06/2024 or the continued validity of NABL Accreditation, whichever is earlier.



**SCOPE OF DESIGNATION**  
**(ANNEXURE)**

**Laboratory Name:** M/s Nemko India (Test Lab) Private Limited, Faridabad  
Plot No. 2, Second Floor, DLF Industrial Estate-1, Faridabad,  
Haryana-121 003


**Certificate Number:** TEC/MRA/CAB/IND-D/19


**Page 3 of 4**

**Validity:** 08/06/2021 to 07/06/2024

**Last Amended on:** ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	<b>Information Technology Equipment –Safety Requirement</b>	Stress Relief Test Clause-4.2.7	IEC 60950-1:2005 + A1:2009 + A2:2013
		Direct plug-in Equipment Test Clause- 4.3.6	IEC 60950-1:2005 + A1:2009 + A2:2013
		Protection against moving fan blades Clause- 4.4.5	IEC 60950-1:2005 + A1:2009 + A2:2013
		Thermal Requirement Clause- 4.5	IEC 60950-1:2005 + A1:2009 + A2:2013
		Resistance to abnormal heat- Ball Pressure Test Clause- 4.5.5	IEC 60950-1:2005 + A1:2009 + A2:2013
		Resistance to Fire Glow wire Test (Horizontal & Vertical flame) Clause- (4.7.3.2, 4.7.3.3, 4.7.3.4)	IEC 60950-1:2005 + A1:2009 + A2:2013
		Touch Current and Protective Conductor Current Test Clause- 5.1	IEC 60950-1:2005 + A1:2009 + A2:2013
		Electric Strength Test Clause- 5.2	IEC 60950-1:2005 + A1:2009 + A2:2013
		Abnormal Operating and Fault Condition Clause- 5.3	IEC 60950-1:2005 + A1:2009 + A2:2013
		Connection to Telecom Network Clause- (6.1, 6.2, 6.3)	IEC 60950-1:2005 + A1:2009 + A2:2013

  
Director (MRA), TEC

  
AD (MRA), TEC

\*The validity of Certificate is up to 07/06/2024 or the continued validity of NABL Accreditation, whichever is earlier.

**SCOPE OF DESIGNATION**  
**(ANNEXURE)**

**Laboratory Name:** M/s Nemko India (Test Lab) Private Limited, Faridabad  
Plot No. 2, Second Floor, DLF Industrial Estate-1, Faridabad,  
Haryana-121 003

**Certificate Number:** TEC/MRA/CAB/IND-D/19


**Page 4 of 4**

**Validity:** 08/06/2021 to 07/06/2024

**Last Amended on:** ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Information Technology Equipment –Safety Requirement	Connection to Cable distribution System Clause-7.4.3	IEC 60950-1:2005 + A1:2009 + A2:2013

  
Director (MRA), TEC

  
AD (MRA), TEC

\*The validity of Certificate is up to 07/06/2024 or the continued validity of NABL Accreditation, whichever is earlier.