



GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001

CERTIFICATE OF DESIGNATION

M/S VINDHYA TELELINKS LIMITED (OFC UNIT- TESTING LABORATORY), REWA

has been assessed and designated as Conformity Assessment Body (CAB) for its facilities at

Plot No. 1C & 1D, UDYOG VIHAR, REWA, MADHYA PRADESH-486 006

In the field of Testing

Certificate No. TEC/MRA/CAB/IND-D/97

Issue Date: 21/05/2024

Validity: 21/05/2024 to 20/05/2027

This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.

(To see the scope of designation of this laboratory, you may also visit TEC website www.tec.gov.in)

Signed for and on behalf of TEC

Vijay Dixit Director (CA) For Designating Authority TEC

Certificate No: TEC/MRA/CAB/IND-D/97 dated 21/05/2024 issued to M/s Vindhya Telelinks Limited (OFC Unit-Testing Laboratory), Rewa Plot No. 1C & 1D, Udhyog Vihar, Rewa, Madhya Pradesh-486006

Validity: - 21/05/2024 to 20/05/2027

Terms & Conditions

This certificate is issued as per the terms and conditions stipulated in the TEC SCHEME FOR DESIGNATING DOMESTIC CONFORMITY ASSESEMENT BODIES AND CERTIFICATION BODIES FOR CONFORMITY ASSESEMENT AND CERTIFICATION OF TELECOMMUNICATION EQUIPMENT ISSUE 3 NO. TEC 04019:2023.

Some of the conditions are reiterated as under:

A. Obligations of the Designated CAB.

- 1. It shall ensure that it maintains its accreditation status from any recognized Indian accreditation body like NABL during validity period of certificate.
- 2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)* partner for testing and evaluation.
- 3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry on testing in an unfair or biased manner.
- 4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
- 5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
- 6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and standards.
- 7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
- 8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

*Applicable only if recognized by MRA (Mutual Recognition Agreement) partner.

- 9. It shall notify the DA in writing of occurrence of any of the following incident(s) within 2 weeks of its occurrence
 - a) Cessation of its business of conformity assessment for which it is Designated or accredited
 - b) Changes in its legal, commercial, or Organizational status
 - c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
 - d) Change of premises

B. REFERENCE TO DESIGNATION STATUS

- 1. Designated CABs may advertise their designation status with regard to standards or parts thereof which are included in the scope of designation.
- 2. The advertisement should not imply, or otherwise suggest that DA or MRA Partner has endorsed the product or imply that the designated CAB is an agent or representative of DA or MRA Partner.
- 3. CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

C. POST-DESIGNATION SURVEILLANCE

As and when required, DA shall conduct surveillance assessments and other nonroutine assessments on the Designated CABs to ensure that standards of practices are maintained as well as to investigate complaints made against them.

D. SUSPENSION OR WITHDRAWAL OF DESIGNATION

- 1. DA shall suspend or withdraw the designation of a CAB if
 - a. Its accreditation is withdrawn.
 - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
 - c. It is guilty of any offence involving fraud or dishonesty.
 - d. DA concludes that there is a just cause for withdrawing the designation.
- 2. A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
- 3. DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

E. AMENDMENT TO THE SCHEME

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.

ISO 9001:2015

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE

Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/S Vindhya Telelinks Limited (OFC Unit-Testing Laboratory), Rewa Plot No. 1C & 1D, Udhyog Vihar, Rewa, Madhya Pradesh- 486 006

Certificate Number: TEC/MRA/CAB/IND-D/97

Page 1 of 13

Validity: 21/05/2024 to 20/05/2027

Last Amended on: ----

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|-----|-----------|-----------------------------------|---------------|
| No. | Equipment | | Specification |
| | / Product | | |

| 1 | Optical | Transmission | Attenuation at 1310 nm | TEC ER No. |
|---|------------|-----------------|------------------------|--------------|
| | Fibre | Characteristics | IEC 60793-1-40 | TEC 70022401 |
| | Cable-Duct | | Attenuation at 1550 nm | TEC ER No. |
| | | | IEC 60793-1-40 | TEC 70022401 |
| | | | Attenuation at 1625 nm | TEC ER No. |
| | | | IEC 60793-1-40 | TEC 70022401 |
| | | | PMD Cabled Loose Fibre | TEC ER No. |
| | | | IEC 60793-1-48 | TEC 70022401 |
| | | Mechanical | Tensile Strength | TEC ER No. |
| | | Characteristics | IEC 60794-1-21 | TEC 70022401 |
| | | | Crush Resistance | TEC ER No. |
| | | | IEC 60794-1-21 | TEC 70022401 |
| | | | Impact | TEC ER No. |
| | | | IEC 60794-1-21 | TEC 70022401 |
| | | | Bend Test | TEC ER No. |
| | | | IEC 60794-1-21 | TEC 70022401 |
| | | | Repeated Bend Test | TEC ER No. |
| | | | IEC 60794-1-21 | TEC 70022401 |
| | | | Torsion Test | TEC ER No. |
| | | | IEC 60794-1-21 | TEC 70022401 |
| | | Environmental | Temperature Cycling | TEC ER No. |
| | | Characteristics | IEC 60794-1-22 | TEC 70022401 |
| | | | Cable Aging test | TEC ER No. |
| | | | IEC 60794-1-22 | TEC 70022401 |

Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/S Vindhya Telelinks Limited (OFC Unit-Testing Laboratory), Rewa Plot No. 1C & 1D, Udhyog Vihar, Rewa, Madhya Pradesh- 486 006

Certificate Number: TEC/MRA/CAB/IND-D/97

Page 2 of 13

Validity: 21/05/2024 to 20/05/2027

Last Amended on: ----

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|-----|-----------|-----------------------------------|---------------|
| No. | Equipment | | Specification |
| | / Product | | |

| Optical | Environmental | Water Blocking Test/ Water | TEC ER No. |
|--------------|------------------|----------------------------|--------------|
| Fibre | Characteristics | Penetration Test | TEC 70022401 |
| Cable-Duct | | IEC 60794-1-22 | |
| | Characteristics | Ribbon Dimension | TEC ER No. |
| | of Cable | | TEC 70022401 |
| | Elements | | |
| | (Ribboned Fibre) | | |
| - | Transmission | Attenuation at 1310 nm | TEC ER No. |
| Cable- Micro | Characteristics | IEC 60793-1-40 | TEC 70022401 |
| Duct | | Attenuation at 1550 nm | TEC ER No. |
| | | IEC 60793-1-40 | TEC 70022401 |
| | | Attenuation at 1625 nm | TEC ER No. |
| | | IEC 60793-1-40 | TEC 70022401 |
| | | PMD Cabled Loose Fibre | TEC ER No. |
| | | IEC 60793-1-48 | TEC 70022401 |
| | Mechanical | Tensile Strength | TEC ER No. |
| | Characteristics | IEC 60794-1-21 | TEC 70022401 |
| | | Crush Resistance | TEC ER No. |
| | | IEC 60794-1-21 | TEC 70022401 |
| | | Impact | TEC ER No. |
| | | IEC 60794-1-21 | TEC 70022401 |
| | | Bend Test | TEC ER No. |
| | | IEC 60794-1-21 | TEC 70022401 |
| | | Departed Dand Test | TEC ER No. |
| | | Repeated Bend Test | IEC EK NO. |



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/S Vindhya Telelinks Limited (OFC Unit-Testing Laboratory), Rewa Plot No. 1C & 1D, Udhyog Vihar, Rewa, Madhya Pradesh- 486 006

Certificate Number: TEC/MRA/CAB/IND-D/97

Page 3 of 13

Validity: 21/05/2024 to 20/05/2027

Last Amended on: ----

| I | Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|---|-----|-----------|-----------------------------------|---------------|
| | No. | Equipment | | Specification |
| | | / Product | | |

| Optical Fibre | Mechanical | Torsion Test | TEC ER No. |
|----------------------|------------------|----------------------------|--------------|
| Cable- Micro | Characteristics | IEC 60794-1-21 | TEC 70022401 |
| Duct | | | |
| | Environmental | Temperature Cycling | TEC ER No. |
| | Characteristics | IEC 60794-1-22 | TEC 70022401 |
| | | Cable Aging test | TEC ER No. |
| | | IEC 60794-1-22 | TEC 70022402 |
| | | Water Blocking Test/ Water | TEC ER No. |
| | | Penetration Test | TEC 7002240 |
| | | IEC 60794-1-22 | |
| | Characteristics | Ribbon Dimension | TEC ER No. |
| | of Cable | IEC 60794-1-23 | TEC 7002240 |
| | Elements | | |
| | (Ribboned Fibre) | | |
| Optical | Transmission | Attenuation at 1310 nm | TEC ER No. |
| Fibre Cable- | Characteristics | IEC 60793-1-40 | TEC 7002240 |
| Direct | | Attenuation at 1550 nm | TEC ER No. |
| Buried | | IEC 60793-1-40 | TEC 7002240 |
| | | Attenuation at 1625 nm | TEC ER No. |
| | | IEC 60793-1-40 | TEC 7002240 |
| | | PMD Cabled Loose Fibre | TEC ER No. |
| | | IEC 60793-1-48 | TEC 7002240 |
| | Mechanical | Tensile Strength | TEC ER No. |
| | Characteristics | IEC 60794-1-21 | TEC 7002240 |
| | | Crush Resistance | TEC ER No. |
| | | IEC 60794-1-21 | TEC 7002240 |
| | | Impact | TEC ER No. |
| | | IEC 60794-1-21 | TEC 7002240 |



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/S Vindhya Telelinks Limited (OFC Unit-Testing Laboratory), Rewa Plot No. 1C & 1D, Udhyog Vihar, Rewa, Madhya Pradesh- 486 006

Certificate Number: TEC/MRA/CAB/IND-D/97

Page 4 of 13

Validity: 21/05/2024 to 20/05/2027

Last Amended on: ----

| S | l. Telecom | Test Parameter or Type of Testing | Standard/ |
|---|--------------|-----------------------------------|---------------|
| Ν | o. Equipment | | Specification |
| | / Product | | |

| Optical | Mechanical | Bend Test | TEC ER No. |
|--------------|------------------|----------------------------|----------------------------|
| Fibre Cable- | | IEC 60794-1-21 | TEC EK No. TEC 70022401 |
| | Characteristics | | |
| Direct | | Repeated Bend Test | TEC ER No. |
| Buried | | IEC 60794-1-21 | TEC 70022401 |
| | | Torsion Test | TEC ER No. |
| | | IEC 60794-1-21 | TEC 70022401 |
| | Environmental | Temperature Cycling | TEC ER No. |
| | Characteristics | IEC 60794-1-22 | TEC 70022401 |
| | | Cable Aging test | TEC ER No. |
| | | IEC 60794-1-22 | TEC 70022401 |
| | | Water Blocking Test/ Water | TEC ER No. |
| | | Penetration Test | TEC 70022401 |
| | | IEC 60794-1-23 | |
| | Characteristics | Ribbon Dimension | TEC ER No. |
| | of Cable | IEC 60794-1-23 | TEC 70022401 |
| | Elements | | |
| | (Ribboned Fibre) | | |
| Optical | Transmission | Attenuation at 1310 nm | TEC ER No. |
| Fibre Cable- | Characteristics | IEC 60793-1-40 | TEC 70022401 |
| ADSS along | | Attenuation at 1550 nm | TEC ER No. |
| Power Line | | IEC 60793-1-40 | TEC 70022401 |
| | | Attenuation at 1625 nm | TEC ER No. |
| | | IEC 60793-1-40 | TEC 70022401 |
| | | PMD Cabled Loose Fibre | TEC ER No. |
| | | IEC 60793-1-48 | TEC 70022401 |
| | | | |



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/S Vindhya Telelinks Limited (OFC Unit-Testing Laboratory), Rewa Plot No. 1C & 1D, Udhyog Vihar, Rewa, Madhya Pradesh- 486 006

Certificate Number: TEC/MRA/CAB/IND-D/97

Page 5 of 13

Validity: 21/05/2024 to 20/05/2027

Last Amended on: ----

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|-----|-----------|-----------------------------------|---------------|
| No. | Equipment | | Specification |
| | / Product | | |

| Optical | Mechanical | Tensile Strength | TEC ER No. |
|------------|------------------|----------------------------|--------------|
| Fibre | Characteristics | IEC 60794-1-21 | TEC 70022401 |
| Cable- | | Crush Resistance | TEC ER No. |
| ADSS along | | IEC 60794-1-21 | TEC 70022401 |
| Power Line | | Impact | TEC ER No. |
| | | IEC 60794-1-21 | TEC 70022401 |
| | | Bend Test | TEC ER No. |
| | | IEC 60794-1-21 | TEC 70022401 |
| | | Repeated Bend Test | TEC ER No. |
| | | IEC 60794-1-21 | TEC 70022401 |
| | | Torsion Test | TEC ER No. |
| | | IEC 60794-1-21 | TEC 70022401 |
| | | Galloping Test | TEC ER No. |
| | | IEEE 1222 | TEC 70022401 |
| | Environmental | Temperature Cycling | TEC ER No. |
| | Characteristics | IEC 60794-1-22 | TEC 70022401 |
| | | Cable Aging test | TEC ER No. |
| | | IEC 60794-1-22 | TEC 70022401 |
| | | Water Blocking Test/ Water | TEC ER No. |
| | | Penetration Test | TEC 70022401 |
| | | IEC 60794-1-22 | |
| | Characteristics | Ribbon Dimension | TEC ER No. |
| | of Cable | IEC 60794-1-23 | TEC 70022401 |
| | Elements | | |
| | (Ribboned Fibre) | | |
| | | | |



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/S Vindhya Telelinks Limited (OFC Unit-Testing Laboratory), Rewa Plot No. 1C & 1D, Udhyog Vihar, Rewa, Madhya Pradesh- 486 006

Certificate Number: TEC/MRA/CAB/IND-D/97

Page 6 of 13

Validity: 21/05/2024 to 20/05/2027

Last Amended on: ----

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|-----|-----------|-----------------------------------|---------------|
| No. | Equipment | | Specification |
| | / Product | | |

| 0-41 | T | A 44 - mar - 4 1210 - mar | TECED N |
|-------------|-------------------|---------------------------|----------------------------|
| Optical | Transmission | Attenuation at 1310 nm | TEC ER No. |
| Fibre Cable | - Characteristics | IEC 60793-1-40 | TEC 70022401 |
| ADSS on | | Attenuation at 1550 nm | TEC ER No. |
| Aerial | | IEC 60793-1-40 | TEC 70022401 |
| alignment | | Attenuation at 1625 nm | TEC ER No. |
| | | IEC 60793-1-40 | TEC 70022401 |
| | | PMD Cabled Loose Fibre | TEC ER No. |
| | | IEC 60793-1-48 | TEC 70022401 |
| | Mechanical | Tensile Strength | TEC ER No. |
| | Characteristics | IEC 60794-1-21 | TEC 70022401 |
| | Characteristics | Crush Resistance | TEC ER No. |
| | | IEC 60794-1-21 | TEC ER NO. TEC 70022401 |
| | | | |
| | | Impact | TEC ER No. |
| | | IEC 60794-1-21 | TEC 70022401 |
| | | Bend Test | TEC ER No. |
| | | IEC 60794-1-21 | TEC 70022401 |
| | | Repeated Bend Test | TEC ER No. |
| | | IEC 60794-1-21 | TEC 70022401 |
| | | | |
| | | Torsion Test | TEC ER No. |
| | | IEC 60794-1-21 | TEC 70022401 |
| | | Galloping Test | TEC ER No. |
| | | IEEE 1222 | TEC 70022401 |
| | Environmental | Temperature Cycling | TEC ER No. |
| | Characteristics | IEC 60794-1-22 | TEC 70022401 |
| | | | |



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/S Vindhya Telelinks Limited (OFC Unit-Testing Laboratory), Rewa Plot No. 1C & 1D, Udhyog Vihar, Rewa, Madhya Pradesh- 486 006

Certificate Number: TEC/MRA/CAB/IND-D/97

Page 7 of 13

Validity: 21/05/2024 to 20/05/2027

Last Amended on: ----

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|-----|-----------|-----------------------------------|---------------|
| No. | Equipment | | Specification |
| | / Product | | |

| Optical | Environmental | Cable Aging test | TEC ER No. |
|--------------|------------------|----------------------------|--------------|
| Fibre Cable- | Characteristics | IEC 60794-1-22 | TEC 70022401 |
| ADSS on | | Water Blocking Test/ Water | TEC ER No. |
| Aerial | | Penetration Test | TEC 70022401 |
| alignment | | IEC 60794-1-22 | |
| | Characteristics | Ribbon Dimension | TEC ER No. |
| | of Cable | IEC 60794-1-23 | TEC 70022401 |
| | Elements | | |
| | (Ribboned Fibre) | | |
| Optical | Transmission | Attenuation at 1310 nm | TEC ER No. |
| Fibre Cable- | Characteristics | IEC 60793-1-40 | TEC 7002240 |
| Indoor | | Attenuation at 1550 nm | TEC ER No. |
| | | IEC 60793-1-40 | TEC 7002240 |
| | | Attenuation at 1625 nm | TEC ER No. |
| | | IEC 60793-1-40 | TEC 7002240 |
| | | PMD Cabled Loose Fibre | TEC ER No. |
| | | IEC 60793-1-48 | TEC 7002240 |
| | Mechanical | Tensile Strength | TEC ER No. |
| | Characteristics | IEC 60794-1-21 | TEC 7002240 |
| | | Crush Resistance | TEC ER No. |
| | | IEC 60794-1-21 | TEC 7002240 |
| | | Impact | TEC ER No. |
| | | IEC 60794-1-21 | TEC 7002240 |
| | | Bend Test | TEC ER No. |
| | | IEC 60794-1-21 | TEC 7002240 |
| | | Repeated Bend Test | TEC ER No. |
| | | IEC 60794-1-21 | TEC 7002240 |



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/S Vindhya Telelinks Limited (OFC Unit-Testing Laboratory), Rewa Plot No. 1C & 1D, Udhyog Vihar, Rewa, Madhya Pradesh- 486 006

Certificate Number: TEC/MRA/CAB/IND-D/97

Page 8 of 13

Validity: 21/05/2024 to 20/05/2027

Last Amended on: ----

| ſ | Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|---|-----|-----------|-----------------------------------|---------------|
| | No. | Equipment | | Specification |
| | | / Product | | |

| Optical Fibre | Mechanical Characteristics | Torsion Test IEC 60794-1-21 | TEC ER No. TEC 70022401 |
|-----------------------------|---|--|----------------------------|
| Cable- Indoor | Environmental Characteristics | Temperature Cycling IEC 60794-1-22 | TEC ER No. TEC 70022401 |
| | | Cable Aging test IEC 60794-1-23 | TEC ER No. TEC 70022401 |
| | | Water Blocking Test/ Water Penetration Test IEC 60794-1-22 | TEC ER No. TEC 70022401 |
| | Characteristics of Cable Elements (Ribboned Fibre) | Ribbon Dimension IEC 60794-1-23 | TEC ER No. TEC 70022401 |
| Optical Fibre | Transmission Characteristics | Attenuation at 1310 nm IEC 60793-1-40 | TEC ER No. TEC 70022401 |
| Cable- Access Outdoor | | Attenuation at 1550 nm IEC 60793-1-40 | TEC ER No. TEC 70022401 |
| Outdoor | | Attenuation at 1625 nm IEC 60793-1-40 | TEC ER No. TEC 70022401 |
| | | PMD Cabled Loose Fibre IEC 60793-1-48 | TEC ER No. TEC 70022401 |
| | Mechanical Characteristics | Tensile Strength IEC 60794-1-21 | TEC ER No. TEC 70022401 |
| | | Crush Resistance IEC 60794-1-21 | TEC ER No. TEC 70022401 |



ISO 9001:2015

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE

Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/S Vindhya Telelinks Limited (OFC Unit-Testing Laboratory), Rewa Plot No. 1C & 1D, Udhyog Vihar, Rewa, Madhya Pradesh- 486 006

Certificate Number: TEC/MRA/CAB/IND-D/97

Page 9 of 13

Validity: 21/05/2024 to 20/05/2027

Last Amended on: ----

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|-----|-----------|-----------------------------------|---------------|
| No. | Equipment | | Specification |
| | / Product | | |

| | Mechanical Characteristics | Impact IEC 60794-1-21 | TEC ER No. TEC 70022401 |
|-------------------|---|--|----------------------------|
| Access Outdoor | | Bend Test IEC 60794-1-21 | TEC ER No. TEC 70022401 |
| | | Repeated Bend Test IEC 60794-1-21 | TEC ER No. TEC 70022401 |
| | | Torsion Test IEC 60794-1-21 | TEC ER No. TEC 70022401 |
| | Environmental Characteristics | Temperature Cycling IEC 60794-1-22 | TEC ER No. TEC 70022401 |
| | | Cable Aging test IEC 60794-1-22 | TEC ER No. TEC 70022401 |
| | | Water Blocking Test/ Water Penetration Test IEC 60794-1-22 | TEC ER No. TEC 70022401 |
| | Characteristics of Cable Elements | Ribbon Dimension IEC 60794-1-23 | TEC ER No. TEC 70022401 |
| Optical Fibre | (Ribboned Fibre) Transmission Characteristics | Attenuation at 1310 nm IEC 60793-1-40 | TEC ER No. TEC 70022401 |
| Cable- Indoor- | | Attenuation at 1550 nm IEC 60793-1-40 | TEC ER No. TEC 70022401 |
| Outdoor | | Attenuation at 1625 nm IEC 60793-1-40 | TEC ER No. TEC 70022401 |

Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/S Vindhya Telelinks Limited (OFC Unit-Testing Laboratory), Rewa Plot No. 1C & 1D, Udhyog Vihar, Rewa, Madhya Pradesh- 486 006

Certificate Number: TEC/MRA/CAB/IND-D/97

Page 10 of 13

Validity: 21/05/2024 to 20/05/2027

Last Amended on: ----

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|-----|-----------|-----------------------------------|---------------|
| No. | Equipment | | Specification |
| | / Product | | |

| Optical Fibre | Transmission Characteristics | PMD Cabled Loose Fibre IEC 60793-1-48 | TEC ER No. TEC 70022401 |
|-------------------|---|--|----------------------------|
| Cable- Indoor- | Mechanical Characteristics | Tensile Strength IEC 60794-1-21 | TEC ER No. TEC 70022401 |
| Outdoor | | Crush Resistance IEC 60794-1-21 | TEC ER No. TEC 70022401 |
| | | Impact IEC 60794-1-21 | TEC ER No. TEC 70022401 |
| | | Bend Test IEC 60794-1-21 | TEC ER No. TEC 70022401 |
| | | Repeated Bend Test IEC 60794-1-21 | TEC ER No. TEC 70022401 |
| | | Torsion Test IEC 60794-1-21 | TEC ER No. TEC 70022401 |
| | Environmental Characteristics | Temperature Cycling IEC 60794-1-22 | TEC ER No. TEC 70022401 |
| | | Cable Aging test IEC 60794-1-22 | TEC ER No. TEC 70022401 |
| | | Water Blocking Test/ Water Penetration Test IEC 60794-1-22 | TEC ER No. TEC 70022401 |
| | Characteristics of Cable Elements | Ribbon Dimension IEC 60794-1-23 | TEC ER No. TEC 70022401 |
| | (Ribboned Fibre) | | |



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/S Vindhya Telelinks Limited (OFC Unit-Testing Laboratory), Rewa Plot No. 1C & 1D, Udhyog Vihar, Rewa, Madhya Pradesh- 486 006

Certificate Number: TEC/MRA/CAB/IND-D/97

Page 11 of 13

Validity: 21/05/2024 to 20/05/2027

Last Amended on: ----

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|-----|-----------|-----------------------------------|---------------|
| No. | Equipment | | Specification |
| | / Product | | _ |

| Optical | Transmission | Attenuation at 1310 nm | TEC ER No. |
|--------------|----------------------------------|--|----------------------------|
| Fibre Cable- | Characteristics | IEC 60793-1-40 | TEC 70022401 |
| In-Home | | Attenuation at 1550 nm IEC 60793-1-40 | TEC ER No. TEC 70022401 |
| | | Attenuation at 1625 nm IEC 60793-1-40 | TEC ER No. TEC 70022401 |
| | | PMD Cabled Loose Fibre IEC 60793-1-48 | TEC ER No. TEC 70022401 |
| | Mechanical Characteristics | Tensile Strength IEC 60794-1-21 | TEC ER No. TEC 70022401 |
| | | Crush Resistance IEC 60794-1-21 | TEC ER No. TEC 70022401 |
| | | Impact IEC 60794-1-21 | TEC ER No. TEC 70022401 |
| | | Bend Test IEC 60794-1-21 | TEC ER No. TEC 70022401 |
| | | Repeated Bend Test IEC 60794-1-21 | TEC ER No. TEC 70022401 |
| | | Torsion Test IEC 60794-1-21 | TEC ER No. TEC 70022401 |
| | Environmental Characteristics | Temperature Cycling IEC 60794-1-22 | TEC ER No. TEC 70022401 |
| | | Cable Aging test IEC 60794-1-22 | TEC ER No. TEC 70022401 |



ISO 9001:2015

Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/S Vindhya Telelinks Limited (OFC Unit-Testing Laboratory), Rewa Plot No. 1C & 1D, Udhyog Vihar, Rewa, Madhya Pradesh- 486 006

Certificate Number: TEC/MRA/CAB/IND-D/97

Page 12 of 13

Validity: 21/05/2024 to 20/05/2027

Last Amended on: ----

| I | Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|---|-----|-----------|-----------------------------------|---------------|
| | No. | Equipment | | Specification |
| | | / Product | | |

| Optical | Transmission | Attenuation at 1310 nm | TEC ER No. |
|-------------|-----------------|----------------------------|----------------------------|
| | | | TEC EK No. TEC 70022401 |
| | Characteristics | IEC 60793-1-40 | |
| Direct | | Attenuation at 1550 nm | TEC ER No. |
| Surface | | IEC 60793-1-40 | TEC 70022401 |
| Application | | Attenuation at 1625 nm | TEC ER No. |
| (DSA) | | IEC 60793-1-40 | TEC 70022401 |
| | | PMD Cabled Loose Fibre | TEC ER No. |
| | | IEC 60793-1-48 | TEC 70022401 |
| | Mechanical | Tensile Strength | TEC ER No. |
| | Characteristics | IEC 60794-1-21 | TEC 70022401 |
| | | Crush Resistance | TEC ER No. |
| | | IEC 60794-1-21 | TEC 70022401 |
| | | Impact | TEC ER No. |
| | | IEC 60794-1-21 | TEC 70022401 |
| | | Bend Test | TEC ER No. |
| | | IEC 60794-1-21 | TEC 70022401 |
| | | Repeated Bend Test | TEC ER No. |
| | | IEC 60794-1-21 | TEC 70022401 |
| | | Torsion Test | TEC ER No. |
| | | IEC 60794-1-21 | TEC 70022401 |
| | Environmental | Temperature Cycling | TEC ER No. |
| | Characteristics | IEC 60794-1-22 | TEC 70022401 |
| | | Cable Aging test | TEC ER No. |
| | | IEC 60794-1-22 | TEC 70022401 |
| | | Water Blocking Test/ Water | TEC ER No. |
| | | Penetration Test | TEC 70022401 |
| | | IEC 60794-1-22 | |



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/S Vindhya Telelinks Limited (OFC Unit-Testing Laboratory), Rewa Plot No. 1C & 1D, Udhyog Vihar, Rewa, Madhya Pradesh- 486 006

Certificate Number: TEC/MRA/CAB/IND-D/97

Page 13 of 13

Validity: 21/05/2024 to 20/05/2027

Last Amended on: ----

| Sl. No. | Telecom Equipment / Product | Test Parameter or Type of Testing | Standard/ Specification |
|------------|-----------------------------------|-----------------------------------|----------------------------|
|------------|-----------------------------------|-----------------------------------|----------------------------|

| Optic | al C | Characteristics | Ribbon Dimension | TEC ER No. |
|-------|-----------|-------------------------|------------------|--------------|
| Fibre | Cable- of | of Cable | IEC 60794-1-23 | TEC 70022401 |
| Direc | t E | Elements | | |
| Surfa | ce (l | Ribboned Fibre) | | |
| Appli | cation | | | |
| (DSA |) | | | |
| | | | | |

AD (CA), TEC