



सत्यमेव जयते



GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001

CERTIFICATE OF DESIGNATION

M/S U L INDIA PRIVATE LIMITED, BENGALURU

has been assessed and designated as Conformity Assessment Body (CAB)

for its facilities at

**30/A, I STAGE, VISHVESHWARYA INDUSTRIAL ESTATE, DODDANEKKUNDI,
INDUSTRIAL AREA, BENGALURU -560048**

In the field of Testing

Certificate No. TEC/MRA/CAB/IND-D/59-III

Issue Date: 27/06/2022

Valid Until: 26/06/2025

This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.

(To see the scope of designation of this laboratory, you may also visit TEC website www.tec.gov.in)

Signed for and on behalf of TEC

Prasanth Kumar
Deputy Director General (MTCTE)
For Designating Authority
TEC

Certificate No: TEC/MRA/CAB/IND-D/59-III dated 27/06/2022 issued to
M/s U L India Private Limited
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru – 560048

Validity:-27/06/2022 to 26/06/2025

Terms & Conditions


This certificate is issued as per the terms and conditions stipulated in the TEC Scheme for Designating Domestic Conformity Assessment Bodies and Certification Bodies for Conformity Assessment and Certification of Telecommunication Equipment Issue 2 No. TEC/DES-01/02.DEC.2017.

Some of the conditions are reiterated as under:

A. Obligations of the Designated CAB.

1. It shall ensure that it maintains its accreditation status from any recognised Indian accreditation body like NABL during validity period of certificate.
2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)* partner for testing and evaluation.
3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry out testing in an unfair or biased manner.
4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and Standards.
7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

*Applicable only if recognized by MRA (Mutual Recognition Agreement) partner

 Page 1 of 2

9. It shall notify the DA in writing of occurrence of any of the following incident(s) within two weeks of its occurrence.
 - a) Cessation of its business of conformity assessment for which it is designated or accredited
 - b) Changes in its legal, commercial, or Organisational status
 - c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
 - d) Change of premises

B. REFERENCE TO DESIGNATION STATUS

1. Designated CABs may advertise their designation status with regard to Standards or parts thereof which are included in the scope of designation.
2. The advertisement should not imply, or otherwise suggest that DA or MRA Partner has endorsed the product or imply that the designated CAB is an agent or representative of DA or MRA Partner.
3. CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

C. POST-DESIGNATION SURVEILLANCE

As and when required, DA shall conduct surveillance assessments and other non-routine assessments of the Designated CABs to ensure that Standards of practices are maintained as well as to investigate complaints made against them.


D. SUSPENSION OR WITHDRAWAL OF DESIGNATION

1. DA shall suspend or withdraw the designation of a CAB if
 - a. Its accreditation is withdrawn.
 - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
 - c. It is guilty of any offence involving fraud or dishonesty.
 - d. DA concludes that there is a just cause for withdrawing the designation.
2. A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
3. DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

E. AMENDMENT TO THE SCHEME

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.





SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 1 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
1.	Feedback Device	Interface: LPWAN-LoRA TX effective radiated power ETSI EN 300 220-2 V3.2.1 Clause- 4.3.1 Annexure-G5	TEC ER No. TEC23232106
		TX maximum e. r. p. spectral density ETSI EN 300 220-2 V3.2.1 Clause- 4.3.2 Annexure-G5	TEC ER No. TEC23232106
		TX Occupied bandwidth/Carrier bandwidth ETSI EN 300 220-2 V3.2.1 Clause- 4.3.4 Annexure-G5	TEC ER No. TEC23232106
		TX out of Band emissions ETSI EN 300 220-2 V3.2.1 Clause- 4.3.5 Annexure-G5	TEC ER No. TEC23232106


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 2 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
2.	Smart Camera	Interface: GSM/ GPRS/ EDGE	Transmitter Maximum Output Power and Burst Timing for GSM 3GPP TS 51 010-1 Clause- 13.3 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.5:2017	TEC ER No. TEC28822108
			Transmitter Output Power for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.2 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.10:2017	TEC ER No. TEC28822108
			Transmitter - Output RF Spectrum for GSM 3GPP TS 51 010-1 Clause- 13.4 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.6:2017	TEC ER No. TEC28822108


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 3 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Camera	Interface: GSM/ GPRS/ EDGE	Transmitter - Output RF Spectrum for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.3 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.11:2017	TEC ER No. TEC28822108
		Spurious Emissions - MS allocated a channel 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.12:2017	TEC ER No. TEC28822108	
		Spurious Emissions - MS in idle mode 3GPP TS 51 010-1 Clause- 12.1.2 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.13:2017	TEC ER No. TEC28822108	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 4 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Camera	Interface: GSM/ GPRS/ EDGE	Frequency Error and Phase Error for GSM 3GPP TS 51 010-1 Clause- 13.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.1:2017	TEC ER No. TEC28822108
			Frequency Error and Phase Error for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.4:2017	TEC ER No. TEC28822108
			Reference Sensitivity Level (Speech Channels) 3GPP TS 51 010-1 Clause- 14.2.1 or EN 301 511 V 12.5.1 (2017-03)(GSM) Clause- 4.2.42:2019	TEC ER No. TEC28822108


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 5 of 80


Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Camera	Interface: GSM/ GPRS/ EDGE	Adjacent channel rejection - Speech channels 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.38:2019	TEC ER No. TEC28822108
			Receiver Blocking 3GPP TS 51 010-1 Clause- 14.7.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.20:2017	TEC ER No. TEC28822108
		Interface : WCDMA or HSPA	Transmitter Maximum Output Power 3GPP TS 34.121-1 Clause- 5.2 OR EN 301 908-2 (UMTS) Clause- 4.2.2.1	TEC ER No. TEC28822108


Director (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.


AD (CA), TEC

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 6 of 80


Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Camera	Interface : WCDMA or HSPA	Spectrum Emissions Mask 3GPP TS 34.121-1 Clause- 5.9 OR EN 301 908-2 (UMTS) Clause- 4.2.3.1	TEC ER No. TEC28822108
		Transmitter Spurious Emissions 3GPP TS 34.121-1 Clause- 5.11 OR EN 301 908-2(UMTS) Clause- 4.2.4.1	TEC ER No. TEC28822108	
		Receiver Spurious Emission 3GPP TS 34.121-1 Clause- 6.8 OR EN 301 908-2 (UMTS) Clause- 4.2.10	TEC ER No. TEC28822108	
		Transmitter Minimum Output Power 3GPP TS 34.121-1 Clause-5.4.3 OR EN 301 908-2 (UMTS) Clause- 4.2.5.1	TEC ER No. TEC28822108	


Director (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.


AD (CA), TEC

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
 30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
 Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 7 of 80


Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Camera	Interface : WCDMA or HSPA	Receiver Reference Sensitivity level 3GPP TS 34.121-1 Clause- 6.2 OR EN 301 908-2 (UMTS) Clause- 4.2.13	TEC ER No. TEC28822108
			Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 34.121-1 Clause 6.4 OR EN 301 908-2 (UMTS) Clause- 4.2.6	TEC ER No. TEC28822108
			Receiver In-band blocking 3GPP TS 34.121-1 Clause- 6.5.2.1 OR EN 301 908-2 (UMTS) Clause- 4.2.7	TEC ER No. TEC28822108
		Interface: LTE or LTE-A	Maximum Output Power 3GPP TS 36.521-1 Clause- 6.2.2 OR EN 301 908-13 (LTE) Clause- 4.2.2.1	TEC ER No. TEC28822108


 Director (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.


 AD (CA), TEC

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 8 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Camera	Interface: LTE or LTE-A	Spectrum Emissions Mask 3GPP TS 36.521-1 Clause- 6.6.2.1 OR EN 301 908-13 (LTE) Clause- 4.2.3.1	TEC ER No. TEC28822108
		Spurious Emissions 3GPP TS 36.521-1 Clauses- 6.6.3.1,6.6.3.2, 6.6.3.3 OR EN 301 908-13 (LTE) Clause- 4.2.4.1	TEC ER No. TEC28822108	
		Receiver Spurious Emission 3GPP TS 36.521-1 Clause- 7.9 OR EN 301 908-13 (LTE) Clause- 4.2.10.1	TEC ER No. TEC28822108	
		Receiver Reference Sensitivity level 3GPP TS 36.521-1 Clause- 7.3 OR EN 301 908-13 (LTE) Clause- 4.2.12	TEC ER No. TEC28822108	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 9 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Camera	Interface: LTE or LTE-A	Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 36.521-1 Clause- 7.5 OR EN 301 908-13 (LTE) Clause- 4.2.6.1	TEC ER No. TEC28822108
			Receiver In-band blocking 3GPP TS 36.521-1 Clause- 7.6.1 OR EN 301 908-13 (LTE) Clause- 4.2.7.1	TEC ER No. TEC28822108
		Interface: NFC	Frequency of Operation ETSI EN 300 330 V 2.1.1 (2017-02) Clause- 6.2.2 Annexure-G6 ETSI EN 300 220-1 V 3.1.1 Clause-5.1.2 Annexure-G 5	TEC ER No. TEC28822108


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 10 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Smart Camera	Interface: NFC Permitted Range of Operating Frequencies ETSI EN 300 330 V 2.1.1 (2017-02) Clause- 4.3.1 Annexure-G6	TEC ER No. TEC28822108
		Modulation Bandwidth ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.3.3, Clause- 6.2.3 Annexure- G6	TEC ER No. TEC28822108
		Transmitter radiated Spurious domain emission limits <30 MHz ETSI EN 300 330 V 2.1.1 (2017-02) Clause-4.3.8, 6.2.8 Annexure-G6	TEC ER No. TEC28822108


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 11 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Camera	Interface: NFC	Transmitter Radiated Spurious domain Emission limits > 30 MHz ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.3.9 (For equipment under class 1, 2 and 4 in clause- 6.1.2), Clause- 6.2.9 Annexure-G6	TEC ER No. TEC28822108
			Receiver Spurious Emissions ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.4.2, Clause- 6.3.1 Annexure- G6	TEC ER No. TEC28822108
3.	Smart Watch	Interface: GSM/ GPRS/ EDGE	Transmitter Maximum Output Power and Burst Timing for GSM 3GPP TS 51 010-1 Clause- 13.3 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.5:2017	TEC ER No. TEC28982110


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 12 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Smart Watch	Interface: GSM/ GPRS/ EDGE Transmitter Output Power for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.2 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.10:2017	TEC ER No. TEC28982110
		Transmitter - Output RF Spectrum for GSM 3GPP TS 51 010-1 Clause- 13.4 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.6:2017	TEC ER No. TEC28982110
		Transmitter - Output RF Spectrum for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.3 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.11:2017	TEC ER No. TEC28982110


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 13 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Watch	Interface: GSM/ GPRS/ EDGE	Spurious Emissions - MS allocated a channel 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.12:2017	TEC ER No. TEC28982110
		Spurious Emissions - MS in idle mode 3GPP TS 51 010-1 Clause- 12.1.2 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.13:2017	TEC ER No. TEC28982110	
		Frequency Error and Phase Error for GSM 3GPP TS 51 010-1 Clause- 13.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.1:2017	TEC ER No. TEC28982110	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 14 of 80


Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Smart Watch	Interface: GSM/ GPRS/ EDGE	Frequency Error and Phase Error for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.4:2017 TEC ER No. TEC28982110
			Reference Sensitivity Level (Speech Channels) 3GPP TS 51 010-1 Clause- 14.2.1 or EN 301 511 V 12.5.1 (2017-03)(GSM) Clause- 4.2.42:2019 TEC ER No. TEC28982110
			Adjacent channel rejection - Speech channels 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.38:2019 TEC ER No. TEC28982110


Director (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.


AD (CA), TEC

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 15 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Watch	Interface: GSM/ GPRS/ EDGE	Receiver Blocking 3GPP TS 51 010-1 Clause- 14.7.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.20:2017	TEC ER No. TEC28982110
		Interface: WCDMA or HSPA	Transmitter Maximum Output Power 3GPP TS 34.121-1 Clause- 5.2 OR EN 301 908-2 (UMTS) Clause- 4.2.2.1	TEC ER No. TEC28982110
			Spectrum Emissions Mask 3GPP TS 34.121-1 Clause- 5.9 OR EN 301 908-2 (UMTS) Clause- 4.2.3.1	TEC ER No. TEC28982110
			Transmitter Spurious Emissions 3GPP TS 34.121-1 Clause- 5.11 OR EN 301 908-2 (UMTS) Clause- 4.2.4.1	TEC ER No. TEC28982110


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 16 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Watch	Interface: WCDMA or HSPA	Receiver Spurious Emission 3GPP TS 34.121-1 Clause- 6.8 OR EN 301 908-2 (UMTS) Clause- 4.2.10	TEC ER No. TEC28982110
		Transmitter Minimum Output Power 3GPP TS 34.121-1 Clause- 5.4.3 OR EN 301 908-2 (UMTS) Clause- 4.2.5.1	TEC ER No. TEC28982110	
		Receiver Reference Sensitivity level 3GPP TS 34.121-1 Clause- 6.2 OR EN 301 908-2 (UMTS) Clause- 4.2.13	TEC ER No. TEC28982110	
		Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 34.121-1 Clause- 6.4 OR EN 301 908-2 (UMTS) Clause- 4.2.6	TEC ER No. TEC28982110	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 17 of 80


Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Smart Watch	Interface: WCDMA or HSPA Receiver In-band blocking 3GPP TS 34.121-1 Clause- 6.5.2.1 OR EN 301 908-2 (UMTS) Clause- 4.2.7	TEC ER No. TEC28982110
		Interface: LTE or LTE-A Maximum Output Power 3GPP TS 36.521-1 Clause- 6.2.2 OR EN 301 908-13 (LTE) Clause- 4.2.2.1	TEC ER No. TEC28982110
		Spectrum Emissions Mask 3GPP TS 36.521-1 Clause 6.6.2.1 OR EN 301 908-13 (LTE) Clause- 4.2.3.1	TEC ER No. TEC28982110
		Spurious Emissions 3GPP TS 36.521-1 Clauses- 6.6.3.1,6.6.3.2, 6.6.3.3 OR EN 301 908-13 (LTE) Clause- 4.2.4.1	TEC ER No. TEC28982110


Director (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.


AD (CA), TEC

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 18 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Watch	Interface: LTE or LTE-A	Receiver Spurious Emission 3GPP TS 36.521-1 Clause- 7.9 OR EN 301 908-13 (LTE) Clause- 4.2.10.1	TEC ER No. TEC28982110
		Receiver Reference Sensitivity level 3GPP TS 36.521-1 Clause- 7.3 OR EN 301 908-13 (LTE) Clause- 4.2.12	TEC ER No. TEC28982110	
		Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 36.521-1 Clause- 7.5 OR EN 301 908-13 (LTE) Clause- 4.2.6.1	TEC ER No. TEC28982110	
		Receiver In-band blocking 3GPP TS 36.521-1 Clause-7.6.1 OR EN 301 908-13 (LTE) Clause- 4.2.7.1	TEC ER No. TEC28982110	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 19 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Watch	Interface: NFC	Frequency of Operation ETSI EN 300 330 V 2.1.1 (2017-02) Clause- 6.2.2 Annexure-G6 ETSI EN 300 220-1 V 3.1.1 Clause-5.1.2 Annexure-G 5	TEC ER No. TEC28982110
			Permitted Range of Operating Frequencies ETSI EN 300 330 V 2.1.1 (2017-02) Clause- 4.3.1 Annexure-G6	TEC ER No. TEC28982110
			Modulation Bandwidth ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.3.3, Clause- 6.2.3 Annexure- G6	TEC ER No. TEC28982110


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 20 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Watch	Interface: NFC	Transmitter radiated Spurious domain emission limits <30 MHz ETSI EN 300 330 V 2.1.1 (2017-02) Clause-4.3.8, 6.2.8 Annexure-G6	TEC ER No. TEC28982110
			Transmitter Radiated Spurious domain Emission limits > 30 MHz ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.3.9 (For equipment under class 1, 2 and 4 in clause- 6.1.2), Clause- 6.2.9 Annexure-G6	TEC ER No. TEC28982110
			Receiver Spurious Emissions ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.4.2, Clause- 6.3.1 Annexure- G6	TEC ER No. TEC28982110


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 21 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Watch	Interface: RFID	Frequency of Operation ETSI EN 300 330 V 2.1.1 (2017-02) Clause- 6.2.2 Annexure-G6 ETSI EN 300 220-1 V 3.1.1 Clause-5.1.2 Annexure-G 5	TEC ER No. TEC28982110
			Permitted Range of Operating Frequencies ETSI EN 300 330 V 2.1.1 (2017-02) Clause- 4.3.1 Annexure-G6	TEC ER No. TEC28982110
			Modulation Bandwidth ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.3.3, Clause- 6.2.3Annexure- G6	TEC ER No. TEC28982110
			Transmitter radiated Spurious domain emission limits <30 MHz ETSI EN 300 330 V 2.1.1 (2017-02) Clause-4.3.8, 6.2.8 Annexure-G6	TEC ER No. TEC28982110


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 22 of 80


Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Watch	Interface: RFID	Transmitter Radiated Spurious domain Emission limits > 30 MHz ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.3.9 (For equipment under class 1, 2 and 4 in clause- 6.1.2), Clause- 6.2.9 Annexure- G6	TEC ER No. TEC28982110
		Receiver Spurious Emissions	ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.4.2, Clause- 6.3.1 Annexure- G6	TEC ER No. TEC28982110
		EIRP for Interface	ETSI EN 300 220-1 V3.1.1 Clause- 5.2.2 Annexure- G5	TEC ER No. TEC28982110
		Maximum Transmit Power	ETSI EN 300 220-1 V3.1.1 Clause- 5.2.2 Annexure- G5	TEC ER No. TEC28982110



Director (CA), TEC



AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 23 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
4.	Smart Electricity Meter	Interface: GSM/ GPRS/ EDGE	Transmitter Maximum Output Power and Burst Timing for GSM 3GPP TS 51 010-1 Clause- 13.3 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.5:2017	TEC ER No. TEC28362106
		Transmitter Output Power for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.2 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.10:2017	TEC ER No. TEC28362106	
		Transmitter - Output RF Spectrum for GSM 3GPP TS 51 010-1 Clause- 13.4 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.6:2017	TEC ER No. TEC28362106	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 24 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Electricity Meter	Interface: GSM/ GPRS/ EDGE	Transmitter - Output RF Spectrum for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.3 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.11:2017	TEC ER No. TEC28362106
		Spurious Emissions - MS allocated a channel 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.12:2017	TEC ER No. TEC28362106	
		Spurious Emissions - MS in idle mode 3GPP TS 51 010-1 Clause- 12.1.2 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.13:2017	TEC ER No. TEC28362106	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

**GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE**



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110001

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**


Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 25 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Smart Electricity Meter	Interface: GSM/ GPRS/ EDGE	Frequency Error and Phase Error for GSM 3GPP TS 51 010-1 Clause- 13.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.1:2017 TEC ER No. TEC28362106
			Frequency Error and Phase Error for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.4:2017 TEC ER No. TEC28362106
			Reference Sensitivity Level (Speech Channels) 3GPP TS 51 010-1 Clause- 14.2.1 or EN 301 511 V 12.5.1 (2017-03)(GSM) Clause- 4.2.42:2019 TEC ER No. TEC28362106


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 26 of 80


Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Electricity Meter	Interface: GSM/ GPRS/ EDGE	Adjacent channel rejection - Speech channels 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 V 12.5.1(2017-03) (GSM) Clause- 4.2.38:2019	TEC ER No. TEC28362106
			Receiver Blocking 3GPP TS 51 010-1 Clause- 14.7.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.20:2017	TEC ER No. TEC28362106
		Interface: WCDMA or HSPA	Transmitter Maximum Output Power 3GPP TS 34.121-1 Clause- 5.2 OR EN 301 908-2 (UMTS) Clause- 4.2.2.1	TEC ER No. TEC28362106
			Spectrum Emissions Mask 3GPP TS 34.121-1 Clause- 5.9 OR EN 301 908-2 (UMTS)Clause- 4.2.3.1	TEC ER No. TEC28362106



Director (CA), TEC



AD (CA), TEC

***The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 27 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Electricity Meter	Interface: WCDMA or HSPA	Transmitter Spurious Emissions 3GPP TS 34.121-1 Clause- 5.11 OR EN 301 908-2 (UMTS) Clause- 4.2.4.1	TEC ER No. TEC28362106
		Receiver Spurious Emission 3GPP TS 34.121-1 Clause- 6.8 OR EN 301 908-2 (UMTS) Clause- 4.2.10	TEC ER No. TEC28362106	
		Transmitter Minimum Output Power 3GPP TS 34.121-1 Clause- 5.4.3 OR EN 301 908-2 (UMTS) Clause- 4.2.5.1	TEC ER No. TEC28362106	
		Receiver Reference Sensitivity level 3GPP TS 34.121-1 Clause- 6.2 OR EN 301 908-2 (UMTS)Clause- 4.2.13	TEC ER No. TEC28362106	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 28 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Smart Electricity Meter	Interface: WCDMA or HSPA Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 34.121-1 Clause- 6.4 OR EN 301 908-2 (UMTS) Clause- 4.2.6	TEC ER No. TEC28362106
		Receiver In-band blocking 3GPP TS 34.121-1 Clause- 6.5.2.1 OR EN 301 908-2 (UMTS) Clause- 4.2.7	TEC ER No. TEC28362106
		Interface: LTE or LTE-A Maximum Output Power 3GPP TS 36.521-1 Clause- 6.2.2 OR EN 301 908-13 (LTE) Clause- 4.2.2.1	TEC ER No. TEC28362106
		Spectrum Emissions Mask 3GPP TS 36.521-1 Clause 6.6.2.1 OR EN 301 908-13 (LTE)Clause- 4.2.3.1	TEC ER No. TEC28362106


Director (CA), TEC


AD (CA), TEC

***The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 29 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Electricity Meter	Interface: LTE or LTE-A	Spurious Emissions 3GPP TS 36.521-1 Clauses- 6.6.3.1,6.6.3.2, 6.6.3.3 OR EN 301 908-13 (LTE) Clause- 4.2.4.1	TEC ER No. TEC28362106
			Receiver Spurious Emission 3GPP TS 36.521-1 Clause- 7.9 OR EN 301 908-13 (LTE) Clause- 4.2.10.1	TEC ER No. TEC28362106
			Receiver Reference Sensitivity level 3GPP TS 36.521-1 Clause- 7.3 OR EN 301 908-13 (LTE) Clause- 4.2.12	TEC ER No. TEC28362106
			Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 36.521-1 Clause- 7.5 OR EN 301 908-13 (LTE) Clause- 4.2.6.1	TEC ER No. TEC28362106


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**


Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 30 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Smart Electricity Meter	Interface: LTE or LTE-A	Receiver In-band blocking 3GPP TS 36.521-1 Clause-7.6.1 OR EN 301 908-13 (LTE) Clause- 4.2.7.1	TEC ER No. TEC28362106
5.	Tracking Device	Interface: GSM/ GPRS/ EDGE	Transmitter Maximum Output Power and Burst Timing for GSM 3GPP TS 51 010-1 Clause- 13.3 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.5:2017	TEC ER No. TEC28732108
			Transmitter output power for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.2 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.10:2017	TEC ER No. TEC28732108


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 31 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Tracking Device	Interface: GSM/ GPRS/ EDGE	Transmitter - Output RF Spectrum for GSM 3GPP TS 51 010-1 Clause- 13.4 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.6:2017	TEC ER No. TEC28732108
			Transmitter - Output RF Spectrum for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.3 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.11:2017	TEC ER No. TEC28732108
			Spurious Emissions - MS allocated a channel 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.12:2017	TEC ER No. TEC28732108


Director (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.


AD (CA), TEC

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 32 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Tracking Device	Interface: GSM/ GPRS/ EDGE	Spurious Emissions - MS in idle mode 3GPP TS 51 010-1 Clause- 12.1.2 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.13:2017	TEC ER No. TEC28732108
		Frequency Error and Phase Error for GSM 3GPP TS 51 010-1 Clause- 13.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.1:2017	TEC ER No. TEC28732108	
		Frequency Error and Phase Error for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.4:2017	TEC ER No. TEC28732108	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 33 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Tracking Device	Interface: GSM/ GPRS/ EDGE	Reference Sensitivity Level (Speech Channels) 3GPP TS 51 010-1 Clause- 14.2.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.42:2019	TEC ER No. TEC28732108
		Adjacent channel rejection - Speech channels 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.38:2019	TEC ER No. TEC28732108	
		Receiver Blocking 3GPP TS 51 010-1 Clause- 14.7.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.20:2017	TEC ER No. TEC28732108	


Director (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.


AD (CA), TEC

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 34 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Tracking Device	Interface: WCDMA or HSPA	Transmitter Maximum Output Power 3GPP TS 34.121-1 Clause- 5.2 OR EN 301 908-2 (UMTS)Clause- 4.2.2.1	TEC ER No. TEC28732108
		Spectrum Emissions Mask 3GPP TS 34.121-1 Clause- 5.9 OR EN 301 908-2 (UMTS)Clause- 4.2.3.1	TEC ER No. TEC28732108	
		Transmitter Spurious Emissions 3GPP TS 34.121-1 Clause- 5.11 OR EN 301 908-2 (UMTS) Clause- 4.2.4.1	TEC ER No. TEC28732108	
		Receiver Spurious Emission 3GPP TS 34.121-1 Clause- 6.8 OR EN 301 908-2 (UMTS) Clause- 4.2.10	TEC ER No. TEC28732108	


Director (CA), TEC

***The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.**


AD (CA), TEC



SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**

Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 35 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Tracking Device	Interface: WCDMA or HSPA	Transmitter Minimum Output Power 3GPP TS 34.121-1 Clause- 5.4.3 OR EN 301 908-2 (UMTS) Clause- 4.2.5.1	TEC ER No. TEC28732108
			Receiver Reference Sensitivity level 3GPP TS 34.121-1 Clause- 6.2 OR EN 301 908-2 (UMTS)Clause- 4.2.13	TEC ER No. TEC28732108
			Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 34.121-1 Clause- 6.4 OR EN 301 908-2 (UMTS) Clause- 4.2.6	TEC ER No. TEC28732108
			Receiver In-band blocking 3GPP TS 34.121-1 Clause- 6.5.2.1 OR EN 301 908-2 (UMTS) Clause- 4.2.7	TEC ER No. TEC28732108

Director (CA), TEC

AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 36 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Tracking Device	Interface: LTE or LTE-A	Maximum Output Power 3GPP TS 36.521-1 Clause- 6.2.2 OR EN 301 908-13 (LTE) Clause- 4.2.2.1	TEC ER No. TEC28732108
		Spectrum Emissions Mask 3GPP TS 36.521-1 Clause 6.6.2.1 OR EN 301 908-13 (LTE) Clause- 4.2.3.1	TEC ER No. TEC28732108	
		Spurious Emissions 3GPP TS 36.521-1 Clauses- 6.6.3.1,6.6.3.2, 6.6.3.3 OR EN 301 908-13 (LTE) Clause- 4.2.4.1	TEC ER No. TEC28732108	
		Receiver Spurious Emission 3GPP TS 36.521-1 Clause- 7.9 OR EN 301 908-13 (LTE) Clause- 4.2.10.1	TEC ER No. TEC28732108	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 37 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Tracking Device	Interface: LTE or LTE-A	Receiver Reference Sensitivity level 3GPP TS 36.521-1 Clause- 7.3 OR EN 301 908-13 (LTE) Clause- 4.2.12	TEC ER No. TEC28732108
			Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 36.521-1 Clause- 7.5 OR EN 301 908-13 (LTE) Clause- 4.2.6.1	TEC ER No. TEC28732108
			Receiver In-band blocking 3GPP TS 36.521-1 Clause-7.6.1 OR EN 301 908-13 (LTE) Clause- 4.2.7.1	TEC ER No. TEC28732108
6.	IoT Gateway	Interface: GSM/ GPRS/ EDGE	Transmitter Maximum Output Power and Burst Timing for GSM 3GPP TS 51 010-1 Clause- 13.3 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.5:2017	TEC ER No. TEC24492108


 Director (CA), TEC


 AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 38 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	IoT Gateway	Interface: GSM/ GPRS/ EDGE	Transmitter output power for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.2 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.10:2017	TEC ER No. TEC24492108
		Transmitter - Output RF Spectrum for GSM 3GPP TS 51 010-1 Clause- 13.4 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.6:2017	TEC ER No. TEC24492108	
		Transmitter - Output RF Spectrum for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.3 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.11:2017	TEC ER No. TEC24492108	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 39 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	IoT Gateway	Interface: GSM/ GPRS/ EDGE	Spurious Emissions - MS allocated a channel 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.12:2017	TEC ER No. TEC24492108
		Spurious Emissions - MS in idle mode 3GPP TS 51 010-1 Clause- 12.1.2 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.13:2017	TEC ER No. TEC24492108	
		Frequency Error and Phase Error for GSM 3GPP TS 51 010-1 Clause- 13.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.1:2017	TEC ER No. TEC24492108	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 40 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	IoT Gateway	Interface: GSM/ GPRS/ EDGE	Frequency Error and Phase Error for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.4:2017	TEC ER No. TEC24492108
			Reference Sensitivity Level (Speech Channels) 3GPP TS 51 010-1 Clause- 14.2.1 or EN 301 511 V 12.5.1 (2017-03)(GSM) Clause- 4.2.42:2019	TEC ER No. TEC24492108
			Adjacent channel rejection - Speech channels 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 V 12.5.1(2017-03) (GSM) Clause- 4.2.38:2019	TEC ER No. TEC24492108


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 41 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	IoT Gateway	Interface: GSM/ GPRS/ EDGE	Receiver Blocking 3GPP TS 51 010-1 Clause- 14.7.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.20:2017	TEC ER No. TEC24492108
		Interface: WCDMA or HSPA	Transmitter Maximum Output Power 3GPP TS 34.121-1 Clause- 5.2 OR EN 301 908-2 (UMTS)Clause- 4.2.2.1	TEC ER No. TEC24492108
			Spectrum Emissions Mask 3GPP TS 34.121-1 Clause- 5.9 OR EN 301 908-2 (UMTS)Clause- 4.2.3.1	TEC ER No. TEC24492108
			Transmitter Spurious Emissions 3GPP TS 34.121-1 Clause- 5.11 OR EN 301 908-2 (UMTS) Clause- 4.2.4.1	TEC ER No. TEC24492108


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 42 of 80


Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	IoT Gateway	Interface: WCDMA or HSPA	Receiver Spurious Emission 3GPP TS 34.121-1 Clause- 6.8 OR EN 301 908-2 (UMTS)Clause- 4.2.10	TEC ER No. TEC24492108
		Transmitter Minimum Output Power 3GPP TS 34.121-1 Clause- 5.4.3 OR EN 301 908-2 (UMTS) Clause- 4.2.5.1	TEC ER No. TEC24492108	
		Receiver Reference Sensitivity level 3GPP TS 34.121-1 Clause- 6.2 OR EN 301 908-2 (UMTS)Clause- 4.2.13	TEC ER No. TEC24492108	
		Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 34.121-1 Clause- 6.4 OR EN 301 908-2 (UMTS) Clause- 4.2.6	TEC ER No. TEC24492108	


Director (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.


AD (CA), TEC

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 43 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	IoT Gateway	Interface: WCDMA or HSPA	Receiver In-band blocking 3GPP TS 34.121-1 Clause- 6.5.2.1 OR EN 301 908-2 (UMTS) Clause- 4.2.7	TEC ER No. TEC24492108
		Interface: LTE or LTE-A	Maximum Output Power 3GPP TS 36.521-1 Clause- 6.2.2 OR EN 301 908-13 (LTE) Clause- 4.2.2.1	TEC ER No. TEC24492108
			Spectrum Emissions Mask 3GPP TS 36.521-1 Clause 6.6.2.1 OR EN 301 908-13 (LTE) Clause- 4.2.3.1	TEC ER No. TEC24492108
			Spurious Emissions 3GPP TS 36.521-1 Clauses- 6.6.3.1,6.6.3.2, 6.6.3.3 OR EN 301 908-13 (LTE) Clause- 4.2.4.1	TEC ER No. TEC24492108


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 44 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	IoT Gateway	Interface: Receiver Spurious Emission LTE or 3GPP TS 36.521-1 LTE-A Clause- 7.9 OR EN 301 908-13 (LTE) Clause- 4.2.10.1	TEC ER No. TEC24492108
		Receiver Reference Sensitivity level 3GPP TS 36.521-1 Clause- 7.3 OR EN 301 908-13 (LTE) Clause- 4.2.12	TEC ER No. TEC24492108
		Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 36.521-1 Clause- 7.5 OR EN 301 908-13 (LTE) Clause- 4.2.6.1	TEC ER No. TEC24492108
		Receiver In-band blocking 3GPP TS 36.521-1 Clause-7.6.1 OR EN 301 908-13 (LTE) Clause- 4.2.7.1	TEC ER No. TEC24492108


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 45 of 80


Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	IoT Gateway	Interface: NFC	Frequency of Operation ETSI EN 300 330 V 2.1.1 (2017-02) Clause- 6.2.2 Annexure-G6 ETSI EN 300 220-1 V 3.1.1 Clause-5.1.2 Annexure-G 5	TEC ER No. TEC24492108
			Permitted Range of Operating Frequencies ETSI EN 300 330 V 2.1.1 (2017-02) Clause- 4.3.1 Annexure-G6	TEC ER No. TEC24492108
			Modulation Bandwidth ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.3.3, Clause- 6.2.3 Annexure- G6	TEC ER No. TEC24492108


Director (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.


AD (CA), TEC

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 46 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	IoT Gateway	Interface: NFC	Transmitter radiated Spurious domain emission limits <30 MHz ETSI EN 300 330 V 2.1.1 (2017-02) Clause-4.3.8, 6.2.8, Annexure-G6	TEC ER No. TEC24492108
			Transmitter Radiated Spurious domain Emission limits > 30 MHz ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.3.9 (For equipment under class 1, 2 and 4 in clause- 6.1.2), Clause- 6.2.9 Annexure-G6	TEC ER No. TEC24492108
			Receiver Spurious Emissions ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.4.2, Clause- 6.3.1 Annexure- G6	TEC ER No. TEC24492108


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 47 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	IoT Gateway	Interface: LPWAN- LoRA	TX effective radiated power ETSI EN 300 220-2 V3.2.1 Clause- 4.3.1 Annexure-G5	TEC ER No. TEC24492108
		TX maximum e. r. p. spectral density ETSI EN 300 220-2 V3.2.1 Clause- 4.3.2 Annexure-G5	TEC ER No. TEC24492108	
		TX Occupied bandwidth/Carrier bandwidth ETSI EN 300 220-2 V3.2.1 Clause- 4.3.4 Annexure-G5	TEC ER No. TEC24492108	
		TX out of Band emissions ETSI EN 300 220-2 V3.2.1 Clause- 4.3.5 Annexure-G5	TEC ER No. TEC24492108	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 48 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	IoT Gateway	Interface: LPWAN- LoRA	Frequency of Operation ETSI EN 300 220-1 V3.1.1 Clause- 5.1.2 Annexure-G5	TEC ER No. TEC24492108
		EIRP for Interface ETSI EN 300 220-2 V3.1.1 Clause- 5.2.2 Annexure-G5	TEC ER No. TEC24492108	
		Maximum Transmit Power ETSI EN 300 220-2 V3.1.1 Clause- 5.2.2 Annexure-G5	TEC ER No. TEC24492108	
		Unwanted Emissions in the Spurious domain ETSI EN 300 220-2 V3.1.1 Clause- 5.9.3 Annexure-G5	TEC ER No. TEC24492108	
		TX Transient ETSI EN 300 220-2 V3.1.1 Clause- 4.3.6 Annexure-G5	TEC ER No. TEC24492108	
		TX Adjacent channel Power ETSI EN 300 220-2 V3.1.1 Clause- 4.3.7 Annexure-G5	TEC ER No. TEC24492108	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 49 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	IoT Gateway	Interface: LPWAN- LoRA	TX behaviour under low voltage conditions ETSI EN 300 220-2 V3.1.1 Clause- 4.3.8 Annexure-G5 TEC ER No. TEC24492108
			RX Sensitivity ETSI EN 300 220-2 V3.1.1 Clause- 4.4.1 Annexure-G5 TEC ER No. TEC24492108
			RX Blocking ETSI EN 300 220-2 V3.1.1 Clause- 5.18.6 Annexure-G5 TEC ER No. TEC24492108
7.	END Point Device for Environmental Monitoring	Interface: GSM/ GPRS/ EDGE	Transmitter Maximum Output Power and Burst Timing for GSM 3GPP TS 51 010-1 Clause- 13.3 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.5:2017 TEC ER No. TEC23732002


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 50 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	END Point Device for Environmental Monitoring	Interface: GSM/ GPRS/ EDGE	Transmitter Output Power for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.2 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.10:2017	TEC ER No. TEC23732002
			Transmitter - Output RF Spectrum for GSM 3GPP TS 51 010-1 Clause- 13.4 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.6:2017	TEC ER No. TEC23732002
			Transmitter - Output RF Spectrum for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.3 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.11:2017	TEC ER No. TEC23732002


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

**GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE**



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110001

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 51 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	END Point Device for Environmental Monitoring	Interface: GSM/ GPRS/ EDGE	Spurious Emissions - MS allocated a channel 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.12:2017	TEC ER No. TEC23732002
		Spurious Emissions - MS in idle mode 3GPP TS 51 010-1 Clause- 12.1.2 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.13:2017	TEC ER No. TEC23732002	
		Frequency Error and Phase Error for GSM 3GPP TS 51 010-1 Clause- 13.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.1:2017	TEC ER No. TEC23732002	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 52 of 80


Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	END Point Device for Environmental Monitoring	Interface: GSM/ GPRS/ EDGE	Frequency Error and Phase Error for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.4:2017	TEC ER No. TEC23732002
			Reference Sensitivity Level (Speech Channels) 3GPP TS 51 010-1 Clause- 14.2.1 or EN 301 511 V 12.5.1 (2017-03)(GSM) Clause- 4.2.42:2019	TEC ER No. TEC23732002
			Adjacent channel rejection - Speech channels 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 V 12.5.1(2017-03) (GSM) Clause- 4.2.38:2019	TEC ER No. TEC23732002



Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**


Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 53 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	END Point Device for Environmental Monitoring	Interface: GSM/ GPRS/ EDGE	Receiver Blocking 3GPP TS 51 010-1 Clause- 14.7.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.20:2017	TEC ER No. TEC23732002
		Interface : WCDMA or HSPA	Transmitter Maximum Output Power 3GPP TS 34.121-1 Clause- 5.2 OR EN 301 908-2 (UMTS) Clause- 4.2.2.1	TEC ER No. TEC23732002
			Spectrum Emissions Mask 3GPP TS 34.121-1 Clause- 5.9 OR EN 301 908-2 (UMTS) Clause- 4.2.3.1	TEC ER No. TEC23732002
			Transmitter Spurious Emissions 3GPP TS 34.121-1 Clause- 5.11 OR EN 301 908-2(UMTS) Clause- 4.2.4.1	TEC ER No. TEC23732002


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 54 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	END Point Device for Environmental Monitoring	Interface : WCDMA or HSPA	Receiver Spurious Emission 3GPP TS 34.121-1 Clause- 6.8 OR EN 301 908-2 (UMTS) Clause- 4.2.10	TEC ER No. TEC23732002
		Transmitter Minimum Output Power 3GPP TS 34.121-1 Clause-5.4.3 OR EN 301 908-2 (UMTS) Clause- 4.2.5.1	TEC ER No. TEC23732002	
		Receiver Reference Sensitivity level 3GPP TS 34.121-1 Clause- 6.2 OR EN 301 908-2 (UMTS) Clause- 4.2.13	TEC ER No. TEC23732002	
		Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 34.121-1 Clause 6.4 OR EN 301 908-2 (UMTS) Clause- 4.2.6	TEC ER No. TEC23732002	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**


Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 55 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	END Point Device for Environmental Monitoring	Interface : WCDMA or HSPA Receiver In-band blocking 3GPP TS 34.121-1 Clause- 6.5.2.1 OR EN 301 908-2 (UMTS) Clause- 4.2.7	TEC ER No. TEC23732002
		Interface: LTE or LTE-A Maximum Output Power 3GPP TS 36.521-1 Clause- 6.2.2 OR EN 301 908-13 (LTE) Clause- 4.2.2.1	TEC ER No. TEC23732002
		Spectrum Emissions Mask 3GPP TS 36.521-1 Clause- 6.6.2.1 OR EN 301 908-13 (LTE) Clause- 4.2.3.1	TEC ER No. TEC23732002
		Spurious Emissions 3GPP TS 36.521-1 Clauses- 6.6.3.1,6.6.3.2, 6.6.3.3 OR EN 301 908-13 (LTE) Clause- 4.2.4.1	TEC ER No. TEC23732002


Director (CA), TEC


AD (CA), TEC

***The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 56 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	END Point Device for Environmental Monitoring	Interface: LTE or LTE-A	Receiver Spurious Emission 3GPP TS 36.521-1 Clause-7.9 OR EN 301 908-13 (LTE) Clause- 4.2.10.1	TEC ER No. TEC23732002
			Receiver Reference Sensitivity level 3GPP TS 36.521-1 Clause- 7.3 OR EN 301 908-13 (LTE) Clause- 4.2.12	TEC ER No. TEC23732002
			Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 36.521-1 Clause- 7.5 OR EN 301 908-13 (LTE) Clause- 4.2.6.1	TEC ER No. TEC23732002
			Receiver In-band blocking 3GPP TS 36.521-1 Clause- 7.6.1 OR EN 301 908-13 (LTE) Clause- 4.2.7.1	TEC ER No. TEC23732002


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 57 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
8.	Mobile User Equipment	Interface: GSM/ GPRS/ EDGE	Transmitter Maximum Output Power and Burst Timing for GSM 3GPP TS 51 010-1 Clause- 13.3 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.5:2017	TEC ER No. TEC47722108
			Transmitter Output Power for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.2 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.10:2017	TEC ER No. TEC47722108
			Transmitter - Output RF Spectrum for GSM 3GPP TS 51 010-1 Clause- 13.4 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.6:2017	TEC ER No. TEC47722108


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 58 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Mobile User Equipment	Interface: GSM/ GPRS/ EDGE	Transmitter - Output RF Spectrum for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.3 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.11:2017 TEC ER No. TEC47722108
		Spurious Emissions - MS allocated a channel 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.12:2017 TEC ER No. TEC47722108	
		Spurious Emissions - MS in idle mode 3GPP TS 51 010-1 Clause- 12.1.2 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.13:2017 TEC ER No. TEC47722108	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 59 of 80


Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Mobile User Equipment	Interface: GSM/ GPRS/ EDGE	Frequency Error and Phase Error for GSM 3GPP TS 51 010-1 Clause- 13.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.1:2017	TEC ER No. TEC47722108
			Frequency Error and Phase Error for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.4:2017	TEC ER No. TEC47722108
			Reference Sensitivity Level (Speech Channels) 3GPP TS 51 010-1 Clause- 14.2.1 or EN 301 511 V 12.5.1 (2017-03)(GSM) Clause- 4.2.42:2019	TEC ER No. TEC47722108



Director (CA), TEC



AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 60 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Mobile User Equipment	Interface: GSM/ GPRS/ EDGE	Adjacent channel rejection - Speech channels 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 V 12.5.1(2017-03) (GSM) Clause- 4.2.38:2019	TEC ER No. TEC47722108
			Receiver Blocking 3GPP TS 51 010-1 Clause- 14.7.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.20:2017	TEC ER No. TEC47722108
		Interface : WCDMA or HSPA	Transmitter Maximum Output Power 3GPP TS 34.121-1 Clause- 5.2 OR EN 301 908-2 (UMTS) Clause- 4.2.2.1	TEC ER No. TEC47722108
			Spectrum Emissions Mask 3GPP TS 34.121-1 Clause- 5.9 OR EN 301 908-2 (UMTS) Clause- 4.2.3.1	TEC ER No. TEC47722108


Director (CA), TEC


AD (CA), TEC

***The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 61 of 80


Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Mobile User Equipment	Interface : WCDMA or HSPA Transmitter Spurious Emissions 3GPP TS 34.121-1 Clause- 5.11 OR EN 301 908-2(UMTS) Clause- 4.2.4.1	TEC ER No. TEC47722108
		Receiver Spurious Emission 3GPP TS 34.121-1 Clause- 6.8 OR EN 301 908-2 (UMTS) Clause- 4.2.10	TEC ER No. TEC47722108
		Transmitter Minimum Output Power 3GPP TS 34.121-1 Clause-5.4.3 OR EN 301 908-2 (UMTS) Clause- 4.2.5.1	TEC ER No. TEC47722108
		Receiver Reference Sensitivity level 3GPP TS 34.121-1 Clause- 6.2 OR EN 301 908-2 (UMTS) Clause- 4.2.13	TEC ER No. TEC47722108


Director (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.


AD (CA), TEC

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 62 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Mobile User Equipment	Interface : WCDMA or HSPA	Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 34.121-1 Clause 6.4 OR EN 301 908-2 (UMTS) Clause- 4.2.6	TEC ER No. TEC47722108
			Receiver In-band blocking 3GPP TS 34.121-1 Clause- 6.5.2.1 OR EN 301 908-2 (UMTS) Clause- 4.2.7	TEC ER No. TEC47722108
		Interface: LTE or LTE-A	Maximum Output Power 3GPP TS 36.521-1 Clause- 6.2.2 OR EN 301 908-13 (LTE) Clause- 4.2.2.1	TEC ER No. TEC47722108
			Spectrum Emissions Mask 3GPP TS 36.521-1 Clause- 6.6.2.1 OR EN 301 908-13 (LTE) Clause- 4.2.3.1	TEC ER No. TEC47722108


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 63 of 80


Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Mobile User Equipment	Interface: LTE or LTE-A	Spurious Emissions 3GPP TS 36.521-1 Clauses- 6.6.3.1,6.6.3.2, 6.6.3.3 OR EN 301 908-13 (LTE) Clause- 4.2.4.1	TEC ER No. TEC47722108
		Receiver Spurious Emission	3GPP TS 36.521-1 Clause- 7.9 OR EN 301 908-13 (LTE) Clause- 4.2.10.1	TEC ER No. TEC47722108
		Receiver Reference Sensitivity level	3GPP TS 36.521-1 Clause- 7.3 OR EN 301 908-13 (LTE) Clause- 4.2.12	TEC ER No. TEC47722108


Director (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.


AD (CA), TEC

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 64 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Mobile User Equipment	Interface: LTE or LTE-A	Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 36.521-1 Clause- 7.5 OR EN 301 908-13 (LTE) Clause- 4.2.6.1	TEC ER No. TEC47722108
		Receiver In-band blocking 3GPP TS 36.521-1 Clause- 7.6.1 OR EN 301 908-13 (LTE) Clause- 4.2.7.1	TEC ER No. TEC47722108	
9.	IP Multimedia Conferencing Equipment	Interface: WCDMA or HSPA	Transmitter Maximum Output Power 3GPP TS 34.121-1 Clause- 5.2 OR EN 301 908-2 (UMTS) Clause- 4.2.2.1	TEC ER No. TEC34622108
			Spectrum Emissions Mask 3GPP TS 34.121-1 Clause- 5.9 OR EN 301 908-2 (UMTS) Clause- 4.2.3.1	TEC ER No. TEC34622108


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 65 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	IP Multimedia Conferencing Equipment	Interface: WCDMA or HSPA Transmitter Spurious Emissions 3GPP TS 34.121-1 Clause- 5.11 OR EN 301 908-2 (UMTS) Clause- 4.2.4.1	TEC ER No. TEC34622108
		Receiver Spurious Emission 3GPP TS 34.121-1 Clause- 6.8 OR EN 301 908-2 (UMTS) Clause- 4.2.10	TEC ER No. TEC34622108
		Transmitter Minimum Output Power 3GPP TS 34.121-1 Clause- 5.4.3 OR EN 301 908-2 (UMTS) Clause- 4.2.5.1	TEC ER No. TEC34622108
		Receiver Reference Sensitivity level 3GPP TS 34.121-1 Clause- 6.2 OR EN 301 908-2 (UMTS) Clause- 4.2.13	TEC ER No. TEC34622108


 Director (CA), TEC


 AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**

Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 66 of 80


Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	IP Multimedia Conferencing Equipment	Interface: WCDMA or HSPA	Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 34.121-1 Clause- 6.4 OR EN 301 908-2 (UMTS) Clause- 4.2.6	TEC ER No. TEC34622108
			Receiver In-band blocking 3GPP TS 34.121-1 Clause- 6.5.2.1 OR EN 301 908-2 (UMTS) Clause- 4.2.7	TEC ER No. TEC34622108
		Interface: LTE or LTE-A	Maximum Output Power 3GPP TS 36.521-1 Clause- 6.2.2 OR EN 301 908-13 (LTE)Clause- 4.2.2.1	TEC ER No. TEC34622108
			Spectrum Emissions Mask 3GPP TS 36.521-1 Clause 6.6.2.1 OR EN 301 908-13 (LTE)Clause- 4.2.3.1	TEC ER No. TEC34622108



Director (CA), TEC



AD (CA), TEC

***The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 67 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	IP Multimedia Conferencing Equipment	Interface: LTE or LTE-A	Spurious Emissions 3GPP TS 36.521-1 Clauses- 6.6.3.1,6.6.3.2, 6.6.3.3 OR EN 301 908-13 (LTE)Clause- 4.2.4.1	TEC ER No. TEC34622108
			Receiver Spurious Emission 3GPP TS 36.521-1 Clause- 7.9 OR EN 301 908-13 (LTE) Clause- 4.2.10.1	TEC ER No. TEC34622108
			Receiver Reference Sensitivity level 3GPP TS 36.521-1 Clause- 7.3 OR EN 301 908-13 (LTE) Clause- 4.2.12	TEC ER No. TEC34622108
			Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 36.521-1 Clause- 7.5 OR EN 301 908-13 (LTE) Clause- 4.2.6.1	TEC ER No. TEC34622108


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**

Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 68 of 80

Validity: 27/06/2022 to 26/06/2025*


Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	IP Multimedia Conferencing Equipment	Interface: LTE or LTE-A	Receiver In-band blocking 3GPP TS 36.521-1 Clause-7.6.1 OR EN 301 908-13 (LTE) Clause- 4.2.7.1	TEC ER No. TEC34622108
10.	Router	Interface: GSM/ GPRS/ EDGE	Transmitter Maximum Output Power and Burst Timing for GSM 3GPP TS 51 010-1 Clause- 13.3 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.5:2017	TEC ER No. TEC37682204
			Transmitter output power for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.2 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.10:2017	TEC ER No. TEC37682204



Director (CA), TEC

***The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.**



AD (CA), TEC

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 69 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Router	Interface: GSM/ GPRS/ EDGE	Transmitter - Output RF Spectrum for GSM 3GPP TS 51 010-1 Clause- 13.4 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.6:2017	TEC ER No. TEC37682204
		Transmitter - Output RF Spectrum for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.3 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.11:2017	TEC ER No. TEC37682204	
		Spurious Emissions - MS allocated a channel 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.12:2017	TEC ER No. TEC37682204	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 70 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Router	Interface: GSM/ GPRS/ EDGE	Spurious Emissions - MS in idle mode 3GPP TS 51 010-1 Clause- 12.1.2 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.13:2017	TEC ER No. TEC37682204
		Frequency Error and Phase Error for GSM 3GPP TS 51 010-1 Clause- 13.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.1:2017	TEC ER No. TEC37682204	
		Frequency Error and Phase Error for GPRS/EDGE 3GPP TS 51 010-1 Clause- 13.16.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.4:2017	TEC ER No. TEC37682204	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 71 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Router	Interface: GSM/ GPRS/ EDGE	Reference Sensitivity Level (Speech Channels) 3GPP TS 51 010-1 Clause- 14.2.1 or EN 301 511 V 12.5.1 (2017-03)(GSM) Clause- 4.2.42:2019	TEC ER No. TEC37682204
		Adjacent channel rejection - Speech channels 3GPP TS 51 010-1 Clause- 14.5.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.38:2019	TEC ER No. TEC37682204	
		Receiver Blocking 3GPP TS 51 010-1 Clause- 14.7.1 or EN 301 511 V 12.5.1 (2017-03) (GSM) Clause- 4.2.20:2017	TEC ER No. TEC37682204	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

**Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048**

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 72 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Router	Interface: WCDMA or HSPA	Transmitter Maximum Output Power 3GPP TS 34.121-1 Clause- 5.2 OR EN 301 908-2 (UMTS) Clause- 4.2.2.1	TEC ER No. TEC37682204
		Spectrum Emissions Mask 3GPP TS 34.121-1 Clause- 5.9 OR EN 301 908-2 (UMTS) Clause- 4.2.3.1	TEC ER No. TEC37682204	
		Transmitter Spurious Emissions 3GPP TS 34.121-1 Clause- 5.11 OR EN 301 908-2 (UMTS) Clause- 4.2.4.1	TEC ER No. TEC37682204	
		Receiver Spurious Emission 3GPP TS 34.121-1 Clause- 6.8 OR EN 301 908-2 (UMTS) Clause- 4.2.10	TEC ER No. TEC37682204	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 73 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Router	Interface: WCDMA or HSPA	Transmitter Minimum Output Power 3GPP TS 34.121-1 Clause- 5.4.3 OR EN 301 908-2 (UMTS) Clause- 4.2.5.1	TEC ER No. TEC37682204
		Receiver Reference Sensitivity level 3GPP TS 34.121-1 Clause- 6.2 OR EN 301 908-2 (UMTS) Clause- 4.2.13	TEC ER No. TEC37682204	
		Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 34.121-1 Clause- 6.4 OR EN 301 908-2 (UMTS) Clause- 4.2.6	TEC ER No. TEC37682204	
		Receiver In-band blocking 3GPP TS 34.121-1 Clause- 6.5.2.1 OR EN 301 908-2 (UMTS) Clause- 4.2.7	TEC ER No. TEC37682204	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 74 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Router	Interface: LTE or LTE-A	Maximum Output Power 3GPP TS 36.521-1 Clause- 6.2.2 OR EN 301 908-13 (LTE) Clause- 4.2.2.1	TEC ER No. TEC37682204
		Spectrum Emissions Mask 3GPP TS 36.521-1 Clause 6.6.2.1 OR EN 301 908-13 (LTE) Clause- 4.2.3.1	TEC ER No. TEC37682204	
		Spurious Emissions 3GPP TS 36.521-1 Clauses- 6.6.3.1,6.6.3.2, 6.6.3.3 OR EN 301 908-13 (LTE) Clause- 4.2.4.1	TEC ER No. TEC37682204	
		Receiver Spurious Emission 3GPP TS 36.521-1 Clause- 7.9 OR EN 301 908-13 (LTE) Clause- 4.2.10.1	TEC ER No. TEC37682204	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 75 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	Router	Interface: LTE or LTE-A	Receiver Reference Sensitivity level 3GPP TS 36.521-1 Clause- 7.3 OR EN 301 908-13 (LTE) Clause- 4.2.12	TEC ER No. TEC37682204
		Receiver Adjacent Channel Selectivity(ACS) 3GPP TS 36.521-1 Clause- 7.5 OR EN 301 908-13 (LTE) Clause- 4.2.6.1	TEC ER No. TEC37682204	
		Receiver In-band blocking 3GPP TS 36.521-1 Clause-7.6.1 OR EN 301 908-13 (LTE) Clause- 4.2.7.1	TEC ER No. TEC37682204	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 76 of 80


Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
11.	HF Radio	Interface: NFC	Frequency of Operation ETSI EN 300 330 V 2.1.1 (2017-02) Clause- 6.2.2 Annexure-G6 ETSI EN 300 220-1 V 3.1.1 Clause-5.1.2 Annexure-G 5	TEC ER No. TEC54372108
			Permitted Range of Operating Frequencies ETSI EN 300 330 V 2.1.1 (2017-02) Clause- 4.3.1 Annexure-G6	TEC ER No. TEC54372108
			Modulation Bandwidth ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.3.3, Clause- 6.2.3 Annexure- G6	TEC ER No. TEC54372108


Director (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.


AD (CA), TEC

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 77 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
	HF Radio	Interface: NFC	Transmitter radiated Spurious domain emission limits <30 MHz ETSI EN 300 330 V 2.1.1 (2017-02) Clause-4.3.8, 6.2.8 Annexure-G6	TEC ER No. TEC54372108
		Transmitter Radiated Spurious domain Emission limits > 30 MHz ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.3.9 (For equipment under class 1, 2 and 4 in clause- 6.1.2), Clause- 6.2.9 Annexure-G6	TEC ER No. TEC54372108	
		Receiver Spurious Emissions ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.4.2, Clause- 6.3.1 Annexure- G6	TEC ER No. TEC54372108	


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 78 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification	
12.	VHF UHF Radio System Equipments	Interface: NFC	Frequency of Operation ETSI EN 300 330 V 2.1.1 (2017-02) Clause- 6.2.2 Annexure-G6 ETSI EN 300 220-1 V 3.1.1 Clause-5.1.2 Annexure-G 5	TEC ER No. TEC58432108
			Permitted Range of Operating Frequencies ETSI EN 300 330 V 2.1.1 (2017-02) Clause- 4.3.1 Annexure-G6	TEC ER No. TEC58432108
			Modulation Bandwidth ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.3.3, Clause- 6.2.3 Annexure- G6	TEC ER No. TEC58432108


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048


Certificate Number: TEC/MRA/CAB/IND-D/59-III


Page 79 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	VHF UHF Radio System Equipments	Interface: NFC Transmitter radiated Spurious domain emission limits <30 MHz ETSI EN 300 330 V 2.1.1 (2017-02) Clause-4.3.8, 6.2.8 Annexure-G6	TEC ER No. TEC58432108
		Transmitter Radiated Spurious domain Emission limits > 30 MHz ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.3.9 (For equipment under class 1, 2 and 4 in clause- 6.1.2), Clause- 6.2.9 Annexure-G6	TEC ER No. TEC58432108


Director (CA), TEC


AD (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.

SCOPE OF DESIGNATION

Laboratory Name: M/s U L India Private Limited,
30/A, I Stage, Vishveshwarya Industrial Estate, Doddanekkundi,
Industrial Area, Bengaluru - 560048

Certificate Number: TEC/MRA/CAB/IND-D/59-III

Page 80 of 80

Validity: 27/06/2022 to 26/06/2025*

Last Amended on:

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	VHF UHF Radio System Equipments	Interface: NFC	Receiver Spurious Emissions ETSI EN 300 330 V2.1.1 (2017-02) Clause- 4.4.2, Clause- 6.3.1 Annexure- G6
			TEC ER No. TEC58432108


Director (CA), TEC

*The validity of Certificate is up to 26/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.


AD (CA), TEC