



सत्यमेव जयते



**GOVERNMENT OF INDIA  
MINISTRY OF COMMUNICATIONS  
DEPARTMENT OF TELECOMMUNICATIONS  
TELECOMMUNICATION ENGINEERING CENTRE  
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001**

## **CERTIFICATE OF DESIGNATION**

**M/s DELHI TEST HOUSE, DELHI**  
has been assessed and designated as Conformity Assessment Body (CAB)  
for its facilities at

**A-62/3, G. T. Karnal Road Industrial Area, Azadpur, Delhi- 110 033**

**In the field of Testing**

**Certificate No. TEC/MRA/CAB/IND-D/21**

**Issue Date: 02/11/2021**

**Validity: 02/11/2021 to 01/11/2024**

**This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.**

**(To see the scope of designation of this laboratory, you may also visit TEC website [www.tec.gov.in](http://www.tec.gov.in))**

**Signed for and on behalf of TEC**

**Prasanth Kumar  
Deputy Director General (MRA)  
For Designating Authority  
TEC**

Certificate No: TEC/MRA/CAB/IND-D/21 dated 02/11/2021 issued to  
M/s Delhi Test House, Delhi  
A-62/3, G.T. Karnal Road Industrial Area, Azadpur, Delhi-110 033

Validity:-02/11/2021 to 01/11/2024

### Terms & Conditions


This certificate is issued as per the terms and conditions stipulated in the TEC Scheme for Designating Domestic Conformity Assessment Bodies and Certification Bodies for Conformity Assessment and Certification of Telecommunication Equipment Issue 2 No. TEC/DES-01/02.DEC.2017.

Some of the conditions are reiterated as under:

#### **A. Obligations of the Designated CAB.**

1. It shall ensure that it maintains its accreditation status from any recognised Indian accreditation body like NABL during validity period of certificate.
2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)\* partner for testing and evaluation.
3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry out testing in an unfair or biased manner.
4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and Standards.
7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

\*Applicable only if recognized by MRA (Mutual Recognition Agreement) partner





9. It shall notify the DA in writing of occurrence of any of the following incident(s) within two weeks of its occurrence.
- a) Cessation of its business of conformity assessment for which it is designated or accredited
  - b) Changes in its legal, commercial, or Organisational status
  - c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
  - d) Change of premises

**B. REFERENCE TO DESIGNATION STATUS**

1. Designated CABs may advertise their designation status with regard to Standards or parts thereof which are included in the scope of designation.
2. The advertisement should not imply, or otherwise suggest that DA or MRA Partner has endorsed the product or imply that the designated CAB is an agent or representative of DA or MRA Partner.
3. CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

**C. POST-DESIGNATION SURVEILLANCE**

As and when required, DA shall conduct surveillance assessments and other non-routine assessments of the Designated CABs to ensure that Standards of practices are maintained as well as to investigate complaints made against them.

**D. SUSPENSION OR WITHDRAWAL OF DESIGNATION**

1. DA shall suspend or withdraw the designation of a CAB if
  - a. Its accreditation is withdrawn.
  - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
  - c. It is guilty of any offence involving fraud or dishonesty.
  - d. DA concludes that there is a just cause for withdrawing the designation.
2. A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
3. DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

**E. AMENDMENT TO THE SCHEME**

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.

*SkMys*

*Adh*

**SCOPE OF DESIGNATION**  
**(ANNEXURE)**

**Laboratory Name: M/s Delhi Test House, Delhi**  
**A-62/3, G.T. Karnal Road Industrial Area, Azadpur,**  
**Delhi-110 033**


**Certificate Number: TEC/MRA/CAB/IND-D/21**


**Page 1 of 6**

**Validity: 02/11/2021 to 01/11/2024**

**Last Amended on: ----**

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
1.	Information Technology Equipment –Safety Requirement	Input Current Clause-1.6.2	IEC 60950-1:2005 + A1:2009 + A2:2013
		Marking and Instructions Clause-1.7	IEC 60950-1:2005 + A1:2009 + A2:2013
		Durability Clause-1.7.11	IEC 60950-1:2005 + A1:2009 + A2:2013
		Access to Energized Parts Clause-2.1.1.1	IEC 60950-1:2005 + A1:2009 + A2:2013
		Access to ELV wiring Clause-2.1.1.3	IEC 60950-1:2005 + A1:2009 + A2:2013
		Energy Hazards Clause-2.1.1.5	IEC 60950-1:2005 + A1:2009 + A2:2013
		Discharge of Capacitors in Equipment Clause-2.1.1.7	IEC 60950-1:2005 + A1:2009 + A2:2013
		SELV Circuits Clause-2.2	IEC 60950-1:2005 + A1:2009 + A2:2013
		TNV Circuits Clause-2.3	IEC 60950-1:2005 + A1:2009 + A2:2013
		Limited Current Circuits Clause-2.4	IEC 60950-1:2005 + A1:2009 + A2:2013
		Limited Power Sources Clause 2.5	IEC 60950-1:2005 + A1:2009 + A2:2013

  
Director (MRA), TEC

  
AD (MRA), TEC

\*The validity of Certificate is up to 01/11/2024 or the continued validity of NABL Accreditation, whichever is earlier.



**SCOPE OF DESIGNATION**  
**(ANNEXURE)**

**Laboratory Name: M/s Delhi Test House, Delhi**  
**A-62/3, G.T. Karnal Road Industrial Area, Azadpur,**  
**Delhi-110 033**


**Certificate Number: TEC/MRA/CAB/IND-D/21**

**Page 2 of 6**

**Validity: 02/11/2021 to 01/11/2024**

**Last Amended on: ----**

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Information Technology Equipment –Safety Requirement	Size of Protective Earthing & Bonding Conductor Clause-2.6.3.2/2.6.3.3	IEC 60950-1:2005 + A1:2009 + A2:2013
		Resistance of Earthing Conductors and their terminations Clause-2.6.3.4	IEC 60950-1:2005 + A1:2009 + A2:2013
		Safety Interlocks Clause-2.8	IEC 60950-1:2005 + A1:2009 + A2:2013
		Humidity Conditioning Clause- 2.9.2	IEC 60950-1:2005 + A1:2009 + A2:2013
		Clearances Clause- 2.10.3 [except 2.10.3.9 (b)]	IEC 60950-1:2005 + A1:2009 + A2:2013
		Creepage distances Clause- 2.10.4	IEC 60950-1:2005 + A1:2009 + A2:2013
		Thermal conditioning Clause- 2.10.8.2	IEC 60950-1:2005 + A1:2009 + A2:2013
		Wiring, connections and supplies Clause- 3.0	IEC 60950-1:2005 + A1:2009 + A2:2013
		Stability Clause-4.1	IEC 60950-1:2005 + A1:2009 + A2:2013



**Director (MRA), TEC**



**AD (MRA), TEC**

**\*The validity of Certificate is up to 01/11/2024 or the continued validity of NABL Accreditation, whichever is earlier.**

**SCOPE OF DESIGNATION**  
**(ANNEXURE)**

**Laboratory Name:** M/s Delhi Test House, Delhi  
A-62/3, G.T. Karnal Road Industrial Area, Azadpur,  
Delhi-110 033

**Certificate Number:** TEC/MRA/CAB/IND-D/21


**Page 3 of 6**

**Validity:** 02/11/2021 to 01/11/2024

**Last Amended on:** ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Information Technology Equipment –Safety Requirement	Mechanical Strength Clause-4.2	IEC 60950-1:2005 + A1:2009 + A2:2013
		Steady Force test Clause- 4.2.2, 4.2.3, 4.2.4	IEC 60950-1:2005 + A1:2009 + A2:2013
		Impact test Clause- 4.2.5	IEC 60950-1:2005 + A1:2009 + A2:2013
		Drop Test Clause- 4.2.6	IEC 60950-1:2005 + A1:2009 + A2:2013
		Stress Relief test Clause- 4.2.7	IEC 60950-1:2005 + A1:2009 + A2:2013
		Mechanical Strength for wall or ceiling mounted equipment Clause- 4.2.10	IEC 60950-1:2005 + A1:2009 + A2:2013
		Design and construction for Handles and manual controls Clause- 4.3.2	IEC 60950-1:2005 + A1:2009 + A2:2013
		Protection against hazardous moving parts Clause- 4.4	IEC 60950-1:2005 + A1:2009 + A2:2013
		Temperature tests Clause- 4.5.2	IEC 60950-1:2005 + A1:2009 + A2:2013

  
Director (MRA), TEC

  
AD (MRA), TEC

\*The validity of Certificate is up to 01/11/2024 or the continued validity of NABL Accreditation, whichever is earlier.



**SCOPE OF DESIGNATION**  
**(ANNEXURE)**

**Laboratory Name: M/s Delhi Test House, Delhi**  
**A-62/3, G.T. Karnal Road Industrial Area, Azadpur,**  
**Delhi-110 033**


**Certificate Number: TEC/MRA/CAB/IND-D/21**


**Page 4 of 6**

**Validity: 02/11/2021 to 01/11/2024**

**Last Amended on: ----**

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Information Technology Equipment –Safety Requirement	Resistance to abnormal heat Clause- 4.5.5	IEC 60950-1:2005 + A1:2009 + A2:2013
		Openings in enclosures Clause- 4.6, except 4.6.2	IEC 60950-1:2005 + A1:2009 + A2:2013
		Evaluation measures for larger openings Clause- 4.6.4.2	IEC 60950-1:2005 + A1:2009 + A2:2013
		Resistance to Fire Clause- 4.7	IEC 60950-1:2005 + A1:2009 + A2:2013
		Electrical requirements & insulated abnormal condition (Touch current and protective conductor current) Clause- 5 & 5.1	IEC 60950-1:2005 + A1:2009 + A2:2013
		Electric Strength Clause- 5.2	IEC 60950-1:2005 + A1:2009 + A2:2013
		Protection from hazardous voltages Clause- 6.1.1	IEC 60950-1:2005 + A1:2009 + A2:2013
		Separation of the telecommunication network from earth Clause- 6.1.2	IEC 60950-1:2005 + A1:2009 + A2:2013
		Steady State test Clause- 6.2.2.2	IEC 60950-1:2005 + A1:2009 + A2:2013

  
**Director (MRA), TEC**

  
**AD (MRA), TEC**

**\*The validity of Certificate is up to 01/11/2024 or the continued validity of NABL Accreditation, whichever is earlier.**

**SCOPE OF DESIGNATION**  
**(ANNEXURE)**

**Laboratory Name: M/s Delhi Test House, Delhi**  
**A-62/3, G.T. Karnal Road Industrial Area, Azadpur,**  
**Delhi-110 033**


**Certificate Number: TEC/MRA/CAB/IND-D/21**

**Page 5 of 6**

**Validity: 02/11/2021 to 01/11/2024**

**Last Amended on: ----**

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Information Technology Equipment –Safety Requirement	Compliance criteria Clause- 6.2.2.3	IEC 60950-1:2005 + A1:2009 + A2:2013
		Voltage Surge test Clause- 7.4.2	IEC 60950-1:2005 + A1:2009 + A2:2013
2.	Environmental Testing of Telecom Equipment	Dry Heat (High Temperature) Test	QM-333 issue March 2010
		Damp Heat Cyclic (Tropical Exposure) Test	QM-333 issue March 2010
		Rapid Temperature Cyclic Test	QM-333 issue March 2010
		Damp Heat Steady State Test	QM-333 issue March 2010
3.	Uninterruptible Power Systems (UPS)- Safety requirements	Power Interface Clause- 4.6	IEC 62040-1:2008
		Marking and Instructions Clause- 4.7	IEC 62040-1:2008
		Clearance, Creepage distance and distance through insulation Clause- 5.7, except 2.10.3.9(b) of RD.	IEC 62040-1:2008

  
Director (MRA), TEC

  
AD (MRA), TEC

\*The validity of Certificate is up to 01/11/2024 or the continued validity of NABL Accreditation, whichever is earlier.



**SCOPE OF DESIGNATION**  
**(ANNEXURE)**

**Laboratory Name:** M/s Delhi Test House, Delhi  
A-62/3, G.T. Karnal Road Industrial Area, Azadpur,  
Delhi-110 033


**Certificate Number:** TEC/MRA/CAB/IND-D/21

**Page 6 of 6**

**Validity:** 02/11/2021 to 01/11/2024

**Last Amended on:** ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Uninterruptible Power Systems (UPS)- Safety requirements	Mechanical Strength Clause- 7.3	IEC 62040-1:2008
		Construction details Clause- 7.4	IEC 62040-1:2008
		Temperature Rise Clause- 7.7	IEC 62040-1:2008
		General provision for earth leakage Clause- 8.1	IEC 62040-1:2008
		Electric Strength Clause- 8.2	IEC 62040-1:2008



Director (MRA), TEC



AD (MRA), TEC

\*The validity of Certificate is up to 01/11/2024 or the continued validity of NABL Accreditation, whichever is earlier.